



## TOP SELECTION GARDEN 2026

CLASSIC RANGE



MODERN RANGE





SOLAR RANGE





# CLASSIC RANGE

|               | REVIVAL                                                                                       |                                                                                               | HALF LANTERN                                                                                  |                                                                                               | HEXAGONAL                                                                                   |                                                                                             | SQUARE                                                                                      |                                                                                              |
|---------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| GARDEN SMALL  | <br>pag.15    | <br>pag.23   | <br>pag.11   | <br>pag.13   | <br>pag.41 | <br>pag.45 | <br>pag.49 |                                                                                              |
|               |                                                                                               |                                                                                               |                                                                                               |                                                                                               |                                                                                             |                                                                                             |                                                                                             |                                                                                              |
| GARDEN MEDIUM | <br>pag.19    | <br>pag.25   | <br>pag.11   | <br>pag.13   | <br>pag.57 | <br>pag.61 | <br>pag.65 | <br>pag.69 |
|               |                                                                                               |                                                                                               |                                                                                               |                                                                                               |                                                                                             |                                                                                             |                                                                                             |                                                                                              |
| GARDEN LARGE  | <br>pag.29   |                                                                                               | <br>pag.13   |                                                                                               | <br>pag.77 | <br>pag.81 | <br>pag.85 | <br>pag.89 |
|               |                                                                                               |                                                                                               |                                                                                               |                                                                                               |                                                                                             |                                                                                             |                                                                                             |                                                                                              |
| GLOBES        | <br>pag.33  | <br>pag.53 | <br>pag.37 | <br>pag.73 |                                                                                             |                                                                                             |                                                                                             |                                                                                              |
|               |                                                                                               |                                                                                               |                                                                                               |                                                                                               |                                                                                             |                                                                                             |                                                                                             |                                                                                              |
| BOLLARD       | <br>pag.93 | <br>pag.93 | <br>pag.95 | <br>pag.95 |                                                                                             |                                                                                             |                                                                                             |                                                                                              |
|               |                                                                                               |                                                                                               |                                                                                               |                                                                                               |                                                                                             |                                                                                             |                                                                                             |                                                                                              |

**BISSO/ANNA**  
for details see pag. 41

E22.131

Q18.110

**MIKROLOT/MARY**  
for details see pag. 49

**DISMA/ROBY**  
for details see pag. 23

T20.114

H21.240

**NARDO/GIAMPIY**  
for details see pag. 15

**GIULIO**  
for details see pag. 11

NEW ENTRY!

M25.000

**FABIO**  
for details see pag. 11

M21.000

**IESSE**  
for details see pag. 13

M23.000



# MODERN RANGE

NEWS



BOLLARD



DOWNLIGHT



UP&DOWN



IN-GROUND




BRICKLIGHT



BULKHEAD



POST



NEW  
ENTRY!

**VIRGILIO 500**  
for details see pag.99

DS3.558

DS3.563

DS3.564

**BERTA**

for details see pag.175

**FRANCY-OP**

for details see pag.145

2A2.000

2B2.000

NEW  
GU10  
130  
lumen/W

**MINITOMMY-EL**

for details see pag.147

1M2.001

**AMELIA 400**

for details see pag.117

DR2.574





## FIORINA


for details see pag.201



F11.542.S3L

## JOSEPHA 800


for details see pag.199



JS1.242.S3L0P2

## SANTINA 500 SPIKE

for details see pag.205



SL1.259.S3L0P2

## FELICE 200

for details see pag.203



FE1.573.S3L0P2

## FORTUNATO

for details see pag.201



FO1.000.S3L

## BISSO/ROSETTA

for details see pag.207



R22.131.S3L

SAVE UP TO  
**40%**  
VOLUME



MADE IN  
ITALY

### SINGLE BOX



### SMART PACK




✓ SAVE UP TO 40% VOLUME

✓ ECO-FRIENDLY PACKAGING

✓ FILM WRAPPED ITEMS



### AVAILABLE FOR:



### HOW TO READ THE CODE

| DIFFUSER                                          | STRUCTURE                                                                                                       | SYSTEM                                       | COLOUR OF THE STRUCTURE                | COLOUR OF THE DIFFUSER                | ELECTRIFICATION                                                           | VARIANT                                                                                                 |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------|---------------------------------------|---------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| IDENTIFIES THE DIFFUSER                           | IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)                          | IDENTIFIES THE MULTI LIGHT SYSTEM IF PRESENT | IDENTIFIES THE COLOUR OF THE STRUCTURE | IDENTIFIES THE COLOUR OF THE DIFFUSER | IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS | IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVRE OR BACKLIT BASE ON THE BULK-HEAD RANGE |
| <b>A</b> BLACK<br><b>W</b> WHITE<br><b>L</b> GREY | <b>X</b> CLEAR/FROSTED<br><b>Y</b> ORAL<br><b>Z</b> SMOKE<br><b>N</b> GREEN<br><b>R</b> ORANGE<br><b>U</b> BLUE |                                              |                                        |                                       |                                                                           |                                                                                                         |
| <b>1R3</b>                                        | <b>. 613</b>                                                                                                    | <b>. X20</b>                                 | <b>. A</b>                             | <b>Y</b>                              | <b>E1P</b>                                                                | <b>OR1</b>                                                                                              |



**MIKROLOT/ANNA**  
for details see pag. 41



**MINILOT/RUT**  
for details see pag. 57

**EMILIO/SERGIO**  
for details see pag. 30



**IESSE**  
for details see pag. 13



**FABIO**  
for details see pag. 11



**GIULIO**  
for details see pag. 11



## PROMO GARDEN 2025 - CLASSIC RANGE



**DISMA/GIAMPY**  
for details see pag. 15



**MIDIDISMA/SANDRO**  
for details see pag. 19



**DISMA/ROBY**  
for details see pag. 23

**BISSO/GOLIA**  
for details see pag. 65



**MIKROLOT/MARY**  
for details see pag. 49





REVIVAL

# FABIO-GIULIO HALF LANTERN



MADE IN ITALY



More details at page 209

NEW ENTRY!

NEW

GREY COLOUR AVAILABLE

M24.000.V1K



| SINGLE BOX                           |
|--------------------------------------|
|                                      |
| FABIO master box<br>0,16 cbm-18 pcs  |
|                                      |
| GIULIO master box<br>0,19 cbm-12 pcs |

| SMART PACK                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Save 35 % volume</li> <li>ECO-friendly packaging</li> <li>Film wrapped items</li> </ul> |
| <p>SAVE UP TO 35 % VOLUME</p> <p></p> <p>FABIO<br/>0,14 cbm-24 pcs</p> <p></p> <p>GIULIO<br/>0,21 cbm-18 pcs</p>               |



## HALF LANTERNS

| AVAILABLE COLORS                               |                             |
|------------------------------------------------|-----------------------------|
| RESIN BODY                                     | DIFFUSER                    |
| BLACK (A)          GREY (L)          WHITE (W) | CLEAR (X)          OPAL (Y) |

| E27 CCT LED VERSION |                                                                                                            |
|---------------------|------------------------------------------------------------------------------------------------------------|
|                     | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>= 75W INCANDESCENT |

| E27 FILAMENT LED VERSION |                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------|
|                          | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= 60W INCANDESCENT |

| E27 VERSION |  |
|-------------|--|
|             |  |

**FABIO**

|               |             |            |
|---------------|-------------|------------|
| E27           | M21.000.E27 | SMART PACK |
| E27           | M20.000.E27 | SINGLE BOX |
| 6,5W FILAMENT | M20.000.F1R | SINGLE BOX |
| 8,5W CCT SET  | M20.000.V1K | SINGLE BOX |

215  
115  
290  
120

Standard Master box: **18pcs**  
Smart Pack Master box: **24pcs**

**GIULIO**

|               |             |            |
|---------------|-------------|------------|
| E27           | M25.000.E27 | SMART PACK |
| E27           | M24.000.E27 | SINGLE BOX |
| 6,5W FILAMENT | M24.000.F1R | SINGLE BOX |
| 8,5W CCT SET  | M24.000.V1K | SINGLE BOX |

265  
140  
375

Standard Master box: **12pcs**  
Smart Pack Master box: **18pcs**

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# IESSE-ESAU-DARIA

## HALF LANTERNS



More details at page 209

NEW  
ENTRY!

M26.000.V1K

## SINGLE BOX



IESSE master box  
0,22 cbm-16 pcs

## SMART PACK

- ✓ Save up to 44 % volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items



IESSE  
0,14 cbm-18 pcs



## HALF LANTERNS

## AVAILABLE COLORS



## RESIN BODY



## DIFFUSER



## E27 CCT LED VERSION



## E27 FILAMENT LED



## E27 VERSION



## IESSE

IP55



|                                                                       |             |            |
|-----------------------------------------------------------------------|-------------|------------|
| E27                                                                   | M23.000.E27 | SMART PACK |
| E27                                                                   | M22.000.E27 | SINGLE BOX |
| 6,5W FILAMENT                                                         | M22.000.F1R | SINGLE BOX |
| 8,5W CCT SET                                                          | M22.000.V1K | SINGLE BOX |
|                                                                       |             |            |
| Standard Master box: <b>16pcs</b> Smart pack Master box: <b>18pcs</b> |             |            |

## ESAU

IP55



|               |             |            |
|---------------|-------------|------------|
| E27           | M27.000.E27 | SMART PACK |
| E27           | M26.000.E27 | SINGLE BOX |
| 6,5W FILAMENT | M26.000.F1R | SINGLE BOX |
| 8,5W CCT SET  | M26.000.V1K | SINGLE BOX |
|               |             |            |

## DARIA

IP55



|               |             |            |
|---------------|-------------|------------|
| E27           | M28.000.E27 | SINGLE BOX |
| 6,5W FILAMENT | M28.000.F1R | SINGLE BOX |
| 11W CCT SET   | M28.000.T1K | SINGLE BOX |
|               |             |            |



# GIAMPY RANGE

## SMALL SIZE




MADE IN ITALY

**CCT SET**

|                          |                          |                          |
|--------------------------|--------------------------|--------------------------|
| 6,5W<br>800 lm<br>2700 K | 8,5W<br>920 lm<br>2700 K | 11W<br>1200 lm<br>2700 K |
| 4000 K                   | 4000 K                   | 6500 K                   |

More details at page 209



H21.240.V1K

**NEW**  
GREY COLOUR  
AVAILABLE



SMALL SIZE

GIAMPY RANGE

| AVAILABLE COLORS |            | E27 CCT LED VERSION                                         | E27 FILAMENT LED VERSION                        | E27 VERSION |
|------------------|------------|-------------------------------------------------------------|-------------------------------------------------|-------------|
| RESIN BODY       | DIFFUSER   |                                                             |                                                 |             |
| BLACK (A)        | NEW COLOUR | 8,5W<br>920 lm<br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K | 6,5W<br>800 lm<br>100-240V<br>50/60 Hz<br>2700K |             |
| GREY (L)         |            | 75W<br>INCANDESCENT                                         | 60W<br>INCANDESCENT                             |             |
| WHITE (W)        |            |                                                             |                                                 |             |
| CLEAR (X)        |            |                                                             |                                                 |             |
| OPAL (Y)         |            |                                                             |                                                 |             |

| NARDO/GIAMPY        |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | H21.240.F1R |
| 8,5W CCT SET        | H21.240.V1K |
| E27                 | H21.240.E27 |

IP55

270  
315  
315

Master box: 18pcs

**NEW**

| DISMA/GIAMPY        |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | H21.114.F1R |
| 8,5W CCT SET        | H21.114.V1K |
| E27                 | H21.114.E27 |

IP55

210  
330  
120

Master box: 18pcs

**NEW**

| SICAR/GIAMPY        |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | H21.125.F1R |
| 8,5W CCT SET        | H21.125.V1K |
| E27                 | H21.125.E27 |

IP55

210  
750

Master box: 18pcs

**NEW**

| GIAFFA/GIAMPY (resin) |             |
|-----------------------|-------------|
| 6,5W FILAMENT 2700K   | H21.242.F1R |
| 8,5W CCT SET          | H21.242.V1K |
| E27                   | H21.242.E27 |

IP55

210  
1000  
140

Master box: 18pcs

**NEW**

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GIAMPY RANGE

SMALL SIZE



| AVAILABLE COLORS                                                                  |                                                                                   |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| RESIN BODY                                                                        |                                                                                   | DIFFUSER                                                                          |
|   |  |  |
| BLACK (A)                                                                         | GREY (L)                                                                          | WHITE (W)                                                                         |
|  |  |                                                                                   |
| CLEAR (X)                                                                         | OPAL (Y)                                                                          |                                                                                   |

| E27 CCT LED VERSION                                                               |                                                                                                            |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
|  | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>= 75W INCANDESCENT |

| E27 FILAMENT LED VERSION                                                          |                                                                                     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= 60W INCANDESCENT |


**DANILO/GIAMPY**

IP55



|                            |             |
|----------------------------|-------------|
| <b>6,5W</b> 2700K FILAMENT | H21.305.F1R |
| <b>8,5W</b> CCT SET        | H21.305.V1K |

**LED LAMP INCLUDED**




**NEW**



SMALL SIZE

GIAMPY RANGE

**"METAL POST COVERED BY RESIN"**



STEEL  
RESIN  
EXPANSE


**fumaTech**  
FUMAGALLI POLES TECHNOLOGY

**LIFETIME GUARANTEE**  
ANTI RUST  
NO PAINTING REQUIRED  
MADE IN ITALY

ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS


**DINO NARDO/GIAMPY 2L**

IP55



|                            |                 |
|----------------------------|-----------------|
| <b>6,5W</b> 2700K FILAMENT | H21.306.D20.F1R |
| <b>8,5W</b> CCT SET        | H21.306.D20.V1K |


**LED LAMP INCLUDED**



**NEW**


**DINO NARDO/GIAMPY 3L**

IP55



|                            |                 |
|----------------------------|-----------------|
| <b>6,5W</b> 2700K FILAMENT | H21.306.D30.F1R |
| <b>8,5W</b> CCT SET        | H21.306.D30.V1K |

**LED LAMP INCLUDED**



**NEW**

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



REVIVAL

# SANDRO RANGE

MEDIUM SIZE



MADE IN ITALY

NEW

GREY COLOUR AVAILABLE



|                          |                          |                          |
|--------------------------|--------------------------|--------------------------|
| 6,5W<br>800 lm<br>2700 K | 8,5W<br>920 lm<br>2700 K | 11W<br>1200 lm<br>4000 K |
|--------------------------|--------------------------|--------------------------|

More details at page 209



H24.116.V1K



MEDIUM SIZE

SANDRO RANGE

| AVAILABLE COLORS                                                                    |                                          |
|-------------------------------------------------------------------------------------|------------------------------------------|
| RESIN BODY                                                                          | DIFFUSER                                 |
| <div>NEW COLOUR</div> <div>BLACK (A)</div> <div>GREY (L)</div> <div>WHITE (W)</div> | <div>CLEAR (X)</div> <div>OPAL (Y)</div> |

| E27 CCT LED VERSION                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>8,5W</div> <div>920 lm</div> <div>100-240V</div> <div>50/60 Hz</div> <div>2700K/4000K/6500K</div> <div>CCT SET</div> <div>75W INCANDESCENT</div> |

| E27 FILAMENT LED VERSION                                                                                               |
|------------------------------------------------------------------------------------------------------------------------|
| <div>6,5W</div> <div>800 lm</div> <div>100-240V</div> <div>50/60 Hz</div> <div>2700K</div> <div>60W INCANDESCENT</div> |

| E27 VERSION                                                                                                            |
|------------------------------------------------------------------------------------------------------------------------|
| <div>6,5W</div> <div>800 lm</div> <div>100-240V</div> <div>50/60 Hz</div> <div>2700K</div> <div>60W INCANDESCENT</div> |

| NARDO/SANDRO        |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | H24.240.F1R |
| 8,5W CCT SET        | H24.240.V1K |
| E27                 | H24.240.E27 |



| MIDIDISMA/SANDRO    |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | H24.116.F1R |
| 8,5W CCT SET        | H24.116.V1K |
| E27                 | H24.116.E27 |



| SICAR/SANDRO        |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | H24.125.F1R |
| 8,5W CCT SET        | H24.125.V1K |
| E27                 | H24.125.E27 |



| GIAFFA/SANDRO (resin) |             |
|-----------------------|-------------|
| 6,5W FILAMENT 2700K   | H24.242.F1R |
| 8,5W CCT SET          | H24.242.V1K |
| E27                   | H24.242.E27 |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |

MADE IN ITALY



SANDRO RANGE MEDIUM SIZE



**DANILO/SANDRO**

IP55

6,5W FILAMENT 2700K H24.305.F1R

8,5W CCT SET H24.305.V1K

11W CCT SET H24.305.T1K

LED LAMP INCLUDED

NEW

Ø 245

1820

240

**DINO/SANDRO**

IP55

6,5W FILAMENT 2700K H24.306.F1R

8,5W CCT SET H24.306.V1K

11W CCT SET H24.306.T1K

LED LAMP INCLUDED

NEW

Ø 245

2020

240

**DINO NARDO/SANDRO 2L**

IP55

6,5W FILAMENT 2700K H24.306.D20.F1R

8,5W CCT SET H24.306.D20.V1K

11W CCT SET H24.306.D20.T1K

LED LAMP INCLUDED

NEW

Ø 245

2030

630

**DINO NARDO/SANDRO 3L**

IP55

6,5W FILAMENT 2700K H24.306.D30.F1R

8,5W CCT SET H24.306.D30.V1K

11W CCT SET H24.306.D30.T1K

LED LAMP INCLUDED

NEW

Ø 245

2030

590



MEDIUM SIZE SANDRO RANGE

**AVAILABLE COLORS**

**RESIN BODY**

BLACK (A) GREY (L) WHITE (W)

**DIFFUSER**

CLEAR (X) OPAL (Y)

**E27 CCT LED VERSION**

8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K 60W INCANDESCENT

**E27 FILAMENT LED VERSION**

11W 1200 lm 100-240V 50/60 Hz 2700K/4000K/6500K 75W INCANDESCENT

6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT

**EMILIO NARDO/SANDRO 2L**

6,5W FILAMENT 2700K H24.307.D20.F1R

8,5W CCT SET H24.307.D20.V1K

11W CCT SET H24.307.D20.T1K

LED LAMP INCLUDED

NEW

Ø 245

2270

630

**EMILIO NARDO/SANDRO 3L**

6,5W FILAMENT 2700K H24.307.D30.F1R

8,5W CCT SET H24.307.D30.V1K

11W CCT SET H24.307.D30.T1K

LED LAMP INCLUDED

NEW

Ø 245

2270

590

10 HALF LANTERN

14 REVIVAL

40 GARDEN SMALL

56 GARDEN MEDIUM

76 GARDEN LARGE

92 BOLLARD

98 BOLLARD

126 DOWNLIGHT

134 UP&DOWN

146 FLOODLIGHT

156 IN-GROUND

162 BRICKLIGHT

172 BULKHEAD

190 POST

198 SOLAR MODERN

206 SOLAR CLASSIC

208 LAMPS



# ROBY RANGE

## SMALL SIZE



NEW

GREY COLOUR  
AVAILABLE



T20.240.E27



fumagalli  
since 1973



SMALL SIZE

ROBY RANGE

| AVAILABLE COLORS                                     |                       |
|------------------------------------------------------|-----------------------|
| RESIN BODY                                           | DIFFUSER              |
| BLACK (A)<br>GREY (L) <b>NEW COLOUR</b><br>WHITE (W) | CLEAR (X)<br>OPAL (Y) |

| E27 CCT LED VERSION |                                                                                                            |
|---------------------|------------------------------------------------------------------------------------------------------------|
|                     | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>= 75W INCANDESCENT |

| E27 FILAMENT LED VERSION |                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------|
|                          | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= 60W INCANDESCENT |

| E27 VERSION |  |
|-------------|--|
|             |  |

| NARDO/ROBY                                                                                        |  |
|---------------------------------------------------------------------------------------------------|--|
| <b>6,5W</b> <b>2700K</b> T20.240.F1R<br><b>8,5W</b> <b>CCT SET</b> T20.240.V1K<br>E27 T20.240.E27 |  |



| SICAR/ROBY                                                                                        |  |
|---------------------------------------------------------------------------------------------------|--|
| <b>6,5W</b> <b>2700K</b> T20.125.F1R<br><b>8,5W</b> <b>CCT SET</b> T20.125.V1K<br>E27 T20.125.E27 |  |



| DISMA/ROBY                                                                                        |  |
|---------------------------------------------------------------------------------------------------|--|
| <b>6,5W</b> <b>2700K</b> T20.114.F1R<br><b>8,5W</b> <b>CCT SET</b> T20.114.V1K<br>E27 T20.114.E27 |  |



| GIAFFA/ROBY (resin)                                                                               |  |
|---------------------------------------------------------------------------------------------------|--|
| <b>6,5W</b> <b>2700K</b> T20.242.F1R<br><b>8,5W</b> <b>CCT SET</b> T20.242.V1K<br>E27 T20.242.E27 |  |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |





REVIVAL

# DARIO RANGE

## MEDIUM SIZE

fumagalli  
since 1973

MADE IN ITALY

NEW

GREY COLOUR  
AVAILABLE



More details at page 209



T24.116.V1K



fumagalli  
since 1973



MEDIUM SIZE

DARIO RANGE

| AVAILABLE COLORS                                                                    |                                          |
|-------------------------------------------------------------------------------------|------------------------------------------|
| RESIN BODY                                                                          | DIFFUSER                                 |
| <div>NEW COLOUR</div> <div>BLACK (A)</div> <div>GREY (L)</div> <div>WHITE (W)</div> | <div>CLEAR (X)</div> <div>OPAL (Y)</div> |

| E27 CCT LED VERSION |                                                                                                            |
|---------------------|------------------------------------------------------------------------------------------------------------|
|                     | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>= 75W INCANDESCENT |

| E27 FILAMENT LED VERSION |                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------|
|                          | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= 60W INCANDESCENT |

| E27 VERSION |                             |
|-------------|-----------------------------|
|             | 2700K<br>= 60W INCANDESCENT |

| NARDO/DARIO                                                 |                                           |
|-------------------------------------------------------------|-------------------------------------------|
| <b>6,5W</b> <b>2700K</b><br>FILAMENT<br><b>8,5W</b> CCT SET | T24.240.F1R<br>T24.240.V1K<br>T24.240.E27 |
| <b>E27</b>                                                  | T24.240.E27                               |
|                                                             |                                           |
| <b>NEW</b>                                                  | Master box: <b>12pcs</b>                  |

| SICAR/DARIO                                                 |                                           |
|-------------------------------------------------------------|-------------------------------------------|
| <b>6,5W</b> <b>2700K</b><br>FILAMENT<br><b>8,5W</b> CCT SET | T24.125.F1R<br>T24.125.V1K<br>T24.125.E27 |
| <b>E27</b>                                                  | T24.125.E27                               |
|                                                             |                                           |
| <b>NEW</b>                                                  | Master box: <b>12pcs</b>                  |

| MIDIDISMA/DARIO                                             |                                           |
|-------------------------------------------------------------|-------------------------------------------|
| <b>6,5W</b> <b>2700K</b><br>FILAMENT<br><b>8,5W</b> CCT SET | T24.116.F1R<br>T24.116.V1K<br>T24.116.E27 |
| <b>E27</b>                                                  | T24.116.E27                               |
|                                                             |                                           |
| <b>NEW</b>                                                  | Master box: <b>12pcs</b>                  |

| GIAFFA/DARIO (resin)                                        |                                           |
|-------------------------------------------------------------|-------------------------------------------|
| <b>6,5W</b> <b>2700K</b><br>FILAMENT<br><b>8,5W</b> CCT SET | T24.242.F1R<br>T24.242.V1K<br>T24.242.E27 |
| <b>E27</b>                                                  | T24.242.E27                               |
|                                                             |                                           |
| <b>NEW</b>                                                  | Master box: <b>12pcs</b>                  |

10 HALF LANTERN  
14 REVIVAL  
40 GARDEN SMALL  
56 GARDEN MEDIUM  
76 GARDEN LARGE  
92 BOLLARD  
98 BOLLARD  
126 DOWNLIGHT  
134 UP&DOWN  
146 FLOODLIGHT  
156 IN-GROUND  
162 BRICKLIGHT  
172 BULKHEAD  
190 POST  
198 SOLAR MODERN  
206 SOLAR CLASSIC  
208 LAMPS



DARIO RANGE MEDIUM SIZE



**DANILO/DARIO**

IP55

6,5W 2700K FILAMENT T24.305.F1R

8,5W CCT SET T24.305.V1K

LED LAMP INCLUDED

NEW

240

1750

Ø245

**DINO/DARIO**

IP55

6,5W 2700K FILAMENT T24.306.F1R

8,5W CCT SET T24.306.V1K

LED LAMP INCLUDED

NEW

240

1950

Ø245

**DINO NARDO/DARIO 2L**

IP55

6,5W 2700K FILAMENT T24.306.D20.F1R

8,5W CCT SET T24.306.D20.V1K

LED LAMP INCLUDED

NEW

630

1960

Ø245

**DINO NARDO/DARIO 3L**

IP55

6,5W 2700K FILAMENT T24.306.D30.F1R

8,5W CCT SET T24.306.D30.V1K

LED LAMP INCLUDED

NEW

620

1960

Ø245



MEDIUM SIZE DARIO RANGE

**AVAILABLE COLORS**

RESIN BODY

NEW COLOUR

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

CLEAR (X) OPAL (Y)

**E27 CCT LED VERSION**

8,5W

920 lm

100-240V 50/60 Hz

2700K/4000K/6500K

CCT SET

75W INCANDESCENT

**E27 FILAMENT LED VERSION**

6,5W

800 lm

100-240V 50/60 Hz

2700K

60W INCANDESCENT

**EMILIO NARDO/DARIO 2L**

6,5W 2700K FILAMENT T24.307.D20.F1R

8,5W CCT SET T24.307.D20.V1K

IP55

LED LAMP INCLUDED

NEW

630

2200

Ø245

**EMILIO NARDO/DARIO 3L**

6,5W 2700K FILAMENT T24.307.D30.F1R

8,5W CCT SET T24.307.D30.V1K

IP55

LED LAMP INCLUDED

NEW

620

2200

Ø245

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



REVIVAL

# SERGIO RANGE

LARGE SIZE



MADE IN ITALY

HIGH POWER LED VERSION



T33.117.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C  
-30°C  
90% HUMIDITY  
VOLTAGE SURGE RESISTANT

15W (1690 lm)  
30W (3620 lm)  
50W (6550 lm)

More details at page 212



LARGE SIZE

SERGIO RANGE

| AVAILABLE COLORS |                            |           |
|------------------|----------------------------|-----------|
| RESIN BODY       | DIFFUSER                   |           |
| BLACK (A)        | GREY (L) <b>NEW COLOUR</b> | WHITE (W) |
|                  | CLEAR (X)                  | OPAL (Y)  |

| E27 HIGH POWER LED VERSION       |                                  |
|----------------------------------|----------------------------------|
| 15W<br>1690 lm                   | 30W<br>3620 lm                   |
| 100-240V 50/60 Hz<br>4000K/3000K | 100-240V 50/60 Hz<br>4000K/3000K |
| = SERGIO<br>100W INCANDESCENT    | = SERGIO<br>70W HQI-SOI          |

**IOLE/SERGIO**

|                 |             |
|-----------------|-------------|
| 15W LED CCT SET | T33.243.R1K |
| 30W LED CCT SET | T33.243.Q1K |

**HIGH POWER LED VERSION**

**NEW**

**MAXIDISMA/SERGIO**

|                 |             |
|-----------------|-------------|
| 15W LED CCT SET | T33.117.R1K |
| 30W LED CCT SET | T33.117.Q1K |

**HIGH POWER LED VERSION**

**NEW**

**SICAR/SERGIO**

|                 |             |
|-----------------|-------------|
| 15W LED CCT SET | T33.126.R1K |
| 30W LED CCT SET | T33.126.Q1K |

**HIGH POWER LED VERSION**


**NEW**

- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS

SERGIO RANGE

LARGE SIZE



| E27 HIGH POWER LED VERSION                                                       |       |                     |                      |              |                                    |
|----------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------|------------------------------------|
| LAMP                                                                             | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE | COMPARISON                         |
|  | 15W   | 1690 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | = SERGIO<br>= 100W<br>INCANDESCENT |
|                                                                                  | 30W   | 3620 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | = SERGIO<br>= 70W<br>HQL-SON       |



LARGE SIZE

SERGIO RANGE

"METAL POST COVERED BY RESIN"

STEEL  
RESIN  
EXPANSE

**fumaTech**  
FUMAGALLI POLES TECHNOLOGY

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

**DANILO/SERGIO**

15W LED CCT SET T33.305.R1K

30W LED CCT SET T33.305.Q1K

IP55

HIGH POWER LED VERSION



NEW

Master box: 2pcs


**DINO/SERGIO**

15W LED CCT SET T33.306.R1K

30W LED CCT SET T33.306.Q1K

IP55

HIGH POWER LED VERSION



NEW

Master box: 2pcs


**EMILIO/SERGIO**

15W LED CCT SET T33.307.R1K

30W LED CCT SET T33.307.Q1K

IP55

HIGH POWER LED VERSION



NEW

Master box: 2pcs

**VANNI 2500/SERGIO**

30W LED CCT SET T33.310.Q1K

IP55

HIGH POWER LED VERSION



NEW

**VANNI 2500 IOLE/SERGIO 2L**

30W LED CCT SET T33.310.E20.Q1K

IP55

HIGH POWER LED VERSION



NEW

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



REVIVAL

# GLOBE 250 RANGE MODERN



MADE IN ITALY



G26.240.E27

| CCT SET                  |                          |
|--------------------------|--------------------------|
| 6,5W<br>800 lm<br>2700 K | 8,5W<br>920 lm<br>2700 K |
| 11W<br>1200 lm<br>4000 K | 11W<br>1200 lm<br>6500 K |

More details at page 209

**NEW**  
GREY COLOUR  
AVAILABLE



SMALL SIZE

# GLOBE 250 MODERN

| AVAILABLE COLORS                                                                                                                                                         |  |  | E27 CCT LED VERSION                                                                                    | E27 FILAMENT LED VERSION                                                                   | E27 VERSION |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------|
| <div>RESIN BODY</div> <div>  BLACK (A)            GREY (L)            WHITE (W)         </div> <div>  CLEAR (X)            OPAL (Y)            SMOKED (Z)         </div> |  |  | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>= <b>75W</b> INCANDESCENT | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= <b>60W</b> INCANDESCENT |             |

**NARDO/G250**

|      |                     |             |
|------|---------------------|-------------|
| IP55 | 6,5W 2700K FILAMENT | G26.240.F1R |
|      | 8,5W CCT SET        | G26.240.V1K |
| E27  |                     | G26.240.E27 |

Master box: **36pcs**

**DISMA/G250**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G26.114.F1R |
| 8,5W CCT SET        | G26.114.V1K |
| E27                 | G26.114.E27 |

Master box: **36pcs**

**SICAR/G250**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G26.125.F1R |
| 8,5W CCT SET        | G26.125.V1K |
| E27                 | G26.125.E27 |

Master box: **36pcs**

MADE IN ITALY

- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS

# GLOBE 250 MODERN

SMALL SIZE



**AVAILABLE COLORS**

| RESIN BODY |          |           | DIFFUSER  |          |            |
|------------|----------|-----------|-----------|----------|------------|
|            |          |           |           |          |            |
| BLACK (A)  | GREY (L) | WHITE (W) | CLEAR (X) | OPAL (Y) | SMOKED (Z) |

**E27 CCT LED VERSION**

|  |                   |
|--|-------------------|
|  | <b>8,5W</b>       |
|  | <b>920 lm</b>     |
|  | 100-240V          |
|  | 50/60 Hz          |
|  | 2700K/4000K/6500K |
|  | <b>75W</b>        |
|  | INCANDESCENT      |

**E27 FILAMENT LED VERSION**

|  |               |
|--|---------------|
|  | <b>6,5W</b>   |
|  | <b>800 lm</b> |
|  | 100-240V      |
|  | 50/60 Hz      |
|  | 2700K         |
|  | <b>60W</b>    |
|  | INCANDESCENT  |

**GIAFFA/G250 (resin)**

**NEW**

|                          |             |
|--------------------------|-------------|
| <b>6,5W</b> <b>2700K</b> | G26.242.F1R |
| <b>8,5W</b>              | G26.242.V1K |

**LED LAMP INCLUDED**

Master box: **2pcs**

**DANILO/G250**

**NEW**

|                          |             |
|--------------------------|-------------|
| <b>6,5W</b> <b>2700K</b> | G26.305.F1R |
| <b>8,5W</b>              | G26.305.V1K |

**LED LAMP INCLUDED**

Master box: **2pcs**

**DINO/G250**

**NEW**

|                          |             |
|--------------------------|-------------|
| <b>6,5W</b> <b>2700K</b> | G26.306.F1R |
| <b>8,5W</b>              | G26.306.V1K |

**LED LAMP INCLUDED**

Master box: **2pcs**



SMALL SIZE

# GLOBE 250 MODERN

**"METAL POST COVERED BY RESIN"**

STEEL  
RESIN  
EXPANSE

**fumaTech**  
FUMAGALLI POLES TECHNOLOGY

**ANTI RUST LIFETIME GUARANTEE**  
NO PAINTING REQUIRED  
**MADE IN ITALY**

**ANTI CORROSION**  
**UV-RAYS STABILIZED**  
**NO MAINTENANCE**  
**DOUBLE INSULATION**  
**NOT AFFECTED BY CHEMICAL FERTILIZERS**

**DINO NARDO/G250 2L**

**NEW**

|                          |                 |
|--------------------------|-----------------|
| <b>6,5W</b> <b>2700K</b> | G26.306.D20.F1R |
| <b>8,5W</b>              | G26.306.D20.V1K |

**LED LAMP INCLUDED**

Master box: **2pcs**

**DINO NARDO/G250 3L**

**NEW**

|                          |                 |
|--------------------------|-----------------|
| <b>6,5W</b> <b>2700K</b> | G26.306.D30.F1R |
| <b>8,5W</b>              | G26.306.D30.V1K |

**LED LAMP INCLUDED**

Master box: **2pcs**

- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS



REVIVAL

# GLOBE 300 RANGE MODERN



MADE IN ITALY

|                          |                          |                          |
|--------------------------|--------------------------|--------------------------|
| 6,5W<br>800 lm<br>2700 K | 8,5W<br>920 lm<br>2700 K | 11W<br>1200 lm<br>2700 K |
|--------------------------|--------------------------|--------------------------|

More details at page 209



**NEW**  
GREY COLOUR  
AVAILABLE

G31.116.E27

UNTRATED

DOUBLE INSULATION



MEDIUM SIZE

# GLOBE 300 MODERN

| AVAILABLE COLORS                                                        |  |  | E27 CCT LED VERSION                                                                                        | E27 FILAMENT LED VERSION                                                            | E27 VERSION |
|-------------------------------------------------------------------------|--|--|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|
| <b>RESIN BODY</b><br>BLACK (A)            GREY (L)            WHITE (W) |  |  | <b>DIFFUSER</b><br>CLEAR (X)            OPAL (Y)            SMOKED (Z)                                     |                                                                                     |             |
|                                                                         |  |  | <b>11W</b><br><b>1200 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>= 75W INCANDESCENT | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= 60W INCANDESCENT |             |

## NARDO/G300

|      |                     |             |
|------|---------------------|-------------|
| IP55 | 6,5W 2700K FILAMENT | G31.240.F1R |
|      | 11W CCT SET         | G31.240.T1K |
|      | E27                 | G31.240.E27 |

Master box: 24pcs

## MIDIDISMA/G300

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G31.116.F1R |
| 11W CCT SET         | G31.116.T1K |
| E27                 | G31.116.E27 |

Master box: 24pcs

## SICAR/G300

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G31.125.F1R |
| 11W CCT SET         | G31.125.T1K |
| E27                 | G31.125.E27 |

Master box: 24pcs

- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS

GLOBE 300 MODERN

MEDIUM SIZE



AVAILABLE COLORS

| RESIN BODY                                                                                  | DIFFUSER                                                                                      |
|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|  BLACK (A)  |  CLEAR (X)   |
|  GREY (L)  |  OPAL (Y)    |
|  WHITE (W) |  SMOOKED (Z) |

E27 CCT LED VERSION

|                                                                                   |                                                                           |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------|
|  | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K |
|  | <b>75W</b><br>INCANDESCENT                                                |

E27 FILAMENT LED VERSION


|                                                                                   |                                                               |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------|
|  | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K |
|  | <b>60W</b><br>INCANDESCENT                                    |

**GIAFFA/G300 (resin)**

IP55

**6,5W 2700K** FILAMENT G31.242.F1R  
**11W** CCT SET G31.242.T1K






Master box: **2pcs**

**DANILO/G300**

**6,5W 2700K** FILAMENT G31.305.F1R  
**11W** CCT SET G31.305.T1K

IP55






Master box: **2pcs**

**DINO/G300**

**6,5W 2700K** FILAMENT G31.306.F1R  
**11W** CCT SET G31.306.T1K

IP55





Master box: **2pcs**

**EMILIO/G300**

**6,5W 2700K** FILAMENT G31.307.F1R  
**11W** CCT SET G31.307.T1K

IP55





Master box: **2pcs**



MEDIUM SIZE

GLOBE 300 MODERN

"METAL POST COVERED BY RESIN"

STEEL  
RESIN  
EXPANSE



ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED  
MADE IN ITALY


ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS

**EMILIO NARDO/G300 2L**

IP55

**6,5W 2700K** FILAMENT G31.307.D20.F1R  
**11W** CCT SET G31.307.D20.T1K






Master box: **2pcs**

**EMILIO NARDO/G300 3L**

IP55

**6,5W 2700K** FILAMENT G31.307.D30.F1R  
**11W** CCT SET G31.307.D30.T1K





Master box: **2pcs**

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# ANNA RANGE

## SMALL SIZE



E22.110.V1K



SMALL SIZE

# ANNA RANGE

| AVAILABLE COLORS |           |           |          |
|------------------|-----------|-----------|----------|
| RESIN BODY       |           | DIFFUSER  |          |
|                  |           |           |          |
| BLACK (A)        | WHITE (W) | CLEAR (X) | OPAL (Y) |

| E27 CCT LED VERSION                                         |                     |
|-------------------------------------------------------------|---------------------|
|                                                             |                     |
| 8,5W<br>920 lm<br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K | 60W<br>INCANDESCENT |

| E27 FILAMENT LED VERSION                        |                     |
|-------------------------------------------------|---------------------|
|                                                 |                     |
| 6,5W<br>800 lm<br>100-240V<br>50/60 Hz<br>2700K | 60W<br>INCANDESCENT |

| E27 VERSION |  |
|-------------|--|
|             |  |
|             |  |

| BISSEO/ANNA               |             |
|---------------------------|-------------|
| 6,5W<br>FILAMENT<br>2700K | E22.131.F1R |
| 8,5W<br>CCT SET           | E22.131.V1K |
| E27                       | E22.131.E27 |
| <br><br>Master box: 18pcs |             |

| SICHEM/ANNA               |             |
|---------------------------|-------------|
| 6,5W<br>FILAMENT<br>2700K | E22.120.F1R |
| 8,5W<br>CCT SET           | E22.120.V1K |
| E27                       | E22.120.E27 |
| <br><br>Master box: 18pcs |             |

| MIKROLOT/ANNA             |             |
|---------------------------|-------------|
| 6,5W<br>FILAMENT<br>2700K | E22.110.F1R |
| 8,5W<br>CCT SET           | E22.110.V1K |
| E27                       | E22.110.E27 |
| <br><br>Master box: 18pcs |             |

| MIZAR/ANNA (resin)        |             |
|---------------------------|-------------|
| 6,5W<br>FILAMENT<br>2700K | E22.151.F1R |
| 8,5W<br>CCT SET           | E22.151.V1K |
| E27                       | E22.151.E27 |
| <br><br>Master box: 18pcs |             |

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |

ANNA RANGE

SMALL SIZE



AVAILABLE COLORS

| RESIN BODY | DIFFUSER |
|------------|----------|
|            |          |
|            |          |

BLACK [A] WHITE [W] CLEAR [X] OPAL [Y]

E27 CCT LED VERSION

**8,5W**  
**920 lm**  
100-240V  
50/60 Hz  
2700K/4000K/6500K

CCT SET

60W INCANDESCENT

E27 FILAMENT LED VERSION

**6,5W**  
**800 lm**  
100-240V  
50/60 Hz  
2700K

60W INCANDESCENT

ALOE'R/ANNA (resin)

**6,5W** **2700K** E22.163.F1R  
**8,5W** CCT SET E22.163.V1K

IP55

LED LAMP INCLUDED

220  
1400  
Ø190

ARTU'/ANNA

**6,5W** **2700K** E22.158.F1R  
**8,5W** CCT SET E22.158.V1K

IP55

LED LAMP INCLUDED

220  
1820  
Ø245



SMALL SIZE

ANNA RANGE

"METAL POST COVERED BY RESIN"

STEEL  
EXPANSE  
RESIN

fumaTech®  
FUMAGALLI POLES TECHNOLOGY



ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED  
MADE IN ITALY

ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI BISSO/ANNA 2L

**6,5W** **2700K** E22.156.S20.F1R  
**8,5W** E22.156.S20.V1K

IP55

LED LAMP INCLUDED

610  
2090  
Ø245

GIGI BISSO/ANNA 3L

**6,5W** **2700K** E22.156.S30.F1R  
**8,5W** CCT SET E22.156.S30.V1K

IP55

LED LAMP INCLUDED

560  
2090  
Ø245

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# SABA RANGE

SMALL SIZE



K22.131.F1R



SMALL SIZE

## SABA RANGE


## AVAILABLE COLORS



## E27 CCT LED VERSION



## E27 FILAMENT LED VERSION



## E27 VERSION



### BISSO/SABA

|                  |       |             |
|------------------|-------|-------------|
| 6,5W<br>FILAMENT | 2700K | K22.131.F1R |
| 8,5W<br>CCT SET  |       | K22.131.V1K |
| E27              |       | K22.131.E27 |



### SICHEM/SABA

|                  |       |             |
|------------------|-------|-------------|
| 6,5W<br>FILAMENT | 2700K | K22.120.F1R |
| 8,5W<br>CCT SET  |       | K22.120.V1K |
| E27              |       | K22.120.E27 |



### MIKROLOT/SABA

|                  |       |             |
|------------------|-------|-------------|
| 6,5W<br>FILAMENT | 2700K | K22.110.F1R |
| 8,5W<br>CCT SET  |       | K22.110.V1K |
| E27              |       | K22.110.E27 |



### MIZAR/SABA (resin)

|                  |       |             |
|------------------|-------|-------------|
| 6,5W<br>FILAMENT | 2700K | K22.151.F1R |
| 8,5W<br>CCT SET  |       | K22.151.V1K |
| E27              |       | K22.151.E27 |





SABA RANGE

SMALL SIZE



AVAILABLE COLORS

| RESIN BODY                                                                                     | DIFFUSER                                                                                       |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <br>BLACK (A)  | <br>WHITE (W) |
| <br>CLEAR (X) | <br>OPAL (Y)  |

E27 CCT LED VERSION

|                                                                                   |                                                                                                          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
|  | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>60W INCANDESCENT |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|

E27 FILAMENT LED VERSION


|                                                                                   |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>60W INCANDESCENT |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|

ALOE'.R/SABA (resin)

IP55

6,5W 2700K K22.163.F1R  
FILAMENT  
8,5W CCT SET K22.163.V1K

LED LAMP INCLUDED



220  
1400  
Ø190

ARTU'/SABA

IP55

6,5W 2700K K22.158.F1R  
FILAMENT  
8,5W CCT SET K22.158.V1K

LED LAMP INCLUDED



220  
1820  
Ø245



SMALL SIZE

SABA RANGE

"METAL POST COVERED BY RESIN"

STEEL  
RESIN  
EXPANSE

fumaTech®  
FUMAGALLI POLES TECHNOLOGY

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED  
MADE IN ITALY

ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI BISSO/SABA 2L

IP55

6,5W 2700K K22.156.S20.F1R  
FILAMENT  
8,5W CCT SET K22.156.S20.V1K

LED LAMP INCLUDED



610  
2100  
Ø245

GIGI BISSO/SABA 3L

IP55

6,5W 2700K K22.156.S30.F1R  
FILAMENT  
8,5W CCT SET K22.156.S30.V1K

LED LAMP INCLUDED



560  
2100  
Ø245

- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS



# MARY RANGE

## SMALL SIZE



Q18.110.F1R



SMALL SIZE

MARY RANGE

| AVAILABLE COLORS |           |
|------------------|-----------|
| RESIN BODY       | DIFFUSER  |
| BLACK (A)        | WHITE (W) |
| CLEAR (X)        | OPAL (Y)  |

| E27 CCT LED VERSION |          |
|---------------------|----------|
| 8,5W                | 920 lm   |
| 100-240V            | 50/60 Hz |
| 2700K/4000K/6500K   |          |
| 60W INCANDESCENT    |          |

| E27 FILAMENT LED VERSION |          |
|--------------------------|----------|
| 6,5W                     | 800 lm   |
| 100-240V                 | 50/60 Hz |
| 2700K                    |          |
| 60W INCANDESCENT         |          |

| E27 VERSION |  |
|-------------|--|
|             |  |

| BISSO/MARY         |             |
|--------------------|-------------|
| 6,5W FLAMENT 2700K | Q18.131.F1R |
| 8,5W CCT SET       | Q18.131.V1K |
| E27                | Q18.131.E27 |



| SICHEM/MARY        |             |
|--------------------|-------------|
| 6,5W FLAMENT 2700K | Q18.120.F1R |
| 8,5W CCT SET       | Q18.120.V1K |
| E27                | Q18.120.E27 |



| MIKROLOT/MARY      |             |
|--------------------|-------------|
| 6,5W FLAMENT 2700K | Q18.110.F1R |
| 8,5W CCT SET       | Q18.110.V1K |
| E27                | Q18.110.E27 |



| MIZAR/MARY (resin) |             |
|--------------------|-------------|
| 6,5W FLAMENT 2700K | Q18.151.F1R |
| 8,5W CCT SET       | Q18.151.V1K |
| E27                | Q18.151.E27 |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |

MARY RANGE

SMALL SIZE



| AVAILABLE COLORS                                                                  |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| RESIN BODY                                                                        | DIFFUSER                                                                          |
|   |  |
| BLACK (A)                                                                         | CLEAR (X)                                                                         |
|  |  |
| WHITE (W)                                                                         | OPAL (Y)                                                                          |

| E27 CCT LED VERSION                                                               |                                                                                                          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
|  | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>60W INCANDESCENT |

| E27 FILAMENT LED VERSION                                                          |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>60W INCANDESCENT |

| ARTU'BISSO/MARY 2L                |                 |
|-----------------------------------|-----------------|
| <b>6,5W</b> FILAMENT <b>2700K</b> | Q18.158.S20.F1R |
| <b>8,5W</b> CCT SET               | Q18.158.S20.V1K |



| ARTU'BISSO/MARY 3L                |                 |
|-----------------------------------|-----------------|
| <b>6,5W</b> FILAMENT <b>2700K</b> | Q18.158.S30.F1R |
| <b>8,5W</b> CCT SET               | Q18.158.S30.V1K |



SMALL SIZE

MARY RANGE



| GIGI BISSO/MARY 2L                |                 |
|-----------------------------------|-----------------|
| <b>6,5W</b> FILAMENT <b>2700K</b> | Q18.156.S20.F1R |
| <b>8,5W</b> CCT SET               | Q18.156.S20.V1K |



| GIGI BISSO/MARY 3L                |                 |
|-----------------------------------|-----------------|
| <b>6,5W</b> FILAMENT <b>2700K</b> | Q18.156.S30.F1R |
| <b>8,5W</b> CCT SET               | Q18.156.S30.V1K |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# GLOBE 250 CLASSIC

SMALL SIZE



G25.131.F1R



| AVAILABLE COLORS |           |           |          |            | E27 CCT LED VERSION | E27 FILAMENT LED VERSION | E27 VERSION |
|------------------|-----------|-----------|----------|------------|---------------------|--------------------------|-------------|
| RESIN BODY       |           | DIFFUSER  |          |            |                     |                          |             |
| BLACK (A)        | WHITE (W) | CLEAR (X) | OPAL (Y) | SMOKED (Z) |                     |                          |             |
|                  |           |           |          |            |                     |                          |             |

### BISSO/G250

IP55

|              |             |
|--------------|-------------|
| 6,5W 2700K   | G25.131.F1R |
| 8,5W CCT SET | G25.131.V1K |
| E27          | G25.131.E27 |

Master box: 36pcs

### MIKROLOT/G250

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G25.110.F1R |
| 8,5W CCT SET        | G25.110.V1K |
| E27                 | G25.110.E27 |

IP55

Master box: 36pcs

### SICHEM/G250

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G25.120.F1R |
| 8,5W CCT SET        | G25.120.V1K |
| E27                 | G25.120.E27 |

IP55

Master box: 36pcs

GLOBE 250 CLASSIC SMALL SIZE



AVAILABLE COLORS

| RESIN BODY | DIFFUSER  |
|------------|-----------|
| BLACK (A)  | WHITE (W) |
| CLEAR (X)  | OPAL (Y)  |
| SMOKED (Z) |           |

E27 CCT LED VERSION

|  |                   |
|--|-------------------|
|  | 8,5W              |
|  | 920 lm            |
|  | 100-240V          |
|  | 50/60 Hz          |
|  | 2700K/4000K/6500K |
|  | 60W INCANDESCENT  |

E27 FILAMENT LED VERSION

|  |                  |
|--|------------------|
|  | 6,5W             |
|  | 800 lm           |
|  | 100-240V         |
|  | 50/60 Hz         |
|  | 2700K            |
|  | 60W INCANDESCENT |



MIZAR/G250 (resin)

|                     |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | G25.151.F1R |
| 8,5W CCT SET        | G25.151.V1K |

Master box: 2pcs



ALOE'.R/G250 (resin)

|                     |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | G25.163.F1R |
| 8,5W CCT SET        | G25.163.V1K |

Master box: 2pcs



ARTU'/G250

|                     |             |
|---------------------|-------------|
| 6,5W FILAMENT 2700K | G25.158.F1R |
| 8,5W CCT SET        | G25.158.V1K |

Master box: 2pcs



SMALL SIZE GLOBE 250 CLASSIC

"METAL POST COVERED BY RESIN"

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED MADE IN ITALY

ANTI CORROSION UV-RAYS STABILIZED NO MAINTENANCE DOUBLE INSULATION NOT AFFECTED BY CHEMICAL FERTILIZERS



GIGI BISSO/G250 2L

|                     |                 |
|---------------------|-----------------|
| 6,5W FILAMENT 2700K | G25.156.S20.F1R |
| 8,5W                | G25.156.S20.V1K |

Master box: 2pcs



GIGI BISSO/G250 3L

|                     |                 |
|---------------------|-----------------|
| 6,5W FILAMENT 2700K | G25.156.S30.F1R |
| 8,5W CCT SET        | G25.156.S30.V1K |

Master box: 2pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# RUT RANGE

## MEDIUM SIZE



MADE IN ITALY



E26.157.S30.F1R



More details at page 209



MEDIUM SIZE

RUT RANGE

## AVAILABLE COLORS

## RESIN BODY



## DIFFUSER



BLACK (A)

WHITE (W)


CLEAR (X)

OPAL (Y)

## E27 CCT LED VERSION



## E27 FILAMENT LED VERSION



## E27 VERSION




## BISSO/RUT

6,5W FILAMENT 2700K E26.131.F1R

11W CCT SET E26.131.T1K

E27 E26.131.E27




Master box: 12pcs

## SICHEM/RUT

6,5W FILAMENT 2700K E26.120.F1R

11W CCT SET E26.120.T1K

E27 E26.120.E27



Master box: 12pcs

## MINILOT/RUT

6,5W FILAMENT 2700K E26.111.F1R

11W CCT SET E26.111.T1K

E27 E26.111.E27




Master box: 12pcs

## MIZAR/RUT (resin)

6,5W FILAMENT 2700K E26.151.F1R

11W CCT SET E26.151.T1K

E27 E26.151.E27



|     |               |                |
|-----|---------------|----------------|
| 10  | HALF LANTERN  | GARDEN CLASSIC |
| 14  | REVIVAL       | GARDEN CLASSIC |
| 40  | GARDEN SMALL  | GARDEN CLASSIC |
| 56  | GARDEN MEDIUM | GARDEN CLASSIC |
| 76  | GARDEN LARGE  | GARDEN CLASSIC |
| 92  | BOLLARD       | GARDEN CLASSIC |
| 98  | BOLLARD       | GARDEN CLASSIC |
| 126 | DOWNLIGHT     | GARDEN CLASSIC |
| 134 | UP&DOWN       | GARDEN CLASSIC |
| 146 | FLOODLIGHT    | GARDEN CLASSIC |
| 156 | IN-GROUND     | GARDEN CLASSIC |
| 162 | BRICKLIGHT    | GARDEN CLASSIC |
| 172 | BULKHEAD      | GARDEN CLASSIC |
| 190 | POST          | GARDEN CLASSIC |
| 198 | SOLAR MODERN  | GARDEN CLASSIC |
| 206 | SOLAR CLASSIC | GARDEN CLASSIC |
| 208 | LAMPS         | GARDEN CLASSIC |



RUT RANGE

MEDIUM SIZE



AVAILABLE COLORS

| RESIN BODY                                                                        | DIFFUSER                                                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|   |  |
| BLACK (A)                                                                         | CLEAR (X)                                                                         |
|  |  |
| WHITE (W)                                                                         | OPAL (Y)                                                                          |

E27 CCT LED VERSION

| 8,5W                 | 11W                  |
|----------------------|----------------------|
| 920 lm               | 1200 lm              |
| 100-240V<br>50/60 Hz | 100-240V<br>50/60 Hz |
| 2700K/4000K/6500K    | 2700K/4000K/6500K    |
| 60W INCANDESCENT     | 75W INCANDESCENT     |

E27 FILAMENT LED VERSION

| 6,5W                 |
|----------------------|
| 800 lm               |
| 100-240V<br>50/60 Hz |
| 2700K                |
| 60W INCANDESCENT     |

ALOE'.R/RUT (resin)

IP55

LED LAMP INCLUDED

6,5W 2700K E26.163.F1R

8,5W CCT SET E26.163.V1K

11W CCT SET E26.163.T1K

260

1500

Ø190

ARTU'/RUT

IP55

LED LAMP INCLUDED

6,5W 2700K E26.158.F1R

8,5W CCT SET E26.158.V1K

11W CCT SET E26.158.T1K

1920

Ø245

GIGI/RUT

IP55

LED LAMP INCLUDED

6,5W 2700K E26.156.F1R

8,5W CCT SET E26.156.V1K

11W CCT SET E26.156.T1K

260

2130

Ø245

RICU/RUT

IP55

LED LAMP INCLUDED

6,5W 2700K E26.157.F1R

8,5W CCT SET E26.157.V1K

11W CCT SET E26.157.T1K

2410

Ø245



MEDIUM SIZE

RUT RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

RICU BISSO/RUT 2L

IP55

LED LAMP INCLUDED

6,5W 2700K E26.157.S20.F1R

8,5W CCT SET E26.157.S20.V1K

11W CCT SET E26.157.S20.T1K

690

2500

Ø245

RICU BISSO/RUT 3L

IP55

LED LAMP INCLUDED

6,5W 2700K E26.157.S30.F1R

8,5W CCT SET E26.157.S30.V1K

11W CCT SET E26.157.S30.T1K

640

2500

Ø245

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



SALEM RANGE  
MEDIUM SIZE

K26.111.F1R



MEDIUM SIZE

## SALEM RANGE


## AVAILABLE COLORS



## E27 CCT LED VERSION



## E27 FILAMENT LED VERSION



## E27 VERSION



## BISSO/SALEM

|               |         |             |
|---------------|---------|-------------|
| 6,5W FILAMENT | 2700K   | K26.131.F1R |
| 11W           | CCT SET | K26.131.T1K |
| E27           |         | K26.131.E27 |



## SICHEM/SALEM

|               |         |             |
|---------------|---------|-------------|
| 6,5W FILAMENT | 2700K   | K26.120.F1R |
| 11W           | CCT SET | K26.120.T1K |
| E27           |         | K26.120.E27 |



## MINILOT/SALEM

|               |         |             |
|---------------|---------|-------------|
| 6,5W FILAMENT | 2700K   | K26.111.F1R |
| 11W           | CCT SET | K26.111.T1K |
| E27           |         | K26.111.E27 |



## MIZAR/SALEM (resin)

|               |         |             |
|---------------|---------|-------------|
| 6,5W FILAMENT | 2700K   | K26.151.F1R |
| 11W           | CCT SET | K26.151.T1K |
| E27           |         | K26.151.E27 |



- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS

SALEM RANGE

MEDIUM SIZE



AVAILABLE COLORS

| RESIN BODY                                                                        | DIFFUSER                                                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|   |  |
| BLACK (A)                                                                         | CLEAR (X)                                                                         |
|  |  |
| WHITE (W)                                                                         | OPAL (Y)                                                                          |

E27 CCT LED VERSION

| 8,5W                 | 11W                  |
|----------------------|----------------------|
| 920 lm               | 1200 lm              |
| 100-240V<br>50/60 Hz | 100-240V<br>50/60 Hz |
| 2700K/4000K/6500K    | 2700K/4000K/6500K    |
| 60W INCANDESCENT     | 75W INCANDESCENT     |

E27 FILAMENT LED VERSION

| 6,5W                 |
|----------------------|
| 800 lm               |
| 100-240V<br>50/60 Hz |
| 2700K                |
| 60W INCANDESCENT     |

ALOE'.R/SALEM (resin)


IP55

6,5W FILAMENT 2700K K26.163.F1R

8,5W CCT SET K26.163.V1K

11W CCT SET K26.163.T1K

LED LAMP INCLUDED



260

1500

Ø190

ARTU'/SALEM

IP55

6,5W FILAMENT 2700K K26.158.F1R

8,5W CCT SET K26.158.V1K

11W CCT SET K26.158.T1K

LED LAMP INCLUDED



1920

Ø245

GIGI/SALEM


IP55

6,5W FILAMENT 2700K K26.156.F1R

8,5W CCT SET K26.156.V1K

11W CCT SET K26.156.T1K

LED LAMP INCLUDED



2130

Ø245

RICU/SALEM

IP55

6,5W FILAMENT 2700K K26.157.F1R

8,5W CCT SET K26.157.V1K

11W CCT SET K26.157.T1K

LED LAMP INCLUDED



2450

Ø245



MEDIUM SIZE

SALEM RANGE

"METAL POST COVERED BY RESIN"

STEEL

EXPANSE

RESIN

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

RICU BISSO/SALEM 2L


IP55

6,5W FILAMENT 2700K K26.157.S20.F1R

8,5W CCT SET K26.157.S20.V1K

11W CCT SET K26.157.S20.T1K

LED LAMP INCLUDED



690

2500

Ø245

RICU BISSO/SALEM 3L


IP55

6,5W FILAMENT 2700K K26.157.S30.F1R

8,5W CCT SET K26.157.S30.V1K

11W CCT SET K26.157.S30.T1K

LED LAMP INCLUDED



640

2500

Ø245

GARDEN CLASSIC

10 HALF LANTERN

14 REVIVAL

40 GARDEN SMALL

56 GARDEN MEDIUM

76 GARDEN LARGE

92 BOLLARD

98 BOLLARD

126 DOWNLIGHT

134 UP&DOWN

GARDEN MODERN

146 FLOODLIGHT

156 IN-GROUND

162 BRICKLIGHT

172 BULKHEAD

190 POST

SOLAR

198 SOLAR MODERN

206 SOLAR CLASSIC

208 LAMPS



# GOLIA RANGE

## MEDIUM SIZE



MADE IN ITALY



Q23.131.F1R




MEDIUM SIZE


# GOLIA RANGE

| AVAILABLE COLORS |           | E27 CCT LED VERSION | E27 FILAMENT LED VERSION | E27 VERSION |
|------------------|-----------|---------------------|--------------------------|-------------|
| RESIN BODY       | DIFFUSER  |                     |                          |             |
| BLACK (A)        | WHITE (W) |                     |                          |             |
|                  | CLEAR (X) |                     |                          |             |
|                  | OPAL (Y)  |                     |                          |             |

| BISSO/GOLIA               |             | SICHEM/GOLIA              |             |
|---------------------------|-------------|---------------------------|-------------|
| 6,5W<br>FILAMENT<br>2700K | Q23.131.F1R | 6,5W<br>FILAMENT<br>2700K | Q23.120.F1R |
| 8,5W<br>CCT SET           | Q23.131.V1K | 8,5W<br>CCT SET           | Q23.120.V1K |
| E27                       | Q23.131.E27 | E27                       | Q23.120.E27 |



| MINILOT/GOLIA             |             | MIZAR/GOLIA (resin)       |             |
|---------------------------|-------------|---------------------------|-------------|
| 6,5W<br>FILAMENT<br>2700K | Q23.111.F1R | 6,5W<br>FILAMENT<br>2700K | Q23.151.F1R |
| 8,5W<br>CCT SET           | Q23.111.V1K | 8,5W<br>CCT SET           | Q23.151.V1K |
| E27                       | Q23.111.E27 | E27                       | Q23.151.E27 |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |

GOLIA RANGE

MEDIUM SIZE



AVAILABLE COLORS

| RESIN BODY                                                                        | DIFFUSER                                                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|   |  |
| BLACK [A]                                                                         | CLEAR [X]                                                                         |
|  |  |
| WHITE [W]                                                                         | OPAL [Y]                                                                          |

E27 CCT LED VERSION

**8,5W**  
**920 lm**  
100-240V  
50/60 Hz  
2700K/4000K/6500K

**CCT SET**

60W INCANDESCENT

E27 FILAMENT LED VERSION

**6,5W**  
**800 lm**  
100-240V  
50/60 Hz  
2700K

**CCT SET**

60W INCANDESCENT

**ALOE' R/GOLIA (resin)**

IP55

**6,5W 2700K** Q23.163.F1R  
**8,5W** CCT SET Q23.163.V1K

**LED LAMP INCLUDED**

230  
1450  
Ø190

**ARTU' /GOLIA**

IP55

**6,5W 2700K** Q23.158.F1R  
**8,5W** CCT SET Q23.158.V1K

**LED LAMP INCLUDED**

1830  
Ø245

**GIGI/GOLIA**

IP55

**6,5W 2700K** Q23.156.F1R  
**8,5W** CCT SET Q23.156.V1K

**LED LAMP INCLUDED**

230  
2110  
Ø245

**RICU/GOLIA**

IP55

**6,5W 2700K** Q23.157.F1R  
**8,5W** CCT SET Q23.157.V1K

**LED LAMP INCLUDED**

230  
2380  
Ø245



MEDIUM SIZE

GOLIA RANGE

"METAL POST COVERED BY RESIN"

STEEL  
RESIN  
EXPANSE

**fumaTech**  
FUMAGALLI POLES TECHNOLOGY

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED  
MADE IN ITALY

ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS

**RICU BISSO/GOLIA 2L**

IP55

**6,5W 2700K** Q23.157.S20.F1R  
**8,5W** CCT SET Q23.157.S20.V1K

**LED LAMP INCLUDED**

820  
2430  
Ø245

**RICU BISSO/GOLIA 3L**

IP55

**6,5W 2700K** Q23.157.S30.F1R  
**8,5W** CCT SET Q23.157.S30.V1K

**LED LAMP INCLUDED**

770  
2430  
Ø245

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



CEFA RANGE  
MEDIUM SIZE

More details at page 209

U23.120.F1R





MEDIUM SIZE


## CEFA RANGE

| AVAILABLE COLORS |           |           |          | E27 CCT LED VERSION |                                                                                                            | E27 FILAMENT LED VERSION |                                                                                     | E27 VERSION |
|------------------|-----------|-----------|----------|---------------------|------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|-------------|
| RESIN BODY       |           | DIFFUSER  |          |                     |                                                                                                            |                          |                                                                                     |             |
|                  |           |           |          |                     | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>= 60W INCANDESCENT |                          | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>= 60W INCANDESCENT |             |
| BLACK (A)        | WHITE (W) | CLEAR (X) | OPAL (Y) |                     |                                                                                                            |                          |                                                                                     |             |

| BISSEO/CEFA          |              |             |  | SICHEM/CEFA          |              |             |  |
|----------------------|--------------|-------------|--|----------------------|--------------|-------------|--|
| <b>6,5W</b> FILAMENT | <b>2700K</b> | U23.131.F1R |  | <b>6,5W</b> FILAMENT | <b>2700K</b> | U23.120.F1R |  |
| <b>8,5W</b> CCT SET  |              | U23.131.V1K |  | <b>8,5W</b> CCT SET  |              | U23.120.V1K |  |
| <b>E27</b>           |              | U23.131.E27 |  | <b>E27</b>           |              | U23.120.E27 |  |



| MINILOTO/CEFA        |              |             |  | MIZAR/CEFA (resin)   |              |             |  |
|----------------------|--------------|-------------|--|----------------------|--------------|-------------|--|
| <b>6,5W</b> FILAMENT | <b>2700K</b> | U23.111.F1R |  | <b>6,5W</b> FILAMENT | <b>2700K</b> | U23.151.F1R |  |
| <b>8,5W</b> CCT SET  |              | U23.111.V1K |  | <b>8,5W</b> CCT SET  |              | U23.151.V1K |  |
| <b>E27</b>           |              | U23.111.E27 |  | <b>E27</b>           |              | U23.151.E27 |  |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



CEFA RANGE

MEDIUM SIZE



AVAILABLE COLORS

| RESIN BODY                                                                        | DIFFUSER                                                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|   |  |
| BLACK [A]                                                                         | CLEAR [X]                                                                         |
|  |  |
| WHITE [W]                                                                         | OPAL [Y]                                                                          |

E27 CCT LED VERSION

|                                                                                   |                                                                                                          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
|  | <b>8,5W</b><br><b>920 lm</b><br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>CCT SET<br>60W INCANDESCENT |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|

E27 FILAMENT LED VERSION


|                                                                                   |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  | <b>6,5W</b><br><b>800 lm</b><br>100-240V<br>50/60 Hz<br>2700K<br>60W INCANDESCENT |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|

ALOE'.R/CEFA (resin)

IP55

6,5W 2700K FILAMENT U23.163.F1R  
8,5W CCT SET U23.163.V1K

LED LAMP INCLUDED



230  
1470  
Ø190

ARTU'/CEFA

IP55

6,5W 2700K FILAMENT U23.158.F1R  
8,5W CCT SET U23.158.V1K

LED LAMP INCLUDED




1865  
Ø245

GIGI/CEFA

IP55

6,5W 2700K FILAMENT U23.156.F1R  
8,5W CCT SET U23.156.V1K

LED LAMP INCLUDED



230  
2130  
Ø245

RICU/CEFA

IP55

6,5W 2700K FILAMENT U23.157.F1R  
8,5W CCT SET U23.157.V1K

LED LAMP INCLUDED



230  
2450  
Ø245



MEDIUM SIZE

CEFA RANGE

"METAL POST COVERED BY RESIN"

STEEL  
RESIN  
EXPANSE

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED  
MADE IN ITALY


ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS

RICU BISSO/CEFA 2L

IP55

6,5W 2700K FILAMENT U23.157.S20.F1R  
8,5W CCT SET U23.157.S20.V1K

LED LAMP INCLUDED




820  
2450  
Ø245

RICU BISSO/CEFA 3L

IP55

6,5W 2700K FILAMENT U23.157.S30.F1R  
8,5W CCT SET U23.157.S30.V1K

LED LAMP INCLUDED



770  
2450  
Ø245

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# GLOBE 300 CLASSIC

MEDIUM SIZE



G30.111.E27

G30.162.V1K



## MEDIUM SIZE GLOBE 300 CLASSIC

| AVAILABLE COLORS                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     | E27 CCT LED VERSION                                                                                                                                                        |                                                                                                                | E27 FILAMENT LED VERSION                                                            |               | E27 VERSION                                                                         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------|
| RESIN BODY                                                                          |                                                                                     | DIFFUSER                                                                            |                                                                                     |                                                                                     | <br> | <b>11W</b>                                                                                                     |  | <b>6,5W</b>   |  |
|  |  |  |  |  |                                                                                                                                                                            | <b>1200 lm</b>                                                                                                 |                                                                                     | <b>800 lm</b> |                                                                                     |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                                                                                                            | 100-240V                                                                                                       |                                                                                     | 100-240V      |                                                                                     |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                                                                                                            | 50/60 Hz                                                                                                       |                                                                                     | 50/60 Hz      |                                                                                     |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                                                                                                            | 2700K/4000K/6500K                                                                                              |                                                                                     | 2700K         |                                                                                     |
| BLACK [A]                                                                           | WHITE [W]                                                                           | CLEAR [X]                                                                           | OPAL [Y]                                                                            | SMOKED [Z]                                                                          |  <b>75W</b><br>INCANDESCENT                                                             |  <b>60W</b><br>INCANDESCENT |                                                                                     |               |                                                                                     |

**BISSO/G300**

|      |                     |             |
|------|---------------------|-------------|
| IP55 | 6,5W 2700K FILAMENT | G30.131.F1R |
|      | 11W CCT SET         | G30.131.T1K |
| E27  |                     | G30.131.E27 |

Master box: **24pcs**

| MINILOT/G300        |             |  | SICHEM/G300         |             |  |
|---------------------|-------------|--|---------------------|-------------|--|
| 6,5W 2700K FILAMENT | G30.111.F1R |  | 6,5W 2700K FILAMENT | G30.120.F1R |  |
| 11W CCT SET         | G30.111.T1K |  | 11W CCT SET         | G30.120.T1K |  |
| E27                 | G30.111.E27 |  | E27                 | G30.120.E27 |  |

Master box: **24pcs**

Master box: **24pcs**



GLOBE 300 CLASSIC MEDIUM SIZE

| AVAILABLE COLORS                                                                  |                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| RESIN BODY                                                                        | DIFFUSER                                                                          |
|   |  |
|  |  |
|  |  |
| BLACK (A) WHITE (W)                                                               | CLEAR (X) OPAL (Y) SMOKED (Z)                                                     |

| E27 CCT LED VERSION                                                             |                                                                                 |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| 8,5W<br>920 lm<br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>60W INCANDESCENT | 11W<br>1200 lm<br>100-240V<br>50/60 Hz<br>2700K/4000K/6500K<br>75W INCANDESCENT |

| E27 FILAMENT LED VERSION                                            |                                                                     |
|---------------------------------------------------------------------|---------------------------------------------------------------------|
| 6,5W<br>800 lm<br>100-240V<br>50/60 Hz<br>2700K<br>60W INCANDESCENT | 6,5W<br>800 lm<br>100-240V<br>50/60 Hz<br>2700K<br>60W INCANDESCENT |


IP55



LED LAMP INCLUDED

**IAFET.R/G300 (resin)**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G30.162.F1R |
| 8,5W CCT SET        | G30.162.V1K |
| 11W CCT SET         | G30.162.T1K |



Master box: 2pcs


IP55



LED LAMP INCLUDED

**RICU BISSO/G300 2L**

|                     |                 |
|---------------------|-----------------|
| 6,5W 2700K FILAMENT | G30.157.S20.F1R |
| 8,5W CCT SET        | G30.157.S20.V1K |
| 11W CCT SET         | G30.157.S20.T1K |



Master box: 2pcs


IP55



LED LAMP INCLUDED

**RICU BISSO/G300 3L**

|                     |                 |
|---------------------|-----------------|
| 6,5W 2700K FILAMENT | G30.157.S30.F1R |
| 8,5W CCT SET        | G30.157.S30.V1K |
| 11W CCT SET         | G30.157.S30.T1K |



Master box: 2pcs



**"METAL POST COVERED BY RESIN"**

STEEL  
RESIN  
EXPANSE

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED  
MADE IN ITALY

ANTI CORROSION  
UV-RAYS STABILIZED  
NO MAINTENANCE  
DOUBLE INSULATION  
NOT AFFECTED BY CHEMICAL FERTILIZERS

IP55



LED LAMP INCLUDED

**ALO'E'.R/G300 (resin)**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G30.163.F1R |
| 8,5W CCT SET        | G30.163.V1K |
| 11W CCT SET         | G30.163.T1K |



Master box: 2pcs


IP55



LED LAMP INCLUDED

**GIGI/G300**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G30.156.F1R |
| 8,5W CCT SET        | G30.156.V1K |
| 11W CCT SET         | G30.156.T1K |



Master box: 2pcs


IP55



LED LAMP INCLUDED

**ARTU'.G300**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G30.158.F1R |
| 8,5W CCT SET        | G30.158.V1K |
| 11W CCT SET         | G30.158.T1K |



Master box: 2pcs

IP55



LED LAMP INCLUDED

**RICU/G300**

|                     |             |
|---------------------|-------------|
| 6,5W 2700K FILAMENT | G30.157.F1R |
| 8,5W CCT SET        | G30.157.V1K |
| 11W CCT SET         | G30.157.T1K |



Master box: 2pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |








NOEMI RANGE

LARGE SIZE



| E27 HIGH POWER LED VERSION                                                                                      |       |               |                      |              |                                 |
|-----------------------------------------------------------------------------------------------------------------|-------|---------------|----------------------|--------------|---------------------------------|
| LAMP                                                                                                            | POWER | LUMINOUS FLUX | VOLTAGE RANGE        | CCT SETTABLE | COMPARISON                      |
| <br>E27 HIGH POWER LED<br>Ø 100 | 15W   | 1690 lm       | 100-240V<br>50/60 Hz | 4000K/3000K  | ≈ NOEMI<br>100W<br>INCANDESCENT |
|                                                                                                                 | 30W   | 3620 lm       | 100-240V<br>50/60 Hz | 4000K/3000K  | ≈ NOEMI<br>70W<br>HQL-SON       |




IAFET.R/NOEMI (resin)



IP55

15W LED CCT SET E35.162.R1K

30W LED CCT SET E35.162.Q1K



HIGH POWER LED VERSION

Master box: 2pcs

ARTU'/NOEMI

GIGI/NOEMI


RICU/NOEMI



IP55

15W LED CCT SET E35.158.R1K

30W LED CCT SET E35.158.Q1K




HIGH POWER LED VERSION

Master box: 2pcs



HIGH POWER LED VERSION

Master box: 2pcs



HIGH POWER LED VERSION


Master box: 2pcs



LARGE SIZE

NOEMI RANGE

“METAL POST COVERED BY RESIN”



ANTI RUST

LIFETIME GUARANTEE

NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

NEBO/NOEMI


NEBO OFIR/NOEMI 2L



30W LED CCT SET E35.201.Q1K

IP55


HIGH POWER LED VERSION



30W LED CCT SET E35.201.R20.Q1K

IP55

HIGH POWER LED VERSION





GARDEN CLASSIC  
10 HALF LANTERN  
14 REVIVAL  
40 GARDEN SMALL  
56 GARDEN MEDIUM  
76 GARDEN LARGE  
92 BOLLARD  
98 BOLLARD  
126 DOWNLIGHT  
134 UP&DOWN  
GARDEN MODERN  
146 FLOODLIGHT  
156 IN-GROUND  
162 BRICKLIGHT  
172 BULKHEAD  
190 POST  
SOLAR  
198 SOLAR MODERN  
206 SOLAR CLASSIC  
208 LAMPS



# SILOE RANGE

## LARGE SIZE



**HIGH POWER  
LED VERSION**



K35.132.Q1K

E27 HIGH POWER LED

**INDOOR &  
OUTDOOR  
USE**

+80°C  
-30°

90%  
HUMIDITY

VOLTAGE SURGE  
RESISTANT

**15W** (1690 lm)  
**30W** (3620 lm)  
**50W** (6550 lm)

More details at page 212



LARGE SIZE

SILOE RANGE

## AVAILABLE COLORS

## RESIN BODY



BLACK (A)

WHITE (W)

## DIFFUSER



CLEAR (X)

OPAL (Y)

## E27 HIGH POWER LED VERSION

| 15W                             | 30W                       |
|---------------------------------|---------------------------|
| 1690 lm                         | 3620 lm                   |
| 100-240V 50/60 Hz               | 100-240V 50/60 Hz         |
| 4000K/3000K                     | 4000K/3000K               |
| = SILOE<br>100W<br>INCANDESCENT | = SILOE<br>70W<br>HQI-SOI |

## OFIR/SILOE

IP55

▲ ▲ ▲



15W LED

CCT SET


K35.132.R1K

30W LED

CCT SET

K35.132.Q1K

**HIGH POWER  
LED VERSION**



## LOT/SILOE

15W LED

CCT SET

K35.113.R1K

30W LED

CCT SET


K35.113.Q1K

IP55

▲ ▲ ▲



**HIGH POWER  
LED VERSION**



## SICHEM/SILOE

15W LED

CCT SET

K35.121.R1K

30W LED

CCT SET


K35.121.Q1K

IP55

▲ ▲ ▲



**HIGH POWER  
LED VERSION**




|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



SILOE RANGE

LARGE SIZE




| E27 HIGH POWER LED VERSION                                                                                      |       |                     |                      |              |                                 |
|-----------------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------|---------------------------------|
| LAMP                                                                                                            | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE | COMPARISON                      |
| <br>E27 HIGH POWER LED<br>Ø 100 | 15W   | 1690 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | = SILOE<br>100W<br>INCANDESCENT |
|                                                                                                                 | 30W   | 3620 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | = SILOE<br>70W<br>HQL-SON       |





### IAFET.R/SILOE (resin)

|         |         |             |
|---------|---------|-------------|
| 15W LED | CCT SET | K35.162.R1K |
| 30W LED | CCT SET | K35.162.Q1K |



**HIGH POWER LED VERSION**


Master box: **2pcs**



### ARTU'/SILOE

|         |         |             |
|---------|---------|-------------|
| 15W LED | CCT SET | K35.158.R1K |
| 30W LED | CCT SET | K35.158.Q1K |

**HIGH POWER LED VERSION**




Master box: **2pcs**

### GIGI/SILOE

|         |         |             |
|---------|---------|-------------|
| 15W LED | CCT SET | K35.156.R1K |
| 30W LED | CCT SET | K35.156.Q1K |

**HIGH POWER LED VERSION**




Master box: **2pcs**

### RICU/SILOE

|         |         |             |
|---------|---------|-------------|
| 15W LED | CCT SET | K35.157.R1K |
| 30W LED | CCT SET | K35.157.Q1K |

**HIGH POWER LED VERSION**




Master box: **2pcs**



LARGE SIZE

SILOE RANGE

**"METAL POST COVERED BY RESIN"**



**fumaTech**  
FUMAGALLI POLES TECHNOLOGY

ANTI RUST  
**LIFETIME GUARANTEE**  
NO PAINTING REQUIRED  
**MADE IN ITALY**

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION


NOT AFFECTED BY CHEMICAL FERTILIZERS



### NEBO/SILOE

|         |         |             |
|---------|---------|-------------|
| 30W LED | CCT SET | K35.201.Q1K |
|---------|---------|-------------|

**HIGH POWER LED VERSION**




Master box: **2pcs**



### NEBO OFIR/SILOE 2L

|         |         |                 |
|---------|---------|-----------------|
| 30W LED | CCT SET | K35.201.R20.Q1K |
|---------|---------|-----------------|

**HIGH POWER LED VERSION**



Master box: **2pcs**

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |









TOBIA RANGE

LARGE SIZE




| E27 HIGH POWER LED VERSION                                                                                      |       |                     |                      |              |                                 |
|-----------------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------|---------------------------------|
| LAMP                                                                                                            | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE | COMPARISON                      |
| <br>E27 HIGH POWER LED<br>Ø 100 | 15W   | 1690 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | ≈ TOBIA<br>100W<br>INCANDESCENT |
|                                                                                                                 | 30W   | 3620 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | ≈ TOBIA<br>70W<br>HID-SOON      |





**IAFET.R/TOBIA (resin)**

|         |         |             |
|---------|---------|-------------|
| 15W LED | CCT SET | Q33.162.R1K |
| 30W LED | CCT SET | Q33.162.Q1K |






1200  
Ø 190

Master box: **2pcs**

HIGH POWER LED VERSION



| ARTU'/TOBIA                 | GIGI'/TOBIA                 | RICU'/TOBIA                 |
|-----------------------------|-----------------------------|-----------------------------|
| 15W LED CCT SET Q33.158.R1K | 15W LED CCT SET Q33.156.R1K | 15W LED CCT SET Q33.157.R1K |
| 30W LED CCT SET Q33.158.Q1K | 30W LED CCT SET Q33.156.Q1K | 30W LED CCT SET Q33.157.Q1K |



330  
1960  
Ø245  
Master box: **2pcs**

330  
2240  
Ø245  
Master box: **2pcs**

330  
2500  
Ø245  
Master box: **2pcs**


HIGH POWER LED VERSION



LARGE SIZE

TOBIA RANGE

**"METAL POST COVERED BY RESIN"**



STEEL  
RESIN  
EXPANSE

**fumaTech**  
FUMAGALLI POLES TECHNOLOGY

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS


**NEBO/TOBIA**

30W LED CCT SET Q33.201.Q1K

IP55



HIGH POWER LED VERSION



330  
2960  
Ø275


**NEBO OFIR/TOBIA 2L**

30W LED CCT SET Q33.201.R20.Q1K

IP55



HIGH POWER LED VERSION



850  
3060  
Ø275

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



SIMON RANGE  
LARGE SIZEHIGH POWER  
LED VERSION

U33.132.Q1K

E27 HIGH POWER LED

INDOOR &  
OUTDOOR  
USE+80°C  
-30° HUMIDITY  
90%  
VOLTAGE SURGE  
RESISTANT15W (1690 lm)  
30W (3620 lm)  
50W (6550 lm)

More details at page 212



LARGE SIZE

SIMON RANGE

AVAILABLE COLORS

RESIN BODY



BLACK (A)

WHITE (W)

DIFFUSER



CLEAR (X)

OPAL (Y)

E27 HIGH POWER LED VERSION

| 15W                             | 30W                       |
|---------------------------------|---------------------------|
| 1690 lm                         | 3620 lm                   |
| 100-240V 50/60 Hz               | 100-240V 50/60 Hz         |
| 4000K/3000K                     | 4000K/3000K               |
| ≈ SIMON<br>100W<br>INCANDESCENT | ≈ SIMON<br>70W<br>HIG-SON |


OFIR/SIMON

IP55

▲ ▲ ▲



|                 |             |
|-----------------|-------------|
| 15W LED CCT SET | U33.132.R1K |
| 30W LED CCT SET | U33.132.Q1K |

HIGH POWER  
LED VERSION


LOT/SIMON

15W LED CCT SET U33.113.R1K

30W LED CCT SET U33.113.Q1K

IP55

▲ ▲ ▲

HIGH POWER  
LED VERSION


SICHEM/SIMON

15W LED CCT SET U33.121.R1K

30W LED CCT SET U33.121.Q1K

IP55

▲ ▲ ▲

HIGH POWER  
LED VERSION


MADE IN ITALY




SIMON RANGE

LARGE SIZE



| E27 HIGH POWER LED VERSION                                                                |       |                     |                      |              |                                 |
|-------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------|---------------------------------|
| LAMP                                                                                      | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE | COMPARISON                      |
| <br>Ø 100 | 15W   | 1690 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | = SIMON<br>100W<br>INCANDESCENT |
|                                                                                           | 30W   | 3620 lm             | 100-240V<br>50/60 Hz | 4000K/3000K  | = SIMON<br>70W<br>HQL-SON       |






IP55

**IAFET.R/SIMON (resin)**

|         |         |             |
|---------|---------|-------------|
| 15W LED | CCT SET | U33.162.R1K |
| 30W LED | CCT SET | U33.162.Q1K |



330  
1240  
Ø 190


HIGH POWER LED VERSION

Master box: 2pcs



IP55


| ARTU'/SIMON                 | GIGI/SIMON                  | RICU/SIMON                  |
|-----------------------------|-----------------------------|-----------------------------|
| 15W LED CCT SET U33.158.R1K | 15W LED CCT SET U33.156.R1K | 15W LED CCT SET U33.157.R1K |
| 30W LED CCT SET U33.158.Q1K | 30W LED CCT SET U33.156.Q1K | 30W LED CCT SET U33.157.Q1K |



330  
2000  
Ø 245

HIGH POWER LED VERSION


Master box: 2pcs



330  
2300  
Ø 245

HIGH POWER LED VERSION

Master box: 2pcs



330  
2550  
Ø 245

HIGH POWER LED VERSION


Master box: 2pcs



LARGE SIZE

SIMON RANGE

"METAL POST COVERED BY RESIN"



STEEL  
RESIN  
EXPANSE

ANTI RUST  
LIFETIME GUARANTEE  
NO PAINTING REQUIRED



MADE IN ITALY



ANTI CORROSION




UV-RAYS STABILIZED




NO MAINTENANCE



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZES




**NEBO/SIMON**

30W LED CCT SET U33.201.Q1K

IP55



HIGH POWER LED VERSION



330  
3000  
Ø 275


**NEBO OFIR/SIMON 2L**

30W LED CCT SET U33.201.R20.Q1K

IP55



HIGH POWER LED VERSION



890  
3100  
Ø 275

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



SAURO  
BOLLARD

MADE IN ITALY



D15.554.E27FRA




## SAURO E27 VERSIONS

|                                                                                     |                         |                                                                                     |                              |
|-------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------|------------------------------|
|  | with white resin louvre |  | with aluminium chrome louvre |
| FRA                                                                                 |                         | FCI                                                                                 |                              |

## SAURO 1100

E27


D15.555.E27



## SAURO 800

E27


D15.554.E27



## SAURO 500

E27


D15.553.E27



## MIRELLA

E27

D15.505.E27



## SAURO E27

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

## DIFFUSER



GARDEN CLASSIC

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |

GARDEN MODERN

SOLAR



SAURO  
BOLLARD

D15.554.D1KCRB



## SAURO GX53

## SAURO LED VERSIONS


| LAMP                                                                                | POWER      | LUMINOUS FLUX<br>(Φ TOTAL) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |                                                                                                                  |
|-------------------------------------------------------------------------------------|------------|----------------------------|----------------------|-------------------|------------------------------------------------------------------------------------------------------------------|
|  | <b>10W</b> | <b>1290 lm</b>             | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | <b>=100W</b><br>INCANDESCENT  |

## AVAILABLE COLORS

| RESIN BODY<br>(MOULDED COLOURS)                                                     |                                                                                     |                                                                                     | DIFFUSER                                                                            |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| BLACK (A)                                                                           | GREY (L)                                                                            | WHITE (W)                                                                           | CLEAR (X)                                                                           | OPAL (Y)                                                                            |
|  |  |  |  |  |


## SAURO 1100

10W CCT SET D15.555.D1KCRB

LAMP INCLUDED:  
GX53  
LED


## SAURO 800

10W CCT SET D15.554.D1KCRB

LAMP INCLUDED:  
GX53  
LED



## SAURO 500

10W CCT SET D15.553.D1KCRB

LAMP INCLUDED:  
GX53  
LED

## MIRELLA

10W CCT SET D15.505.D1KCRB

LAMP INCLUDED:  
GX53  
LED





**BERTA**  
for details see pag. 175



**VIRGILIO APPLIQUE**  
for details see pag. 101

NEW  
ENTRY!



**VIRGILIO 500**  
for details see pag. 99


NEW  
ENTRY!



## PROMO GARDEN 2025 - MODERN RANGE



**AMELIA 400**  
for details see pag. 117



**FRANCY**  
for details see pag. 145



**FRANCY-OP**  
for details see pag. 145



**MINITOMMY**  
for details see pag. 147

NEW  
GU10  
130  
lumen/W



**MARTA 90 1L**  
for details see pag. 141

NEW  
GU10  
130  
lumen/W




# VIRGILIO

## BOLLARD



NEW  
ENTRY!

DS3.564.V1K




## VIRGILIO E27 CCT LED VERSIONS

| LAMP | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE     | COLOR TEMPERATURE | WATTAGE           |
|------|-------|---------------------|-------------------|-------------------|-------------------|
|      | 8,5W  | 920 lm              | 100-240V 50/60 Hz | 6500K/4000K/2700K | ≈60W INCANDESCENT |
|      | 11W   | 1200 lm             | 100-240V 50/60 Hz | 6500K/4000K/2700K | ≈75W INCANDESCENT |

## VIRGILIO 800

|      |         |             |  |  |
|------|---------|-------------|--|--|
| 8,5W | CCT SET | DS3.564.V1K |  |  |
| 11W  | CCT SET | DS3.564.T1K |  |  |




Master box: 6pcs

NEW

## VIRGILIO 500

|      |         |             |  |  |
|------|---------|-------------|--|--|
| 8,5W | CCT SET | DS3.563.V1K |  |  |
| 11W  | CCT SET | DS3.563.T1K |  |  |



Master box: 12pcs

NEW

## NEW E27 VERSION



MADE IN ITALY



# VIRGILIO


## BOLLARD



NEW  
ENTRY!



DS3.562.V1K



## VIRGILIO E27 CCT LED VERSIONS

| LAMP | POWER       | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |                             |
|------|-------------|---------------------|----------------------|--------------------|-----------------------------|
|      | <b>8,5W</b> | <b>920 lm</b>       | 100-240V<br>50/60 Hz | 6500K/4000K/2700K  | <b>=60W</b><br>INCANDESCENT |
|      | <b>11W</b>  | <b>1200 lm</b>      | 100-240V<br>50/60 Hz | 6500K/4000K/2700K  | <b>=75W</b><br>INCANDESCENT |

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

BLACK (A)



GREY (L)



WHITE (W)



OPAL (V)



CPAL (V)


## VIRGILIO APPLIQUE

**8,5W**

DS3.562.V1K

**11W**

DS3.562.T1K



Master box: 16pcs


## VIRGILIO 250

**8,5W**

DS3.558.V1K

**11W**

DS3.558.T1K



Master box: 16pcs


## VIRGILIO 250 SPIKE

**8,5W**

DS3.559.V1K

**11W**

DS3.559.T1K



Master box: 16pcs



# ESTER

## BOLLARD



DS1.564.D1K



## ESTER CCT LED VERSIONS


| LAMP | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                    |
|------|-------|-------------------------|----------------------|-------------------|--------------------|
|      | 3W    | 410 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT  |
|      | 10W   | 1290 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W INCANDESCENT |

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

## ESTER 800


|  |     |             |
|--|-----|-------------|
|  | 3W  | DS1.564.G1K |
|  | 10W | DS1.564.D1K |



Master box: 6pcs

## ESTER 500


|  |     |             |
|--|-----|-------------|
|  | 3W  | DS1.563.G1K |
|  | 10W | DS1.563.D1K |



Master box: 12pcs

## ESTER WALL


|  |     |             |
|--|-----|-------------|
|  | 3W  | DS1.560.G1K |
|  | 10W | DS1.560.D1K |



Master box: 18pcs


## ESTER SPIKE

|  |     |             |
|--|-----|-------------|
|  | 3W  | DS1.561.G1K |
|  | 10W | DS1.561.D1K |



Master box: 18pcs

## CCT SETTABLE

10  
HALF  
LANER14  
REVIVAL40  
GARDEN  
SMALL56  
GARDEN  
MEDIUM76  
GARDEN  
LARGE92  
BOLLARD98  
BOLLARD126  
DOWNLIGHT134  
UP&DOWN146  
FLOODLIGHT156  
IN-GROUND162  
BRICKLIGHT172  
BULKHEAD190  
POST198  
SOLAR  
MODERN206  
SOLAR  
CLASSIC208  
LAMPS



# ESTER


## BOLLARD



NEW  
ENTRY!



DS1.558.D1K



## ESTER CCT LED VERSIONS

| LAMP | POWER | LUMINOUS FLUX<br>(Φ TOTAL) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |                       |
|------|-------|----------------------------|----------------------|-------------------|-----------------------|
|      | 3W    | 410 lm                     | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W<br>INCANDESCENT  |
|      | 10W   | 1290 lm                    | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W<br>INCANDESCENT |


## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

## ESTER APPLIQUE




|     |             |
|-----|-------------|
| 3W  | DS1.562.G1K |
| 10W | DS1.562.D1K |



Master box: 16pcs

## ESTER 250


|                                |     |             |
|--------------------------------|-----|-------------|
| CCT SET LED GX53 LAMP INCLUDED | 3W  | DS1.558.G1K |
|                                | 10W | DS1.558.D1K |



Master box: 16pcs

## ESTER 250 SPIKE

|                                |     |             |
|--------------------------------|-----|-------------|
| CCT SET LED GX53 LAMP INCLUDED | 3W  | DS1.559.G1K |
|                                | 10W | DS1.559.D1K |



Master box: 16pcs

|    |               |
|----|---------------|
| 10 | HALF LANTER   |
| 14 | REVIVAL       |
| 40 | GARDEN SMALL  |
| 56 | GARDEN MEDIUM |
| 76 | GARDEN LARGE  |
| 92 | BOLLARD       |

|     |            |
|-----|------------|
| 98  | BOLLARD    |
| 126 | DOWNLIGHT  |
| 134 | UP&DOWN    |
| 146 | FLOODLIGHT |
| 156 | IN-GROUND  |
| 162 | BRICKLIGHT |
| 172 | BULKHEAD   |
| 190 | POST       |

|     |               |
|-----|---------------|
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |




# ELISA

## BOLLARD



DS2.564.D1K



## ELISA CCT LED VERSIONS

| LAMP | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                    |
|------|-------|-------------------------|----------------------|-------------------|--------------------|
| GX53 | 3W    | 410 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT  |
| GX53 | 10W   | 1290 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W INCANDESCENT |

## AVAILABLE COLORS

## RESIN BODY

(MOULDED COLOURS)




WITH WHITE RESIN REFLECTOR



## ELISA 800


|                                |     |             |
|--------------------------------|-----|-------------|
| CCT SET LED GX53 LAMP INCLUDED | 3W  | DS2.564.G1K |
|                                | 10W | DS2.564.D1K |



Master box: 6pcs

## ELISA 500


|                                |     |             |
|--------------------------------|-----|-------------|
| CCT SET LED GX53 LAMP INCLUDED | 3W  | DS2.563.G1K |
|                                | 10W | DS2.563.D1K |



Master box: 12pcs

## ELISA WALL


|                                |     |             |
|--------------------------------|-----|-------------|
| CCT SET LED GX53 LAMP INCLUDED | 3W  | DS2.560.G1K |
|                                | 10W | DS2.560.D1K |



Master box: 18pcs

## ELISA SPIKE

|                                |     |             |
|--------------------------------|-----|-------------|
| CCT SET LED GX53 LAMP INCLUDED | 3W  | DS2.561.G1K |
|                                | 10W | DS2.561.D1K |



Master box: 18pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# ELISA


## BOLLARD



NEW  
ENTRY!



DS1.564.D1K



## ELISA CCT LED VERSIONS

| LAMP | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                    |
|------|-------|-------------------------|----------------------|-------------------|--------------------|
|      | 3W    | 410 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT  |
|      | 10W   | 1290 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W INCANDESCENT |


## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

## ELISA APPLIQUE



|     |             |
|-----|-------------|
| 3W  | DS2.562.G1K |
| 10W | DS2.562.D1K |




Master box: 16pcs

## ELISA 250



|     |             |
|-----|-------------|
| 3W  | DS2.558.G1K |
| 10W | DS2.558.D1K |




Master box: 16pcs

## ELISA 250 SPIKE



|     |             |
|-----|-------------|
| 3W  | DS2.559.G1K |
| 10W | DS2.559.D1K |



Master box: 16pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GARDEN MODERN

# STEVEN

BOLLARD



ST1.531.Z1R



BOLLARD

# STEVEN

| STEVEN LED VERSIONS |             |                     |                      |                    |
|---------------------|-------------|---------------------|----------------------|--------------------|
| LAMP                | POWER       | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
|                     | <b>1,7W</b> | <b>150 lm</b>       | 100-240V<br>50/60 Hz | 4000K              |
|                     |             |                     |                      | 3000K              |

| AVAILABLE COLORS                                              |                                                                                       |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------|
| BODY<br>(MOULDED COLOURS)                                     | DIFFUSER                                                                              |
| <div>BLACK (A)</div> <div>GREY (L)</div> <div>WHITE (W)</div> | <div>FROSTED (X)</div> <div>BLUE (U)</div> <div>GREEN (N)</div> <div>ORANGE (R)</div> |

LED chip INCLUDED

1,7W

4000K

3000K

ST1.531.Z1L

ST1.531.Z1R

SPIKE INSTALLATION

GROUND INSTALLATION

Master box: **10pcs**

- 10 HALF LANTER
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS



# CARLO / CARLO DECO

## BOLLARD




DR1.575.U1K



DR3.570.U1K



DR3.574.U1K



| CARLO CCT LED VERSIONS |       |                               |                   |              |              |
|------------------------|-------|-------------------------------|-------------------|--------------|--------------|
| LAMP                   | POWER | LUMINOUS FLUX (Φ TOTAL) UP TO | VOLTAGE RANGE     | CCT SETTABLE |              |
| GU10 LED               | 2,9W  | 390 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =35W HALOGEN |
| GU10 LED               | 4,8W  | 625 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =50W HALOGEN |

| AVAILABLE COLORS                                   |           |
|----------------------------------------------------|-----------|
| RESIN BODY (MOULDED COLOURS)                       | DIFFUSER  |
| BLACK (A)            GREY (L)            WHITE (W) | CLEAR (X) |

### CARLO 800

|      |             |
|------|-------------|
| 2,9W | DR1.575.U1K |
| 4,8W | DR1.575.L1K |
| 2,9W | DR3.575.U1K |
| 4,8W | DR3.575.L1K |

### CARLO 800 DECO

### CARLO 400

|      |             |
|------|-------------|
| 2,9W | DR1.574.U1K |
| 4,8W | DR1.574.L1K |
| 2,9W | DR3.574.U1K |
| 4,8W | DR3.574.L1K |

### CARLO 400 DECO

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



CARLO / CARLO DECO

BOLLARD



| CARLO CCT LED VERSIONS |       |                               |                   |              |                |
|------------------------|-------|-------------------------------|-------------------|--------------|----------------|
| LAMP                   | POWER | LUMINOUS FLUX (8 TOTAL) UP TO | VOLTAGE RANGE     | CCT SETTABLE |                |
| GU10 LED               | 2,9W  | 390 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =  35W HALOGEN |
| GU10 LED               | 4,8W  | 625 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =  50W HALOGEN |





CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.573.U1K

4,8W

DR1.573.L1K

2,9W

DR3.573.U1K

4,8W

DR3.573.L1K



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.573.U1K

4,8W


DR1.573.L1K

2,9W


DR3.573.U1K

4,8W

DR3.573.L1K



100  
250



100  
250

Master box: 20pcs

Master box: 20pcs



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.572.U1K

4,8W


DR1.572.L1K

2,9W


DR3.572.U1K

4,8W

DR3.572.L1K



100  
250  
180



100  
250  
180

Master box: 20pcs

Master box: 20pcs



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.572.U1K

4,8W


DR1.572.L1K

2,9W

DR3.572.U1K

4,8W

DR3.572.L1K



100  
250  
180

Master box: 20pcs

BOLLARD

CARLO / CARLO DECO

| CARLO CCT LED VERSIONS |       |                               |                   |              |                |
|------------------------|-------|-------------------------------|-------------------|--------------|----------------|
| LAMP                   | POWER | LUMINOUS FLUX (8 TOTAL) UP TO | VOLTAGE RANGE     | CCT SETTABLE |                |
| GU10 LED               | 2,9W  | 390 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =  35W HALOGEN |
| GU10 LED               | 4,8W  | 625 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =  50W HALOGEN |

| AVAILABLE COLORS             |           |
|------------------------------|-----------|
| RESIN BODY (MOULDED COLOURS) | DIFFUSER  |
| BLACK (A)                    | CLEAR (X) |
| GREY (L)                     |           |
| WHITE (W)                    |           |



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.570.U1K

4,8W


DR1.570.L1K

2,9W


DR3.570.U1K

4,8W

DR3.570.L1K



110  
260



110  
260

Master box: 20pcs

Master box: 20pcs



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.570.U1K

4,8W


DR1.570.L1K

2,9W

DR3.570.U1K

4,8W

DR3.570.L1K



110  
260

Master box: 20pcs



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.571.U1K

4,8W


DR1.571.L1K

2,9W


DR3.571.U1K

4,8W

DR3.571.L1K



170  
340



170  
340

Master box: 20pcs

Master box: 20pcs



CCT SET LED GU10 LAMP INCLUDED

NEW GU10 130 lumen/W

2,9W

DR1.571.U1K

4,8W


DR1.571.L1K

2,9W

DR3.571.U1K

4,8W

DR3.571.L1K



170  
340

Master box: 20pcs

114 MADE IN ITALY

MADE IN ITALY

115

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# AMELIA


## BOLLAR



More details at page 209




DR2.575.V1K



| AMELIA CCT LED VERSIONS |       |                     |                   |                    |                   |
|-------------------------|-------|---------------------|-------------------|--------------------|-------------------|
| LAMP                    | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE     | COLOUR TEMPERATURE |                   |
|                         | 8,5W  | 920 lm              | 100-240V 50/60 Hz | 6500K/4000K/2700K  | =60W INCANDESCENT |
|                         | 11W   | 1200 lm             | 100-240V 50/60 Hz | 6500K/4000K/2700K  | =75W INCANDESCENT |


| AVAILABLE COLORS                   |          |
|------------------------------------|----------|
| RESIN BODY (MOULDED COLOURS)       | DIFFUSER |
| BLACK (A)<br>GREY (L)<br>WHITE (W) | OPAL (V) |

| AMELIA 800 |  |             |  |
|------------|--|-------------|--|
| 8,5W       |  | DR2.575.V1K |  |
| 11W        |  | DR2.575.T1K |  |




Master box: 6pcs

| AMELIA 400 |  |             |  |
|------------|--|-------------|--|
| 8,5W       |  | DR2.574.V1K |  |
| 11W        |  | DR2.574.T1K |  |




Master box: 12pcs

| AMELIA 250 |  |             |  |
|------------|--|-------------|--|
| 8,5W       |  | DR2.573.V1K |  |
| 11W        |  | DR2.573.T1K |  |



Master box: 20pcs

| AMELIA SPIKE |  |             |  |
|--------------|--|-------------|--|
| 8,5W         |  | DR2.572.V1K |  |
| 11W          |  | DR2.572.T1K |  |



Master box: 20pcs




# AMELIA

## WALL LAMP



DR2.570.V1K




| AMELIA CCT LED VERSIONS |       |                     |                   |                    |                   |
|-------------------------|-------|---------------------|-------------------|--------------------|-------------------|
| LAMP                    | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE     | COLOUR TEMPERATURE |                   |
|                         | 8,5W  | 920 lm              | 100-240V 50/60 Hz | 6500K/4000K/2700K  | =60W INCANDESCENT |
|                         | 11W   | 1200 lm             | 100-240V 50/60 Hz | 6500K/4000K/2700K  | =75W INCANDESCENT |

| AVAILABLE COLORS                   |          |
|------------------------------------|----------|
| RESIN BODY (MOULDED COLOURS)       | DIFFUSER |
| BLACK (A)<br>GREY (L)<br>WHITE (W) | OPAL (V) |

## AMELIA WALL



|      |  |             |  |  |
|------|--|-------------|--|--|
| 8,5W |  | DR2.570.V1K |  |  |
| 11W  |  | DR2.570.T1K |  |  |




Master box: 20pcs

## AMELIA-FS



|      |  |             |  |  |
|------|--|-------------|--|--|
| 8,5W |  | DR2.571.V1K |  |  |
| 11W  |  | DR2.571.T1K |  |  |



Master box: 20pcs



# GABRI-MINIGABRI REMI/LUCIA

## BOLLARD



NEW GX53 LED Ø160

WATT  
SETTABLE

15 W 9 W

CCT  
SETTABLE

2700 K 4000 K

15W 1940 lm

More details at page 211



POWER SETTABLE

15W 9W

CCT SETTABLE

2700 K 4000 K

SDCM &lt;6

NEW  
GX53  
144  
lumen/W

1R3.613.X10.E27



BOLLARD

GABRI-MINIGABRI REMI/LUCIA

NEW


LED BULKHEAD GX53-CCT &amp; WATT SETTABLE

| LAMP | POWER<br>SETTABLE         | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT<br>SETTABLE           |                              |
|------|---------------------------|------------------------|----------------------|---------------------------|------------------------------|
|      | <b>15W</b><br>WATT<br>SET | <b>1940 lm</b>         | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT<br>SET | <b>=150W</b><br>INCANDESCENT |
|      | <b>9W</b><br>eco mode     | <b>1300 lm</b>         |                      |                           | <b>=100W</b><br>INCANDESCENT |

AVAILABLE COLORS

| RESIN BODY<br>(MOULDED COLOURS) |          |           | DIFFUSER |
|---------------------------------|----------|-----------|----------|
| BLACK (A)                       | GREY (L) | WHITE (W) | OPAL (Y) |
|                                 |          |           |          |

## GABRI REMI/LUCIA 1L

NEW  
VERSIONGX53 LED  
15W  
WATT  
SETCCT  
SET

E27

LUCIA  
1R3LUCIA-EL  
2R3LUCIA-GD  
3R3

1R3.613.X10.E27

2R3.613.X10.E27


3R3.613.X10.E27

1R3.613.X10.E1P

2R3.613.X10.E1P

3R3.613.X10.E1P

## GABRI REMI/LUCIA 2L

NEW  
VERSIONGX53 LED  
15W  
WATT  
SETCCT  
SET

E27

LUCIA  
1R3LUCIA-EL  
2R3LUCIA-GD  
3R3

1R3.613.X20.E27

2R3.613.X20.E27


3R3.613.X20.E27

1R3.613.X20.E1P

2R3.613.X20.E1P

3R3.613.X20.E1P

## MINIGABRI REMI/LUCIA 1L

NEW  
VERSIONGX53 LED  
15W  
WATT  
SETCCT  
SET

E27

LUCIA  
1R3LUCIA-EL  
2R3LUCIA-GD  
3R3

1R3.612.X10.E27

2R3.612.X10.E27


3R3.612.X10.E27

1R3.612.X10.E1P

2R3.612.X10.E1P

3R3.612.X10.E1P

## MINIGABRI REMI/LUCIA 2L

NEW  
VERSIONGX53 LED  
15W  
WATT  
SETCCT  
SET

E27

LUCIA  
1R3LUCIA-EL  
2R3LUCIA-GD  
3R3

1R3.612.X20.E27

2R3.612.X20.E27

3R3.612.X20.E27

1R3.612.X20.E1P

2R3.612.X20.E1P

3R3.612.X20.E1P




# GABRI-MINIGABRI REMI/MADDI

## BOLLARD

fumagalli  
since 1973

NEW GX53 LED Ø160



1V3.613.X20.E27

POWER SETTABLE  
15WNEW  
GX53  
144  
lumen/W

9W

CCT SETTABLE

2700 K 4000 K

SDCM &lt;6

fumagalli  
since 1973

BOLLARD

GABRI-MINIGABRI REMI/MADDI

NEW

LED BULKHEAD GX53-CCT &amp; WATT SETTABLE

| LAMP | POWER SETTABLE                    | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE           |                                                    |
|------|-----------------------------------|---------------------|----------------------|------------------------|----------------------------------------------------|
|      | 15W<br>WATT SET<br>9W<br>eco mode | 1940 lm<br>1300 lm  | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT<br><br>=100W<br>INCANDESCENT |

AVAILABLE COLORS

| RESIN BODY<br>(MOULDED COLOURS)    | DIFFUSER |
|------------------------------------|----------|
| BLACK (A)<br>GREY (L)<br>WHITE (W) | OPAL (Y) |

## GABRI REMI/MADDI 1L

|  |  |                                                       |                 |                 |                 |  |
|--|--|-------------------------------------------------------|-----------------|-----------------|-----------------|--|
|  |  |                                                       |                 |                 |                 |  |
|  |  | E27                                                   | 1V3.613.X10.E27 | 2V3.613.X10.E27 | 3V3.613.X10.E27 |  |
|  |  | NEW VERSION<br>GX53 LED<br>15W<br>CCT SET<br>WATT SET | 1V3.613.X10.E1P | 2V3.613.X10.E1P | 3V3.613.X10.E1P |  |

## GABRI REMI/MADDI 2L

|  |  |                                                       |                 |                 |                 |  |
|--|--|-------------------------------------------------------|-----------------|-----------------|-----------------|--|
|  |  |                                                       |                 |                 |                 |  |
|  |  | E27                                                   | 1V3.613.X20.E27 | 2V3.613.X20.E27 | 3V3.613.X20.E27 |  |
|  |  | NEW VERSION<br>GX53 LED<br>15W<br>CCT SET<br>WATT SET | 1V3.613.X20.E1P | 2V3.613.X20.E1P | 3V3.613.X20.E1P |  |

## MINIGABRI REMI/MADDI 1L

|  |  |                                                       |                 |                 |                 |  |
|--|--|-------------------------------------------------------|-----------------|-----------------|-----------------|--|
|  |  |                                                       |                 |                 |                 |  |
|  |  | E27                                                   | 1V3.612.X10.E27 | 2V3.612.X10.E27 | 3V3.612.X10.E27 |  |
|  |  | NEW VERSION<br>GX53 LED<br>15W<br>CCT SET<br>WATT SET | 1V3.612.X10.E1P | 2V3.612.X10.E1P | 3V3.612.X10.E1P |  |

## MINIGABRI REMI/MADDI 2L

|  |  |                                                       |                 |                 |                 |  |
|--|--|-------------------------------------------------------|-----------------|-----------------|-----------------|--|
|  |  |                                                       |                 |                 |                 |  |
|  |  | E27                                                   | 1V3.612.X20.E27 | 2V3.612.X20.E27 | 3V3.612.X20.E27 |  |
|  |  | NEW VERSION<br>GX53 LED<br>15W<br>CCT SET<br>WATT SET | 1V3.612.X20.E1P | 2V3.612.X20.E1P | 3V3.612.X20.E1P |  |

MADE IN ITALY

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# PINELA-MINIPINELA


## BOLLARD



MADE IN ITALY



2N1.613.010.P27



| GERMANA LED VERSIONS |              |                            |                      |                   |                       |
|----------------------|--------------|----------------------------|----------------------|-------------------|-----------------------|
| LAMP                 | POWER        | LUMINOUS FLUX<br>(Φ TOTAL) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |                       |
| 2x Øx58              | 2x3W<br>6W   | 820 lm                     | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =75W<br>INCANDESCENT  |
| 2x Øx58              | 2x10W<br>20W | 2570 lm                    | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =150W<br>INCANDESCENT |

| AVAILABLE COLORS                                                                    |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| RESIN BODY<br>(MOULDED COLOURS)                                                     |                                                                                     |                                                                                     | DIFFUSER                                                                            |
| BLACK (A)                                                                           | GREY (L)                                                                            | WHITE (W)                                                                           |                                                                                     |
|  |  |  |  |

| PINELA 1L |                   |                     |
|-----------|-------------------|---------------------|
|           |                   | E27 2N1.613.010.P27 |
|           | 2x3W 6W CCT SET   | 2N1.613.010.G2K     |
|           | 2x10W 20W CCT SET | 2N1.613.010.D2K     |

| PINELA 2L |                   |                     |
|-----------|-------------------|---------------------|
|           |                   | E27 2N1.613.020.P27 |
|           | 2x3W 6W CCT SET   | 2N1.613.020.G2K     |
|           | 2x10W 20W CCT SET | 2N1.613.020.D2K     |

| MINIPINELA 1L |                   |                     |
|---------------|-------------------|---------------------|
|               |                   | E27 2N1.612.010.P27 |
|               | 2x3W 6W CCT SET   | 2N1.612.010.G2K     |
|               | 2x10W 20W CCT SET | 2N1.612.010.D2K     |

| MINIPINELA 2L |                   |                     |
|---------------|-------------------|---------------------|
|               |                   | E27 2N1.612.020.P27 |
|               | 2x3W 6W CCT SET   | 2N1.612.020.G2K     |
|               | 2x10W 20W CCT SET | 2N1.612.020.D2K     |



# TERESA RANGE

DOWNLIGHT / DECKLIGHT



MADE IN ITALY



| TERESA 50 LED VERSIONS |             |                     |                      |                    |
|------------------------|-------------|---------------------|----------------------|--------------------|
| LAMP                   | POWER       | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
|                        | <b>1,7W</b> | <b>150 lm</b>       | 100-240V<br>50/60 Hz | 4000K<br>3000K     |

| AVAILABLE COLORS        |            |           |
|-------------------------|------------|-----------|
| COVER (MOULDED COLOURS) |            |           |
| BLACK (A)               | GREY (L)   | WHITE (W) |
|                         |            |           |
| DIFFUSER                |            |           |
| FROSTED (X)             | BLUE (U)   |           |
|                         |            |           |
| GREEN (N)               | ORANGE (R) |           |
|                         |            |           |

### TERESA 50

|                   |             |
|-------------------|-------------|
| 4000K             | 210.000.Z1L |
| <b>1,7W</b> 3000K | 210.000.Z1R |

IP67 LED G9 LAMP INCLUDED

Master box: **75pcs**

### TERESA 50 SQUARE

|                   |             |
|-------------------|-------------|
| 4000K             | 214.000.Z1L |
| <b>1,7W</b> 3000K | 214.000.Z1R |

IP67 LED G9 LAMP INCLUDED

Master box: **75pcs**

### TERESA 50 1L

|                   |             |
|-------------------|-------------|
| 4000K             | 211.000.Z1L |
| <b>1,7W</b> 3000K | 211.000.Z1R |

IP67 LED G9 LAMP INCLUDED

Master box: **75pcs**

### TERESA 50 2L

|                   |             |
|-------------------|-------------|
| 4000K             | 212.000.Z1L |
| <b>1,7W</b> 3000K | 212.000.Z1R |

IP67 LED G9 LAMP INCLUDED

Master box: **75pcs**



TERESA 90

DOWNLIGHT



| TERESA 90 LED VERSIONS |       |                                  |                      |              |                |
|------------------------|-------|----------------------------------|----------------------|--------------|----------------|
| LAMP                   | POWER | LUMINOUS FLUX<br>(@ TOTAL) UP TO | VOLTAGE<br>RANGE     | CCT SETTABLE |                |
| GU10 LED               | 2,9W  | 390 lm                           | 100-240V<br>50/60 Hz | 4000K/2700K  | =  35W HALOGEN |
| GU10 LED               | 4,8W  | 625 lm                           | 100-240V<br>50/60 Hz | 4000K/2700K  | =  50W HALOGEN |

| AVAILABLE COLORS                |          |
|---------------------------------|----------|
| RESIN BODY<br>(MOULDED COLOURS) | DIFFUSER |
| BLACK (A)  GREY (L)  WHITE (W)  | OPAL (Y) |




**TERESA 90**  
GU10 lampholder

|             |             |
|-------------|-------------|
| 3L1.000.GU1 | SMART PACK  |
| 2,9W        | 3L0.000.U1K |
| 4,8W        | 3L0.000.L1K |



**NEW GU10**  
130 lumen/W



75  
100  
90

Standard Master box: **40pcs**  
Smart Pack Master box: **100pcs**

**TERESA 90 - AVAILABLE VERSIONS**

**TERESA 90**  
SINGLE BOX - LAMP INCLUDED



TERESA 90 GU10

GU10 LAMP INCLUDED

cbm: 0,09  
Master box: 40 pcs

**TERESA 90 GU10 SMART PACK**



5x TERESA 90 GU10

SAVE 37% VOLUME

ECO-friendly packaging  
Film wrapped items

cbm: 0,14  
Master box: 5X20= 100 pcs



DOWNLIGHT

TERESA 160

| TERESA 160 CCT LED VERSIONS |       |                            |                      |                   |
|-----------------------------|-------|----------------------------|----------------------|-------------------|
| LAMP                        | POWER | LUMINOUS FLUX<br>(@ TOTAL) | VOLTAGE<br>RANGE     | CCT SETTABLE      |
| GX53                        | 3W    | 410 lm                     | 100-240V<br>50/60 Hz | 6500K/4000K/3000K |
| GX53                        | 10W   | 1290 lm                    | 100-240V<br>50/60 Hz | 6500K/4000K/3000K |

| LED BULKHEAD GX53-CCT & WATT SETTABLE |       |                        |                      |              |
|---------------------------------------|-------|------------------------|----------------------|--------------|
| LAMP                                  | POWER | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT SETTABLE |
| GX53 LED                              | 15W   | 1940 lm                | 100-240V<br>50/60 Hz | 4000K/2700K  |
| GX53 LED                              | 9W    | 1300 lm                | 100-240V<br>50/60 Hz | 4000K/2700K  |




**TERESA 160**

|     |             |
|-----|-------------|
| 3W  | 4L0.000.G1K |
| 10W | 4L0.000.D1K |



IP55



135  
69  
160

Master box: **18pcs**




**TERESA 260**

|                |             |
|----------------|-------------|
| E27 lampholder | 5L0.000.P27 |
| GX53 LED 15W   | 5L0.000.E1P |



IP55



230  
75  
260

Master box: **16pcs**

**SUPPLIED FULLY PRE-WIRED**



NEW GX53 LED

NEW GX53 144 lumen/W

NEW VERSION



E27



E27+SENSOR

WITH SENSOR 220-240V (ES7)

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# LIVIA RANGE

## DOWNLIGHT



MADE IN ITALY



1A9.000.Z1L

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

DIFFUSER



## DOWNLIGHT

## LIVIA RANGE

| LIVIA 60 LED VERSIONS |             |                     |                      |                    | LIVIA 90 CCT LED VERSIONS |             |                               |                      |                 |
|-----------------------|-------------|---------------------|----------------------|--------------------|---------------------------|-------------|-------------------------------|----------------------|-----------------|
| LAMP                  | POWER       | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE | LAMP                      | POWER       | LUMINOUS FLUX (Φ TOTAL) UP TO | VOLTAGE RANGE        | CCT SETTABLE    |
|                       | <b>1,7W</b> | <b>150 lm</b>       | 100-240V<br>50/60 Hz | 4000K              |                           | <b>2,9W</b> | <b>390 lm</b>                 | 100-240V<br>50/60 Hz | 4000K/2700K     |
|                       |             |                     |                      | 3000K              |                           | <b>4,8W</b> | <b>625 lm</b>                 |                      |                 |
|                       |             |                     |                      |                    |                           |             |                               |                      | ≈35W<br>HALOGEN |
|                       |             |                     |                      |                    |                           |             |                               |                      | ≈50W<br>HALOGEN |

## LIVIA 60


**1,7W**

4000K

3000K

1A9.000.Z1L

1A9.000.Z1R

Master box: **75pcs**

## LIVIA 90


**2,9W**

4000K

2700K

2A9.000.U1K

2A9.000.L1K

Master box: **30pcs**NEW  
GU10  
130  
lumen/W



# LIVIA RANGE

## DOWNLIGHT



MADE IN  
ITALY

3A9.000.G1K

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

DIFFUSER

BLACK (A)

GREY (L)

WHITE (W)

FROSTED (X)



## LIVIA 160 CCT LED VERSIONS

| LAMP | POWER | LUMINOUS FLUX<br>(Φ TOTAL) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |                       |
|------|-------|----------------------------|----------------------|-------------------|-----------------------|
| GX53 | 3W    | 410 lm                     | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W<br>INCANDESCENT  |
| GX53 | 10W   | 1290 lm                    | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W<br>INCANDESCENT |

## LIVIA 180 CCT LED VERSIONS


| LAMP                  | POWER | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT<br>SETTABLE |                 |
|-----------------------|-------|------------------------|----------------------|-----------------|-----------------|
| HIGH POWER<br>LED E27 | 15W   | 1690 lm                | 100-240V<br>50/60 Hz | 3000K/ 4000K    | =50W<br>HID-SOR |
| HIGH POWER<br>LED E27 | 30W   | 3620 lm                | 100-240V<br>50/60 Hz | 3000K/ 4000K    | =70W<br>HID-SOR |

## LIVIA 160



3W 3A9.000.G1K

10W 3A9.000.D1K




Master box: 18pcs

## LIVIA 180


IP44  
Δ

15W 4A9.000.R1K

30W 4A9.000.Q1K



## CCT SETTABLE



Master box: 12pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# MAMETE

UP & DOWN



WALL INSTALLATION

2A3.000.Z1L



1A3.000.Z1L

GROUND INSTALLATION



| MAMETE LED VERSIONS |             |                     |                      |                    |
|---------------------|-------------|---------------------|----------------------|--------------------|
| LAMP                | POWER       | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
|                     | <b>1,7W</b> | <b>150 lm</b>       | 100-240V<br>50/60 Hz | 4000K<br>3000K     |

| AVAILABLE COLORS                   |                                                    |
|------------------------------------|----------------------------------------------------|
| BODY<br>(MOULDED COLOURS)          | DIFFUSER                                           |
| BLACK (A)<br>GREY (L)<br>WHITE (W) | FROSTED (X)<br>BLUE (U)<br>GREEN (N)<br>ORANGE (R) |

### MAMETE SQUARE

LED LAMP INCLUDED

|             |                |                            |
|-------------|----------------|----------------------------|
| <b>1,7W</b> | 4000K<br>3000K | 1A3.000.Z1L<br>1A3.000.Z1R |
|-------------|----------------|----------------------------|

Master box: **50pcs**

### MAMETE ROUND

LED LAMP INCLUDED

|             |                |                            |
|-------------|----------------|----------------------------|
| <b>1,7W</b> | 4000K<br>3000K | 2A3.000.Z1L<br>2A3.000.Z1R |
|-------------|----------------|----------------------------|

Master box: **50pcs**



# ABRAM RANGE

UP&DOWN



AB1.000.J1K



## ABRAM LED VERSIONS

| LAMP    | POWER | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |
|---------|-------|------------------------|----------------------|-------------------|
| R7s LED | 3,5W  | 365 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/2700K |
| R7s LED | 7,5W  | 790 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/2700K |
| R7s LED | 10,5W | 1160 lm                | 100-240V<br>50/60 Hz | 6500K/4000K/2700K |



RESIN BODY  
(MOULDED COLOURS)Master box: **30pcs**

## ABRAM 150



3,5W

AB1.000.J1K





## ABRAM 190



7,5W

AB2.000.K1K


Master box: **30pcs**

## ABRAM 270




10,5W

AB3.000.P1K

Master box: **14pcs**

## CCT SETTABLE





# FRANCA 90

## UP&DOWN



3A7.002.U1K



| FRANCA 90 CCT LED VERSIONS |                               |                                  |                      |                 |                     |
|----------------------------|-------------------------------|----------------------------------|----------------------|-----------------|---------------------|
| LAMP                       | POWER                         | LUMINOUS FLUX<br>(@ TOTAL UP TO) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE |                     |
| FRANCA 90 1L               | <b>2,9W</b>                   | <b>390 lm</b>                    | 100-240V<br>50/60 Hz | 4000K/2700K     | ≈35W<br>HALOGEN     |
|                            | <b>4,8W</b>                   | <b>625 lm</b>                    | 100-240V<br>50/60 Hz | 4000K/2700K     | ≈50W<br>HALOGEN     |
| FRANCA 90 2L               | <b>2x 2,9W</b><br><b>5,8W</b> | <b>780 lm</b>                    | 100-240V<br>50/60 Hz | 4000K/2700K     | ≈2 x 35W<br>HALOGEN |
|                            | <b>2x 4,8W</b><br><b>9,6W</b> | <b>1250 lm</b>                   | 100-240V<br>50/60 Hz | 4000K/2700K     | ≈2 x 50W<br>HALOGEN |

| AVAILABLE COLORS                   |                                                    |
|------------------------------------|----------------------------------------------------|
| BODY<br>(MOULDED COLOURS)          | DIFFUSER                                           |
| BLACK (A)<br>GREY (L)<br>WHITE (W) | FROSTED (X)<br>BLUE (U)<br>GREEN (N)<br>ORANGE (R) |

### FRANCA 90

|  |             |             |
|--|-------------|-------------|
|  | <b>2,9W</b> | 3A7.000.U1K |
|  | <b>4,8W</b> | 3A7.000.L1K |

NEW GU10 130 lumen/W

Master box: **30pcs**

### FRANCA 90 SPIKE

|  |             |             |
|--|-------------|-------------|
|  | <b>2,9W</b> | 3A7.001.U1K |
|  | <b>4,8W</b> | 3A7.001.L1K |

NEW GU10 130 lumen/W

Master box: **30pcs**

### FRANCA 90-1L WALL

|  |             |             |
|--|-------------|-------------|
|  | <b>2,9W</b> | 3A7.002.U1K |
|  | <b>4,8W</b> | 3A7.002.L1K |

NEW GU10 130 lumen/W

Master box: **30pcs**


### FRANCA 90-2L WALL

|  |                               |             |
|--|-------------------------------|-------------|
|  | <b>2x 2,9W</b><br><b>5,8W</b> | 3A7.003.U2K |
|  | <b>2x 4,8W</b><br><b>9,6W</b> | 3A7.003.L2K |

NEW GU10 130 lumen/W

Master box: **20pcs**

CCT SETTABLE



NEW GU10 130 lumen/W


|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GARDEN MODERN

# MARTA 90

UP&DOWN



1A4.000.U1K

**CCT SETTABLE**

NEW GU10 130 lumen/W

SDCM < 3

2700 K 4000 K



UP&DOWN

MARTA 90

**MARTA 90 CCT LED VERSIONS**

| LAMP        | POWER        | LUMINOUS FLUX (Φ TOTAL UP TO) | VOLTAGE RANGE     | CCT SETTABLE |                  |
|-------------|--------------|-------------------------------|-------------------|--------------|------------------|
| MARTA 90 1L |              |                               |                   |              |                  |
| GU10 LED    | 2,9W         | 390 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =35W HALOGEN     |
| GU10 LED    | 4,8W         | 625 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =50W HALOGEN     |
| MARTA 90 2L |              |                               |                   |              |                  |
| 2x GU10 LED | 2x 2,9W 5,8W | 780 lm                        | 100-240V 50/60 Hz | 4000K/2700K  | =2 x 35W HALOGEN |
| 2x GU10 LED | 2x 4,8W 9,6W | 1250 lm                       | 100-240V 50/60 Hz | 4000K/2700K  | =2 x 50W HALOGEN |

**AVAILABLE COLORS**

| BODY (MOULDED COLOURS)       | DIFFUSER                                  |
|------------------------------|-------------------------------------------|
| BLACK (A) GREY (L) WHITE (W) | FROSTED (X) BLUE (U) GREEN (N) ORANGE (R) |

**MARTA90 1L**

CCT SET LED GU10 LAMP INCLUDED

2,9W 1A4.000.U1K

4,8W 1A4.000.L1K

Master box: 36pcs

**MARTA90 2L**

CCT SET LED GU10 LAMP INCLUDED

2x2,9W 5,8W 2A4.000.U2K

2x4,8W 9,6W 2A4.000.L2K

Master box: 36pcs

- 10 HALF LANTER
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS




# MARTA 160

UP&DOWN



1A6.000.G1K



| MARTA 160 CCT LED VERSIONS |              |                         |                      |                   |                      |
|----------------------------|--------------|-------------------------|----------------------|-------------------|----------------------|
| LAMP                       | POWER        | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                      |
| MARTA160 1L<br>GX53        | 3W           | 410 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT    |
|                            | 10W          | 1290 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W INCANDESCENT   |
| MARTA160 2L<br>2x GX53     | 2x3W<br>6W   | 820 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =2x40W INCANDESCENT  |
|                            | 2x10W<br>20W | 2580 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =2x100W INCANDESCENT |

| AVAILABLE COLORS          |          |           |             |
|---------------------------|----------|-----------|-------------|
| BODY<br>(MOULDED COLOURS) |          |           | DIFFUSER    |
| BLACK (A)                 | GREY (L) | WHITE (W) | FROSTED (X) |
|                           |          |           | BLUE (U)    |
|                           |          |           | GREEN (N)   |
|                           |          |           | ORANGE (R)  |

## MARTA160 1L


|                                            |     |             |
|--------------------------------------------|-----|-------------|
| CCT SET<br>LED<br>GX53<br>LAMP<br>INCLUDED | E27 | 1A6.000.E27 |
|                                            | 3W  | 1A6.000.G1K |
|                                            | 10W | 1A6.000.D1K |
|                                            |     |             |
| Master box: 18pcs                          |     |             |

## MARTA160 2L

|                                            |              |             |
|--------------------------------------------|--------------|-------------|
| CCT SET<br>LED<br>GX53<br>LAMP<br>INCLUDED | 2x3W<br>6W   | 2A6.000.G2K |
|                                            | 2x10W<br>20W | 2A6.000.D2K |
|                                            |              |             |
| Master box: 18pcs                          |              |             |

FRANCY  
UP&DOWN

1A1.000.F1R



## SUPPLIED FULLY PRE-WIRED




| FRANCY LED VERSIONS |         |                    |                   |                    |                   |
|---------------------|---------|--------------------|-------------------|--------------------|-------------------|
| LAMP                | POWER   | LUMINOUS FLUX UP/D | VOLTAGE RANGE     | COLOUR TEMPERATURE |                   |
|                     | 6,5W    | 800 lm             | 100-240V 50/60 Hz | 2700K              | ≈60W INCANDESCENT |
|                     | 8,5W    | 920 lm             | 100-240V 50/60 Hz | 6500K/4000K/2700K  | ≈60W INCANDESCENT |
| 2x                  | 2x3W 6W | 820 lm (2 TOTAL)   | 100-240V 50/60 Hz | 6500K/4000K/3000K  | ≈75W INCANDESCENT |

| AVAILABLE COLORS             |          |           |          |
|------------------------------|----------|-----------|----------|
| RESIN BODY (MOULDED COLOURS) |          |           | DIFFUSER |
| BLACK (A)                    | GREY (L) | WHITE (W) | OPAL (Y) |

## FRANCY




|                          |                                               |     |             |            |
|--------------------------|-----------------------------------------------|-----|-------------|------------|
| LED<br>E27 LAMP INCLUDED | 6,5W<br>FILAMENT LED 2700K<br>8,5W<br>CCT SET | E27 | 1A2.000.E27 | SMART PACK |
|                          |                                               | E27 | 1A1.000.E27 | SINGLE BOX |
|                          |                                               | E27 | 1A1.000.F1R | SINGLE BOX |
|                          |                                               | E27 | 1A1.000.V1K | SINGLE BOX |

Standard Master box: 24pcs  
Smart Pack Master box: 42pcs

## FRANCY-OP



|                      |                                                  |     |             |            |
|----------------------|--------------------------------------------------|-----|-------------|------------|
| LED<br>LAMP INCLUDED | 6,5W<br>FILAMENT LED 2700K<br>2x3W 6W<br>CCT SET | E27 | 2A2.000.E27 | SMART PACK |
|                      |                                                  | E27 | 2A1.000.E27 | SINGLE BOX |
|                      |                                                  | E27 | 2A1.000.F1R | SINGLE BOX |
|                      |                                                  | E27 | 2A1.000.G2K | SINGLE BOX |

Standard Master box: 24pcs  
Smart Pack Master box: 42pcs



GARDEN MODERN

# MINITOMMY FLOODLIGHT



MADE IN ITALY



1M1.001.U1K

CCT SETTABLE

2700 K 4000 K

SDCM &lt;3

NEW  
GU10  
130  
lumen/W

FLOODLIGHT

MINITOMMY

| MINITOMMY LED VERSIONS      |                 |                                  |                      |                        |           |
|-----------------------------|-----------------|----------------------------------|----------------------|------------------------|-----------|
| LAMP                        | POWER           | LUMINOUS FLUX<br>(@ TOTAL UP TO) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE        |           |
| MINITOMMY TL<br>GU10 LED    | 2,9W            | 390 lm                           | 100-240V<br>50/60 Hz | 4000K/2700K<br>HALOGEN | = 35W     |
| MINITOMMY TL<br>GU10 LED    | 4,8W            | 625 lm                           | 100-240V<br>50/60 Hz | 4000K/2700K<br>HALOGEN | = 50W     |
| MINITOMMY EL<br>2X GU10 LED | 2x 2,9W<br>5,8W | 780 lm                           | 100-240V<br>50/60 Hz | 4000K/2700K<br>HALOGEN | = 2 x 35W |
| MINITOMMY EL<br>2X GU10 LED | 2x 4,8W<br>9,6W | 1250 lm                          | 100-240V<br>50/60 Hz | 4000K/2700K<br>HALOGEN | = 2 x 50W |

| AVAILABLE COLORS             |                                              |
|------------------------------|----------------------------------------------|
| COVER<br>(MOULDED COLOURS)   | DIFFUSER                                     |
| BLACK (A) GREY (L) WHITE (W) | FROSTED (X) BLUE (U)<br>GREEN (N) ORANGE (R) |

| MINITOMMY                                          | MINITOMMY SPIKE                                    |
|----------------------------------------------------|----------------------------------------------------|
| NEW GU10<br>130<br>lumen/W                         |                                                    |
|                                                    |                                                    |
| <b>2,9W</b> 1M1.000.U1K<br><b>4,8W</b> 1M1.000.L1K | <b>2,9W</b> 1M1.001.U1K<br><b>4,8W</b> 1M1.001.L1K |
|                                                    |                                                    |
| Master box: 30pcs                                  | Master box: 30pcs                                  |

| MINITOMMY-EL                                       | MINITOMMY-EL SPIKE                                 |
|----------------------------------------------------|----------------------------------------------------|
| NEW GU10<br>130<br>lumen/W                         |                                                    |
|                                                    |                                                    |
| <b>2,9W</b> 1M2.000.U1K<br><b>4,8W</b> 1M2.000.L1K | <b>2,9W</b> 1M2.001.U1K<br><b>4,8W</b> 1M2.001.L1K |
|                                                    |                                                    |
| Master box: 30pcs                                  | Master box: 30pcs                                  |

| MINITOMMY 2L                                             | MINITOMMY 2L SPIKE                                       |
|----------------------------------------------------------|----------------------------------------------------------|
| NEW GU10<br>130<br>lumen/W                               |                                                          |
|                                                          |                                                          |
| <b>2x 2,9W</b> 3M1.000.U2K<br><b>2x 4,8W</b> 3M1.000.L2K | <b>2x 2,9W</b> 3M1.001.U2K<br><b>2x 4,8W</b> 3M1.001.L2K |
|                                                          |                                                          |
| Master box: 18pcs                                        | Master box: 18pcs                                        |

| MINITOMMY-EL 2L                                          | MINITOMMY-EL 2L SPIKE                                    |
|----------------------------------------------------------|----------------------------------------------------------|
| NEW GU10<br>130<br>lumen/W                               |                                                          |
|                                                          |                                                          |
| <b>2x 2,9W</b> 3M2.000.U2K<br><b>2x 4,8W</b> 3M2.000.L2K | <b>2x 2,9W</b> 3M2.001.U2K<br><b>2x 4,8W</b> 3M2.001.L2K |
|                                                          |                                                          |
| Master box: 18pcs                                        | Master box: 18pcs                                        |

MADE IN ITALY

147

|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |




# TOMMY

## FLOODLIGHT



2M1.000.D1K



| TOMMY CCT LED VERSIONS |       |                         |                      |                   |                       |
|------------------------|-------|-------------------------|----------------------|-------------------|-----------------------|
| LAMP                   | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                       |
| GXS3                   | 3W    | 410 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W<br>INCANDESCENT  |
| GXS3                   | 10W   | 1290 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W<br>INCANDESCENT |

| AVAILABLE COLORS                   |                         |
|------------------------------------|-------------------------|
| COVER<br>(MOULDED COLOURS)         | DIFFUSER                |
| BLACK (A)    GREY (L)    WHITE (W) | FROSTED (X)    BLUE (U) |
|                                    |                         |
|                                    | GREEN (N)    ORANGE (R) |
|                                    |                         |

| <br>FULLY ADJUSTABLE POSITION | TOMMY-SQ          |             | TOMMY-SQ SPIKE    |             |
|-------------------------------|-------------------|-------------|-------------------|-------------|
|                               | 3W                | 5M1.000.G1K | 3W                | 5M1.001.G1K |
|                               | 10W               | 5M1.000.D1K | 10W               | 5M1.001.D1K |
| <br>FULLY ADJUSTABLE POSITION |                   |             |                   |             |
|                               | Master box: 18pcs |             | Master box: 18pcs |             |

| <br>FULLY ADJUSTABLE POSITION | TOMMY             |             | TOMMY SPIKE       |             |
|-------------------------------|-------------------|-------------|-------------------|-------------|
|                               | 3W                | 2M1.000.G1K | 3W                | 2M1.001.G1K |
|                               | 10W               | 2M1.000.D1K | 10W               | 2M1.001.D1K |
| <br>FULLY ADJUSTABLE POSITION |                   |             |                   |             |
|                               | Master box: 18pcs |             | Master box: 18pcs |             |

| <br>FULLY ADJUSTABLE POSITION | TOMMY-EL          |             | TOMMY-EL SPIKE    |             |
|-------------------------------|-------------------|-------------|-------------------|-------------|
|                               | 3W                | 2M2.000.G1K | 3W                | 2M2.001.G1K |
|                               | 10W               | 2M2.000.D1K | 10W               | 2M2.001.D1K |
| <br>FULLY ADJUSTABLE POSITION |                   |             |                   |             |
|                               | Master box: 18pcs |             | Master box: 18pcs |             |




GARDEN MODERN

# TOMMY 2L FLOODLIGHT



4M1.001.D2K



FLOODLIGHT

TOMMY 2L

| TOMMY 2L LED VERSIONS |              |                         |                      |                   |                    |
|-----------------------|--------------|-------------------------|----------------------|-------------------|--------------------|
| LAMP                  | POWER        | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                    |
| 2x GX53               | 2x3W<br>6W   | 820 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =75W INCANDESCENT  |
| 2x GX53 LED           | 2x10W<br>20W | 2570 lm                 | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =150W INCANDESCENT |

| AVAILABLE COLORS                   |                                                    |
|------------------------------------|----------------------------------------------------|
| COVER (MOULDED COLOURS)            | DIFFUSER                                           |
| BLACK (A)<br>GREY (L)<br>WHITE (W) | FROSTED (X)<br>BLUE (U)<br>GREEN (N)<br>ORANGE (R) |

| TOMMY-SQ 2L |                                              | TOMMY-SQ 2L SPIKE                            |                                      |
|-------------|----------------------------------------------|----------------------------------------------|--------------------------------------|
|             | 2x3W 6W 6M1.000.G2K<br>2x10W 20W 6M1.000.D2K | 2x3W 6W 6M1.001.G2K<br>2x10W 20W 6M1.001.D2K |                                      |
|             | <br>340/416<br>193/214                       | <br>340/416<br>193/214<br>180                | Master box: 8pcs<br>Master box: 8pcs |

| TOMMY 2L |                                              | TOMMY 2L SPIKE                               |                                      |
|----------|----------------------------------------------|----------------------------------------------|--------------------------------------|
|          | 2x3W 6W 4M1.000.G2K<br>2x10W 20W 4M1.000.D2K | 2x3W 6W 4M1.001.G2K<br>2x10W 20W 4M1.001.D2K |                                      |
|          | <br>340/416<br>193/214                       | <br>340/416<br>193/214<br>180                | Master box: 8pcs<br>Master box: 8pcs |

| TOMMY-EL 2L |                                              | TOMMY-EL 2L SPIKE                            |                                      |
|-------------|----------------------------------------------|----------------------------------------------|--------------------------------------|
|             | 2x3W 6W 4M2.000.G2K<br>2x10W 20W 4M2.000.D2K | 2x3W 6W 4M2.001.G2K<br>2x10W 20W 4M2.001.D2K |                                      |
|             | <br>340/416<br>193/214                       | <br>340/416<br>193/214<br>180                | Master box: 8pcs<br>Master box: 8pcs |


MADE IN ITALY

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GERMANA  
FLOODLIGHT

2N1.000.P27



## SUPPLIED FULLY PRE-WIRED

WITH SENSOR »  
220-240V  
(P57)

## GERMANA LED VERSIONS



| LAMP           | POWER        | LUMINOUS FLUX<br>(Φ TOTAL) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |                       |
|----------------|--------------|----------------------------|----------------------|-------------------|-----------------------|
| 2x<br>GX53     | 2x3W<br>6W   | 820 lm                     | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =75W<br>INCANDESCENT  |
| 2x<br>GX53 LED | 2x10W<br>20W | 2570 lm                    | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =150W<br>INCANDESCENT |

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

## GERMANA



|              |             |
|--------------|-------------|
| E27          | 2N1.000.P27 |
| 2x3W<br>6W   | 2N1.000.G2K |
| 2x10W<br>20W | 2N1.000.D2K |



Master box: 18pcs

## GIOVA/GERMANA

|              |             |
|--------------|-------------|
| E27          | 2N1.702.P27 |
| 2x3W<br>6W   | 2N1.702.G2K |
| 2x10W<br>20W | 2N1.702.D2K |



Master box: 18pcs



# GIUSEPPE

## FLOODLIGHT



### NEW GX53 LED Ø160

WATT  
SETTABLE

15 W 9 W

CCT  
SETTABLE

2700 K 4000 K

15W 1940 lm

More details at page 211

TUV 800



### SUPPLIED FULLY PRE-WIRED

NEW

GX53 LED

NEW GX53 144 lumen/W

GX53 LED + SENSOR

WITH SENSOR (220-240V)

11,3W CCT (.BSK)

17W CCT (.ESK)

4x GX53 LED

2x E27

2x E27 + SENSOR

WITH SENSOR (220-240V)

220-240V (.ES8)



| GIORGIO LED VERSIONS |                                |                     |                      |                        |                       |
|----------------------|--------------------------------|---------------------|----------------------|------------------------|-----------------------|
| LAMP                 | POWER                          | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE           |                       |
| NEW GX53 LED         | 15W<br>WATT SET<br>9W eco mode | 1940 lm<br>1300 lm  | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | ≈100W<br>INCANDESCENT |
| 4x GX53              | 4x10W<br>40W                   | 5160 lm             | 100-240V<br>50/60 Hz | 6500K/4000K/3000K      | ≈100W<br>HQL SON      |

| AVAILABLE COLORS             |          |           |          |
|------------------------------|----------|-----------|----------|
| RESIN BODY (MOULDED COLOURS) |          |           | DIFFUSER |
| BLACK (A)                    | GREY (L) | WHITE (W) | OPAL (Y) |

GIUSEPPE

2x E27 4P2.000.E28

4x10W 40W CCT SET 4P2.000.D4K

NEW VERSION GX53 LED 15W CCT SET WATT SET 4P1.000.E1P NEW VERSION

Master box: 10pcs

GIOVA/GIUSEPPE

2x E27 4P2.702.E28

4x10W 40W CCT SET 4P2.702.D4K

NEW VERSION GX53 LED 15W CCT SET WATT SET 4P1.702.E1P NEW VERSION


Master box: 10pcs





1L1.000.Z1L

IN GROUND INSTALLATION





WALL RECESSED INSTALLATION




| ALDO LED VERSIONS                                                                   |       |                     |                      |                    | AVAILABLE COLORS                                                                                                                                                                                                                                            |                                                                                                                                                                         |
|-------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LAMP                                                                                | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE | COVER (MOULDED COLOURS)                                                                                                                                                                                                                                     | DIFFUSER                                                                                                                                                                |
|  | 1,7W  | 150 lm              | 100-240V<br>50/60 Hz | 4000K              |    |   |
|                                                                                     |       |                     |                      | 3000K              |                                                                                                                                                                                                                                                             |   |

## ALDO

IN GROUND





Master box: 75pcs




RECESSED

## ALDO 1L

IN GROUND





Master box: 75pcs




RECESSED

## ALDO 2L

IN GROUND




Master box: 75pcs




RECESSED

## ALDO SQUARE

IN GROUND



Master box: 75pcs




RECESSED



CECI  
IN-GROUND

 fumagalli  
since 1973


1F2.000.U1K




 fumagalli  
since 1973


IN-GROUND


CECI 90


| NEW VERSION CECI 90 CCT LED VERSIONS                                                |       |                               |                      |              |              |
|-------------------------------------------------------------------------------------|-------|-------------------------------|----------------------|--------------|--------------|
| LAMP                                                                                | POWER | LUMINOUS FLUX (Φ TOTAL) UP TO | VOLTAGE RANGE        | CCT SETTABLE |              |
|  | 2,9W  | 390 lm                        | 100-240V<br>50/60 Hz | 4000K/2700K  | ≈35W HALOGEN |
|  | 4,8W  | 625 lm                        | 100-240V<br>50/60 Hz | 4000K/2700K  | ≈50W HALOGEN |

| AVAILABLE COLORS                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BODY (MOULDED COLOURS)                                                                                                                                                                        | DIFFUSER                                                                                                                                                                                                                                                                                                                                                                                           |
|  BLACK (A)<br> GREY (L) |  FROSTED (X)<br> BLUE (U)<br> GREEN (N)<br> ORANGE (R) |

| CECI 90                                                                             |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
|  | 2,9W                                                                                | 1F1.000.U1K                                                                         |
|                                                                                     | 4,8W                                                                                | 1F1.000.L1K                                                                         |
|  |                                                                                     |  |
| Master box: 40pcs                                                                   |                                                                                     |                                                                                     |

| CECI 90-2L                                                                          |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
|  | 2,9W                                                                                | 1F2.000.U1K                                                                         |
|                                                                                     | 4,8W                                                                                | 1F2.000.L1K                                                                         |
|  |                                                                                     |  |
| Master box: 40pcs                                                                   |                                                                                     |                                                                                     |

| CECI 90-3L                                                                            |                                                                                     |                                                                                       |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |  |    |
|   | 2,9W                                                                                | 1F3.000.U1K                                                                           |
|                                                                                       | 4,8W                                                                                | 1F3.000.L1K                                                                           |
|  |                                                                                     |  |
| Master box: 40pcs                                                                     |                                                                                     |                                                                                       |

| CECI 90-SQ                                                                            |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |
|  | 2,9W                                                                                  | 1F4.000.U1K                                                                           |
|                                                                                       | 4,8W                                                                                  | 1F4.000.L1K                                                                           |
|  |                                                                                       |  |
| Master box: 40pcs                                                                     |                                                                                       |                                                                                       |

MADE IN ITALY

159

GARDEN CLASSIC

GARDEN MEDIUM

GARDEN LARGE

BOLLARD

DOWNLIGHT

UP&amp;DOWN

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BULKHEAD

POST

SOLAR MODERN

SOLAR CLASSIC

LAMPS

10  
HALF  
LANTERN14  
REVIVAL40  
GARDEN  
SMALL56  
GARDEN  
MEDIUM76  
GARDEN  
LARGE92  
BOLLARD98  
BOLLARD126  
DOWNLIGHT134  
UP&DOWN146  
FLOODLIGHT156  
IN-GROUND162  
BRICKLIGHT172  
BULKHEAD190  
POST198  
SOLAR  
MODERN206  
SOLAR  
CLASSIC208  
LAMPS



CECI 120

IN-GROUND



**AVAILABLE COLORS**

**COVER**  
(MOULDED COLOURS)

BLACK (A)    GREY (L)

**DIFFUSER**

FROSTED (X)

BLUE (U)    GREEN (N)    ORANGE (R)

CE, CB, CB SCHEME, DOUBLE PROTECTION CLASS, ANTI-SHOCK, RECYCLABLE, ULTIMATE, IP66, IP67


| CECI 120 LED VERSIONS |       |                         |                   |                   |                    |
|-----------------------|-------|-------------------------|-------------------|-------------------|--------------------|
| LAMP                  | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE     | CCT SETTABLE      |                    |
|                       | 3W    | 410 lm                  | 100-240V 50/60 Hz | 6500K/4000K/3000K | = 40W INCANDESCENT |

**CECI 120**

**LED GX53 LAMP INCLUDED**

3W 2F1.000.G1K






Master box: 36pcs

**CECI 120-2L**

**LED GX53 LAMP INCLUDED**

3W 2F2.000.G1K






Master box: 36pcs

**CECI 120-3L**

**LED GX53 LAMP INCLUDED**

3W 2F3.000.G1K






Master box: 36pcs

**CECI 120-SQ**

**LED GX53 LAMP INCLUDED**

3W 2F4.000.G1K





Master box: 36pcs



IN-GROUND

CECI 160

TUV SUD, IECCE, CE SCHEME








| CECI 160 LED VERSIONS |       |                         |                   |                   |                     |
|-----------------------|-------|-------------------------|-------------------|-------------------|---------------------|
| LAMP                  | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE     | CCT SETTABLE      |                     |
|                       | 10W   | 1290 lm                 | 100-240V 50/60 Hz | 6500K/4000K/3000K | = 100W INCANDESCENT |

**CECI 160**

**LED GX53 LAMP INCLUDED**

10W 3F1.000.D1K






Master box: 18pcs

**CECI 160-2L**

**LED GX53 LAMP INCLUDED**

10W 3F2.000.D1K






Master box: 18pcs

**CECI 160-3L**

**LED GX53 LAMP INCLUDED**

10W 3F3.000.D1K






Master box: 18pcs

**CECI 160-SQ**

**LED GX53 LAMP INCLUDED**

10W 3F4.000.D1K





Master box: 18pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GARDEN MODERN

# NINA RANGE BRICKLIGHT



MADE IN  
ITALY

6C1.000.J1K

**CCT SETTABLE**

2700 K 4000 K 6500 K

SDCM <6



BRICKLIGHT

NINA RANGE

| NINA LED VERSIONS |       |                     |                   |
|-------------------|-------|---------------------|-------------------|
| LAMP              | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE     |
| R7s LED           | 3,5W  | 365 lm              | 100-240V 50/60 Hz |
| R7s LED           | 7,5W  | 790 lm              | 100-240V 50/60 Hz |
| R7s LED           | 10,5W | 1160 lm             | 100-240V 50/60 Hz |

| AVAILABLE COLORS             |          |
|------------------------------|----------|
| RESIN BODY (MOULDED COLOURS) | DIFFUSER |
| BLACK (A)                    | OPAL (Y) |
| GREY (L)                     |          |
| WHITE (W)                    |          |

**NINA 150**


**LED R7s LAMP INCLUDED** **3,5W** 6C1.000.J1K




Master box: **50pcs**

**NINA 190**


**LED R7s LAMP INCLUDED** **7,5W** 7C1.000.K1K

Master box: **50pcs**

**NINA 270**

**LED R7s LAMP INCLUDED** **10,5W** 8C1.000.P1K

Master box: **30pcs**

|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GARDEN MODERN

# LORENZA RANGE


BRIKLIGHT



MADE IN ITALY



AS1.000.J1K



BRICKLIGHT

LORENZA RANGE

| LORENZA LED VERSIONS |       |                     |                   |                   |
|----------------------|-------|---------------------|-------------------|-------------------|
| LAMP                 | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE     | CCT SETTABLE      |
| R7s LED              | 3,5W  | 365 lm              | 100-240V 50/60 Hz | 6500K/4000K/2700K |
| R7s LED              | 7,5W  | 790 lm              | 100-240V 50/60 Hz | 6500K/4000K/2700K |
| R7s LED              | 10,5W | 1160 lm             | 100-240V 50/60 Hz | 6500K/4000K/2700K |

| AVAILABLE COLORS             |          |           |           |
|------------------------------|----------|-----------|-----------|
| RESIN BODY (MOULDED COLOURS) |          |           | DIFFUSER  |
| BLACK (A)                    | GREY (L) | WHITE (W) | CLEAR (X) |
|                              |          |           |           |

**LORENZA 150**

**LED R7s LAMP INCLUDED**

**3,5W** AS1.000.J1K

Master box: **24pcs**

**LORENZA 190**

**LED R7s LAMP INCLUDED**

**7,5W** AS2.000.K1K

Master box: **24pcs**

**LORENZA 270**

**LED R7s LAMP INCLUDED**

**10,5W** AS3.000.P1K

Master box: **14pcs**

- 10 HALF LANTER
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS




# LETI RANGE

## BRICKLIGHT



2C1.000.G1K



| LETI/EXTRALETI 100 CCT LED VERSIONS |       |                         |                   |                   |                   |
|-------------------------------------|-------|-------------------------|-------------------|-------------------|-------------------|
| LAMP                                | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE     | CCT SETTABLE      |                   |
| GX53                                | 3W    | 410 lm                  | 100-240V 50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT |

| AVAILABLE COLORS        |          |           |          |
|-------------------------|----------|-----------|----------|
| COVER (MOULDED COLOURS) |          | DIFFUSER  |          |
| BLACK (A)               | GREY (L) | WHITE (W) | OPAL (Y) |
|                         |          |           |          |

**LETI 100 ROUND**

CCT SET LED GX53 LAMP INCLUDED 3W 2C1.000.G1K

Master box: 48pcs

**EXTRALETI 100 ROUND**

CCT SET LED GX53 LAMP INCLUDED 3W 2S1.000.G1K

Master box: 48pcs

**LETI 100 ROUND-GR**

CCT SET LED GX53 LAMP INCLUDED 3W 2C2.000.G1K

Master box: 48pcs

**EXTRALETI 100 ROUND-GR**

CCT SET LED GX53 LAMP INCLUDED 3W 2S2.000.G1K

Master box: 48pcs

**LETI 100 ROUND-EL**

CCT SET LED GX53 LAMP INCLUDED 3W 2C3.000.G1K

Master box: 48pcs

**EXTRALETI 100 ROUND-EL**

CCT SET LED GX53 LAMP INCLUDED 3W 2S3.000.G1K

Master box: 48pcs

**LETI 100 ROUND-ST**

CCT SET LED GX53 LAMP INCLUDED 3W 2C4.000.G1K

Master box: 48pcs

**EXTRALETI 100 ROUND-ST**

CCT SET LED GX53 LAMP INCLUDED 3W 2S4.000.G1K

Master box: 48pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



LETI/EXTRALETI 100 SQUARE

BRICKLIGHT



| LETI/EXTRALETI 100 LED VERSIONS |       |                         |                   |                   |                   |
|---------------------------------|-------|-------------------------|-------------------|-------------------|-------------------|
| LAMP                            | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE     | CCT SETTABLE      |                   |
|                                 | 3W    | 410 lm                  | 100-240V 50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT |

LETI 100 SQUARE

CCT SETLED GX53 LAMP INCLUDED

3W3C1.000.G1K

Master box: 48pcs

LETI 100 SQUARE-GR

CCT SETLED GX53 LAMP INCLUDED

3W3C2.000.G1K

Master box: 48pcs

LETI 100 SQUARE-EL

CCT SETLED GX53 LAMP INCLUDED

3W3C3.000.G1K

Master box: 48pcs

LETI 100 SQUARE-ST

CCT SETLED GX53 LAMP INCLUDED

3W3C4.000.G1K

Master box: 48pcs

| AVAILABLE COLORS                 |          |
|----------------------------------|----------|
| COVER                            | DIFFUSER |
| (MOULDED COLOURS)                |          |
| BLACK (A)   GREY (L)   WHITE (W) | OPAL (Y) |

EXTRALETI 100 SQUARE

CCT SETLED GX53 LAMP INCLUDED

3W3S1.000.G1K

Master box: 48pcs

EXTRALETI 100 SQUARE-GR

CCT SETLED GX53 LAMP INCLUDED

3W3S2.000.G1K

Master box: 48pcs

EXTRALETI 100 SQUARE-EL

CCT SETLED GX53 LAMP INCLUDED

3W3S3.000.G1K

Master box: 48pcs

EXTRALETI 100 SQUARE-ST

CCT SETLED GX53 LAMP INCLUDED

3W3S4.000.G1K

Master box: 48pcs



BRICKLIGHT

LETI/EXTRALETI 200

| LETI/EXTRALETI 200 CCT LED VERSIONS |       |                         |                   |                   |                   |
|-------------------------------------|-------|-------------------------|-------------------|-------------------|-------------------|
| LAMP                                | POWER | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE     | CCT SETTABLE      |                   |
|                                     | 3W    | 410 lm                  | 100-240V 50/60 Hz | 6500K/4000K/3000K | =40W INCANDESCENT |

LETI 200

CCT SETLED GX53 LAMP INCLUDED

3W4C1.000.G1K

Master box: 36pcs

LETI 200-GL

CCT SETLED GX53 LAMP INCLUDED

3W4C2.000.G1K

Master box: 36pcs

LETI 200-RS

CCT SETLED GX53 LAMP INCLUDED

3W4C3.000.G1K

Master box: 36pcs

LETI 200-HS

CCT SETLED GX53 LAMP INCLUDED

3W4C4.000.G1K

Master box: 36pcs

LETI 200-VP

CCT SETLED GX53 LAMP INCLUDED

3W4C5.000.G1K

Master box: 36pcs

| AVAILABLE COLORS                 |          |
|----------------------------------|----------|
| COVER                            | DIFFUSER |
| (MOULDED COLOURS)                |          |
| BLACK (A)   GREY (L)   WHITE (W) | OPAL (Y) |

EXTRALETI 200

CCT SETLED GX53 LAMP INCLUDED

3W4S1.000.G1K

Master box: 36pcs

EXTRALETI 200-GL

CCT SETLED GX53 LAMP INCLUDED

3W4S2.000.G1K

Master box: 36pcs

EXTRALETI 200-RS

CCT SETLED GX53 LAMP INCLUDED

3W4S3.000.G1K

Master box: 36pcs

EXTRALETI 200-HS

CCT SETLED GX53 LAMP INCLUDED

3W4S4.000.G1K

Master box: 36pcs

EXTRALETI 200-VP

CCT SETLED GX53 LAMP INCLUDED

3W4S5.000.G1K

Master box: 36pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GARDEN MODERN



# LETI 300/EXTRALETI 300

BRICKLIGHT



5S1.000.G2K

## NEW SLIMMER BODY VERSION



BRICKLIGHT

LETI/EXTRALETI 300

| LETI/EXTRALETI 300 LED VERSIONS |             |                         |                      |                   |                      |
|---------------------------------|-------------|-------------------------|----------------------|-------------------|----------------------|
| LAMP                            | POWER       | LUMINOUS FLUX (Φ TOTAL) | VOLTAGE RANGE        | CCT SETTABLE      |                      |
| 2x GX53                         | 2x 3W<br>6W | 820 lm                  | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =75W<br>INCANDESCENT |

| AVAILABLE COLORS           |          |           |          |
|----------------------------|----------|-----------|----------|
| COVER<br>(MOULDED COLOURS) |          | DIFFUSER  |          |
| BLACK (A)                  | GREY (L) | WHITE (W) | OPAL (Y) |

**LETI 300**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5C1.000.G2K

E27 5C1.000.E27

Master box: 24pcs

**EXTRALETI 300**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5S1.000.G2K

Master box: 20pcs

**LETI 300-GL**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5C2.000.G2K

E27 5C2.000.E27

Master box: 24pcs

**EXTRALETI 300-GL**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5S2.000.G2K

Master box: 20pcs

**LETI 300-RS**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5C3.000.G2K

E27 5C3.000.E27

Master box: 24pcs

**EXTRALETI 300-RS**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5S3.000.G2K

Master box: 20pcs

**LETI 300-HS**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5C4.000.G2K

E27 5C4.000.E27

Master box: 24pcs

**EXTRALETI 300-HS**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5S4.000.G2K

Master box: 20pcs

**LETI 300-VP**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5C5.000.G2K

E27 5C5.000.E27

Master box: 24pcs

**EXTRALETI 300-VP**

CCT SET LED GX53 LAMP INCLUDED 2x3W 6W 5S5.000.G2K

Master box: 20pcs

MADE IN ITALY

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



GARDEN MODERN

# BERTINA BULKHEAD




MADE IN ITALY



1B1.000

NO SCREWS  
AT SIGHT



BULKHEAD

BERTINA

| BERTINA CCT LED VERSIONS |       |                            |                      |                   |                       |
|--------------------------|-------|----------------------------|----------------------|-------------------|-----------------------|
| LAMP                     | POWER | LUMINOUS FLUX<br>(Φ TOTAL) | VOLTAGE<br>RANGE     | CCT<br>SETTABLE   |                       |
|                          | 3W    | 410 lm                     | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =40W<br>INCANDESCENT  |
|                          | 10W   | 1290 lm                    | 100-240V<br>50/60 Hz | 6500K/4000K/3000K | =100W<br>INCANDESCENT |

| AVAILABLE COLORS                                              |                     |
|---------------------------------------------------------------|---------------------|
| RESIN BODY<br>(MOULDED COLOURS)                               | DIFFUSER            |
| <div>BLACK (A)</div> <div>GREY (I)</div> <div>WHITE (W)</div> | <div>OPAL (Y)</div> |

**3W** 1B1.000.G1K

**10W** 1B1.000.D1K

Master box: **45pcs**

**AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED**

GX53 LED-CCT SETTABLE

3W

10W

- 10 HALF LANTER
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS



# BERTA

## BULKHEAD



### NEW GX53 LED Ø160

WATT  
SETTABLE

15 W 9 W

CCT  
SETTABLE

2700 K 4000 K

15W 1940 lm

More details at page 211



182.000

#### SINGLE BOX



cbm: 0,19  
Master box:  
16 pcs



#### SMART PACK AVAILABLE

- ✓ Save 21% volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items



SAVE  
21%  
VOLUME

cbm: 0,15  
Master box:  
16 pcs



NEW

### LED BULKHEAD GX53-CCT & WATT SETTABLE

| LAMP | POWER<br>SETTABLE         | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT<br>SETTABLE           |                              |
|------|---------------------------|------------------------|----------------------|---------------------------|------------------------------|
|      | <b>15W</b><br>WATT<br>SET | <b>1940 lm</b>         | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT<br>SET | <b>=150W</b><br>INCANDESCENT |
|      | <b>9W</b><br>eco mode     | <b>1300 lm</b>         |                      |                           | <b>=100W</b><br>INCANDESCENT |

### AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)



DIFFUSER

### BERTA E27

E27 282.000.P27

SMART  
PACK


E27 182.000.P27

SINGLE  
BOX

E27



SENSOR ❷ VERSION AVAILABLE 220-240V(P57)



Master box: **16pcs**


### BERTA GX53 LED

NEW  
VERSION


GX53 LED  
15W  
CCT  
SET  
WATT  
SET

182.000.E1P

GX53 LED




Master box: **16pcs**





# UMBERTA

## BULKHEAD



BERTINA

BERTA

UMBERTA



### NEW GX53 LED Ø160

**WATT SETTABLE**

15 W 9 W

**CCT SETTABLE**

2700 K 4000 K

**15W 1940 lm**

More details at page 211

**TUV 800**



1B3.000

### SMART PACK AVAILABLE

- ✓ Save 20% volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

SAVE  
20%  
VOLUME



cbm: **0,21**  
Master box:  
**16 pcs**



NEW

### LED BULKHEAD GX53-CCT & WATT SETTABLE

| LAMP | POWER SETTABLE         | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE           |                       |
|------|------------------------|---------------------|----------------------|------------------------|-----------------------|
|      | <b>15W</b><br>WATT SET | <b>1940 lm</b>      | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT |
|      | <b>9W</b><br>eco mode  | <b>1300 lm</b>      |                      |                        | =100W<br>INCANDESCENT |

### AVAILABLE COLORS

#### RESIN BODY (MOULDED COLOURS)



### UMBERTA E27




2x E27

E27



|               |             |            |
|---------------|-------------|------------|
| <b>E27</b>    | 2B3.000.E27 | SMART PACK |
| <b>E27</b>    | 1B3.000.E27 | SINGLE BOX |
| <b>2x E27</b> | 2B3.000.E28 | SMART PACK |
| <b>2x E27</b> | 1B3.000.E28 | SINGLE BOX |



Standard Master box: **12pcs**  
Smart Master box: **16pcs**

### UMBERTA GX53 LED



GX53 LED




NEW VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

1B3.000.E1P

NEW VERSION



NEW  
GX53  
144  
lumen/W

Master box: **12pcs**

| POWER SETTABLE | CCT SETTABLE  |
|----------------|---------------|
| 15W<br>SDCM <6 | 2700 K 4000 K |




# UMBERTA-EMERGENCY

BULKHEAD



EMERGENCY




| UMBERTA EMERGENCY - LED VERSIONS |                         |       |                               |                   |                   |
|----------------------------------|-------------------------|-------|-------------------------------|-------------------|-------------------|
| EMERGENCY KIT                    | MODE                    | POWER | LUMINOUS FLUX (Φ TOTAL) UP TO | VOLTAGE RANGE     | COLOR TEMPERATURE |
|                                  | NORMAL                  | 15W   | 2000 lm                       | 220-240V 50/60 Hz | 4000K             |
|                                  | EMERGENCY (min 3 hours) | 2,4W  | 250 lm                        | 220-240V 50/60 Hz | 4000K             |

## UMBERTA LED MAINTAINED EMERGENCY

LED 4000K 1B3.000.EM1

|                        |                                                                                                                   |
|------------------------|-------------------------------------------------------------------------------------------------------------------|
| PRODUCT TYPE           | Wall and Ceiling bulkhead with Emergency kit                                                                      |
| OPERATING VOLTAGE      | 220~240 vAC                                                                                                       |
| LUMINOUS FLUX & POWER  | 2000 lumen (Normal mode), 15W<br>250 lumen (Emergency mode), 2.4W                                                 |
| LED TYPE               | Edison SMD 2835, 4000 K                                                                                           |
| CRI                    | >80Ra                                                                                                             |
| PF (POWER FACTOR)      | >0.95                                                                                                             |
| BEAM ANGLE             | 120°                                                                                                              |
| OPERATING TEMPERATURE  | 0~50°C                                                                                                            |
| BATTERY                | Ni-MH, BK370Ah3.6V, Panasonic (3.5Ah, 3.6V)                                                                       |
| BATTERY OPERATING TIME | min 3 hours (250 lumen)                                                                                           |
| BATTERY CHARGING TIME  | 24 hours                                                                                                          |
| Drivers Standards      | EN 61347-1, EN 61347-2-7, EN 61347-2-13, EN 62384, EN 60598-2-22<br>EN 55015, EN61547, EN 61000-3-2, EN 61000-3-3 |
| Battery Standards      | EN 5501-1, EN 61000, EN 55014-2                                                                                   |



### HOW IT WORKS

In case of blackout, the emergency kit turns on. The Bulkhead switches from Normal mode to Emergency mode and keeps on working.



Provided with built-in test button to check battery status.





Green Led: identifies the emergency light and shows that the system is operating correctly.



BULKHEAD

# UMBERTA - SENSOR

SENSOR



| NEW LED BULKHEAD GX53-CCT & WATT SETTABLE |                |                     |                   |              |                    |
|-------------------------------------------|----------------|---------------------|-------------------|--------------|--------------------|
| LAMP                                      | POWER SETTABLE | LUMINOUS FLUX UP TO | VOLTAGE RANGE     | CCT SETTABLE |                    |
|                                           | 15W            | 1940 lm             | 100-240V 50/60 Hz | 4000K/2700K  | ≈150W INCANDESCENT |
|                                           | 9W eco mode    | 1300 lm             |                   | CCT SET      | ≈100W INCANDESCENT |

## UMBERTA MOTION & DAYLIGHT SENSOR


E27 WITH SENSOR 1B3.000.ES7

2x E27 WITH SENSOR 1B3.000.ES8

GX53 LED 15W GX53 WITH SENSOR 1B3.000.ESP

NEW VERSION

|                              |                                                       |
|------------------------------|-------------------------------------------------------|
| Product Type                 | Wall and Ceiling bulkhead with Motion&Daylight sensor |
| Sensor operating voltage     | 220~240 vAC (120v version available on demand)        |
| Version                      | GX53 LED, E27, 2xE27                                  |
| Sensor Operating Temperature | -10° +60°C                                            |
| Detection angle              | 30° - 150°                                            |
| Fields of detection          | 1 - up to 5 mt (adjustable)                           |



|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# GELMI

## BULKHEAD



### NEW GX53 LED Ø160

WATT SETTABLE  
15 W 9 W

CCT SETTABLE  
2700 K 4000 K

15W 1940 lm

More details at page 211

TUV 800



1G3.000

POWER SETTABLE  
15W 9W

CCT SETTABLE  
2700 K 4000 K

SDCM <6

NEW  
GX53  
144  
lumen/W

SUPPLIED FULLY PRE-WIRED

GX53 LED E27 E27 + SENSOR

WITH SENSOR 220-240V (.E57)



NEW

## LED BULKHEAD GX53-CCT &amp; WATT SETTABLE

| LAMP | POWER SETTABLE        | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE           |                                                |
|------|-----------------------|---------------------|----------------------|------------------------|------------------------------------------------|
|      | 15W<br>9W<br>eco mode | 1940 lm<br>1300 lm  | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT<br>=100W<br>INCANDESCENT |

## AVAILABLE COLORS


RESIN BODY  
(MOULDED COLOURS)

## GELMI

E27 1G3.000.E27

NEW VERSION  
GX53 LED 15W  
CCT SET  
WATT SET

1G3.000.E1P




Master box: 16pcs

## GELMI-EL

E27 2G3.000.E27

NEW VERSION  
GX53 LED 15W  
CCT SET  
WATT SET

2G3.000.E1P




Master box: 16pcs

## GELMI-GR

E27 3G3.000.E27

NEW VERSION  
GX53 LED 15W  
CCT SET  
WATT SET

3G3.000.E1P




Master box: 16pcs

# DANZI

## BULKHEAD



### NEW GX53 LED Ø160





15W 1940 lm

More details at page 211



1D3.000



NEW GX53  
144  
lumen/W



NEW

### LED BULKHEAD GX53-CCT & WATT SETTABLE

| LAMP | POWER SETTABLE        | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE           |                                                |
|------|-----------------------|---------------------|----------------------|------------------------|------------------------------------------------|
|      | 15W<br>9W<br>eco mode | 1940 lm<br>1300 lm  | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT<br>=100W<br>INCANDESCENT |

### AVAILABLE COLORS


| RESIN BODY<br>(MOULDED COLOURS) | DIFFUSER |
|---------------------------------|----------|
| BLACK (A)                       | OPAL (Y) |
| GREY (L)                        |          |
| WHITE (W)                       |          |

### DANZI



E27 1D3.000.E27

GX53 LED 15W CCT SET WATT SET 1D3.000.E1P




Master box: 16pcs

### DANZI-VE



E27 2D3.000.E27

GX53 LED 15W CCT SET WATT SET 2D3.000.E1P




Master box: 16pcs

### DANZI-GR



E27 2D3.000.E27

GX53 LED 15W CCT SET WATT SET 3D3.000.E1P



Master box: 16pcs

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



STUCCHI  
BULKHEAD

## NEW GX53 LED Ø160

WATT  
SETTABLE

15 W 9 W

CCT  
SETTABLE

2700 K 4000 K

15W 1940 lm

More details at page 211

TUV 800



1U3.000

## POWER SETTABLE

15W

9W

## CCT SETTABLE

2700 K

4000 K

SDCM &lt;6

NEW  
GX53  
144  
lumen/W

## SUPPLIED FULLY PRE-WIRED

GX53 LED

E27

E27 + SENSOR

WITH SENSOR »  
220-240V  
(E27)

## BACKLIT COLOURS AVAILABLE

\*To order the backlit version, add the following suffixes at the end of the code.



NEW

## LED BULKHEAD GX53-CCT &amp; WATT SETTABLE

| LAMP | POWER SETTABLE  | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | CCT SETTABLE           |                       |
|------|-----------------|---------------------|----------------------|------------------------|-----------------------|
|      | 15W<br>WATT SET | 1940 lm             | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT |
|      | 9W<br>eco mode  | 1300 lm             |                      |                        | =100W<br>INCANDESCENT |

## AVAILABLE COLORS

RESIN BODY  
(MOULDED COLOURS)

BLACK (A)

GREY (L)

WHITE (W)

OPAL (Y)



## STUCCHI

E27

1U3.000.E27


NEW  
VERSION

GX53 LED

15W


CCT  
SET  
WATT  
SET

1U3.000.E1P



Master box: 16pcs

## BACKLIT COLOURS VERSION



\*To order the backlit version add the following suffixes at the end of the code.

## CECCHI

E27

1H3.000.E27


NEW  
VERSION

GX53 LED

15W


CCT  
SET  
WATT  
SET

1H3.000.E1P



Master box: 16pcs

## BACKLIT COLOURS VERSION



\*To order the backlit version add the following suffixes at the end of the code.

## RITA

E27

1T3.000.E27


NEW  
VERSION

GX53 LED

15W

CCT  
SET  
WATT  
SET

1T3.000.E1P



Master box: 12pcs

## MOULDED COLOURS



## PAINTED COLOURS



\*To order the painted colour version add, the following suffixes at the end of the code.

# LUCIA

## BULKHEAD



### NEW GX53 LED Ø160

WATT  
SETTABLE

15 W 9 W

CCT  
SETTABLE

2700 K 4000 K


15W 1940 lm

More details at page 211



### BACKLIT COLOURS AVAILABLE

\*To order the backlit version, add the following suffixes at the end of the code.



### SUPPLIED FULLY PRE-WIRED



### SMART PACK AVAILABLE

- ✓ Save 21% volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

SAVE  
21%  
VOLUME



cbm: 0,15  
Master box:  
16 pcs




NEW

### LED BULKHEAD GX53-CCT & WATT SETTABLE

| LAMP | POWER<br>SETTABLE      | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT<br>SETTABLE        |                       |
|------|------------------------|------------------------|----------------------|------------------------|-----------------------|
|      | <b>15W</b><br>WATT SET | <b>1940 lm</b>         | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT |
|      | <b>9W</b><br>eco mode  | <b>1300 lm</b>         |                      |                        | =100W<br>INCANDESCENT |


### AVAILABLE COLORS

#### RESIN BODY (MOULDED COLOURS)



### SMART PACK \*

E27 1R4.000.E27




NEW  
VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

### LUCIA

E27 1R3.000.E27  
SINGLE BOX

E27 1R3.000.E1P




cbm: 0,19  
Master box: 16pcs

### REMI/LUCIA

E27 1R3.602.E27  
SINGLE BOX

E27 1R3.602.E1P



Master box: 16pcs

### SMART PACK \*

E27 2R4.000.E27




NEW  
VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

### LUCIA-EL

E27 2R3.000.E27  
SINGLE BOX

E27 2R3.000.E1P




cbm: 0,19  
Master box: 16pcs

### REMI/LUCIA-EL

E27 2R3.602.E27  
SINGLE BOX


E27 2R3.602.E1P



Master box: 16pcs

### SMART PACK \*

E27 3R4.000.E27




NEW  
VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

### LUCIA-GD

E27 3R3.000.E27  
SINGLE BOX

E27 3R3.000.E1P




cbm: 0,19  
Master box: 16pcs

### REMI/LUCIA-GD

E27 3R3.602.E27  
SINGLE BOX

E27 3R3.602.E1P



Master box: 16pcs



# MADDI

## BULKHEAD



### NEW GX53 LED Ø160

WATT  
SETTABLE

15 W 9 W

CCT  
SETTABLE

2700 K 4000 K

15W 1940 lm

More details at page 211



1V4.000



### BACKLIT COLOURS AVAILABLE

\*To order the backlit version, add the following suffixes at the end of the code.



### SUPPLIED FULLY PRE-WIRED



### SMART PACK AVAILABLE

- ✓ Save 21% volume
- ✓ ECO-friendly packaging
- ✓ Film wrapped items

SAVE  
21%  
VOLUME



cbm: **0,15**  
Master box: **16 pcs**



NEW

### LED BULKHEAD GX53-CCT & WATT SETTABLE

| LAMP | POWER<br>SETTABLE      | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | CCT<br>SETTABLE        |                       |
|------|------------------------|------------------------|----------------------|------------------------|-----------------------|
|      | <b>15W</b><br>WATT SET | <b>1940 lm</b>         | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =150W<br>INCANDESCENT |
|      | <b>9W</b><br>eco mode  | <b>1300 lm</b>         |                      |                        | =100W<br>INCANDESCENT |

### AVAILABLE COLORS

#### RESIN BODY (MOULDED COLOURS)



### SMART PACK \*

E27 1V4.000.E27




NEW  
VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

### MADDI

E27 1V3.000.E27  
SINGLE BOX

GX53 LED 15W 1V3.000.E1P




cbm: **0,19**  
Master box: **16 pcs**

### REMI/MADDI

E27 1V3.602.E27  
SINGLE BOX


GX53 LED 15W 1V3.602.E1P



Master box: **16 pcs**

### SMART PACK \*

E27 2V4.000.E27




NEW  
VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

### MADDI-VE

E27 2V3.000.E27  
SINGLE BOX

GX53 LED 15W 2V3.000.E1P




cbm: **0,19**  
Master box: **16 pcs**

### REMI/MADDI-VE

E27 2V3.602.E27  
SINGLE BOX


GX53 LED 15W 2V3.602.E1P



Master box: **16 pcs**

### SMART PACK \*

E27 3V4.000.E27




NEW  
VERSION

GX53 LED  
15W  
CCT SET  
WATT SET

### MADDI-HL

E27 3V3.000.E27  
SINGLE BOX

GX53 LED 15W 3V3.000.E1P




cbm: **0,19**  
Master box: **16 pcs**

### REMI/MADDI-HL

E27 3V3.602.E27  
SINGLE BOX

GX53 LED 15W 3V3.602.E1P



Master box: **16 pcs**

GIORGIO / ROSA  
POSTMADE IN  
ITALY

| GIORGIO LED VERSIONS   |                                       |                           |                      |                        |                       |
|------------------------|---------------------------------------|---------------------------|----------------------|------------------------|-----------------------|
| LAMP                   | POWER                                 | LUMINOUS FLUX<br>UP TO    | VOLTAGE<br>RANGE     | CCT<br>SETTABLE        |                       |
| <b>NEW</b><br>GX53 LED | <b>15W</b><br>WATT SET<br>9W eco mode | <b>1940 lm</b><br>1300 lm | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =100W<br>INCANDESCENT |
| 4x<br>GX53             | 4x10W<br>40W                          | <b>5160 lm</b>            | 100-240V<br>50/60 Hz | 6500K/4000K/3000K      | =100W<br>HQI - SON    |

| ROSA LED VERSIONS      |                                             |                           |                      |                        |                       |
|------------------------|---------------------------------------------|---------------------------|----------------------|------------------------|-----------------------|
| LAMP                   | POWER                                       | LUMINOUS FLUX<br>UP TO    | VOLTAGE<br>RANGE     | CCT<br>SETTABLE        |                       |
| <b>NEW</b><br>GX53 LED | <b>2x 15W</b><br>WATT SET<br>2x 9W eco mode | <b>1940 lm</b><br>1300 lm | 100-240V<br>50/60 Hz | 4000K/2700K<br>CCT SET | =100W<br>INCANDESCENT |
| GX53 LED               | 2x40W<br>80W                                | <b>10320 lm</b>           | 100-240V<br>50/60 Hz | 6500K/4000K/3000K      | =2x100W<br>HQI - SON  |

## EKTOR 2500 /GIORGIO

E27 4P2.361.G10.E28

4x10W CCT SET 4P2.361.G10.D4K

GX53 LED CCT SET WATT SET 4P1.361.G10.E1P



NEW  
VERSION

## EKTOR 2500 /ROSA

2x E27 4P2.361.G20.E28

2x 40W CCT SET 4P2.361.G20.D4K

GX53 LED CCT SET WATT SET 4P1.361.G20.E1P

NEW  
VERSION

## AVAILABLE COLORS

## RESIN BODY (MOULDED COLOURS)



## DIFFUSER



## AVAILABLE VERSIONS



|     |               |
|-----|---------------|
| 10  | HALF LANTER   |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



# BEPPE 400/VIVI 400

POST



## NEW HIGH POWER LED

INDOOR &  
OUTDOOR  
USE

+80°C  
-30°C

90%  
HUMIDITY

VOLTAGE SURGE  
RESISTANT

30W (3620 lm)  
50W (6550 lm)

More details at page 212




| BEPPE-VIVI 400 HIGH POWER LED |       |                        |                      |                       |                 |
|-------------------------------|-------|------------------------|----------------------|-----------------------|-----------------|
| LAMP                          | POWER | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | COLOUR<br>TEMPERATURE |                 |
| HIGH POWER<br>LED E27         | 30W   | 3620 lm                | 100-240V<br>50/60 Hz | 3000K/ 4000K          | =70W<br>HQI-SOI |
| HIGH POWER<br>LED E27         | 50W   | 6550 lm                | 100-240V<br>50/60 Hz | 4000K<br>3000K        | =70W<br>HQI-SOI |

| EKTOR 2500 / BEPPE400 |                |                            |
|-----------------------|----------------|----------------------------|
| 30W<br>LED            | CCT SET        | P50.361.Q1K                |
| 50W<br>LED            | 4000K<br>3000K | P50.361.H1L<br>P50.361.H1R |

| AVAILABLE COLORS                |          |           |           |
|---------------------------------|----------|-----------|-----------|
| RESIN BODY<br>(MOULDED COLOURS) |          |           | DIFFUSER  |
| BLACK (A)                       | GREY (L) | WHITE (W) | CLEAR (X) |
| OPAL (Y)                        |          |           |           |

| EKTOR 2500 MIDIPILAR / VIVI400 1L |                |                                    |
|-----------------------------------|----------------|------------------------------------|
| 30W<br>LED                        | CCT SET        | V50.361.A10.Q1K                    |
| 50W<br>LED                        | 4000K<br>3000K | V50.361.A10.H1L<br>V50.361.A10.H1R |





**FORTUNATO**  
for details see pag.203



**BISSO/ROSETTA**  
for details see pag. 209

**FELICE 200**  
for details see.205



**FELICE 400**  
for details see pag.205



## PROMO GARDEN 2025 - SOLAR RANGE

**SOLAR MODULE  
NEW VERSION**



**JOSEPHA 800**  
for details see pag.201



**FIORINA**  
for details see pag. 203

**MINILOT/ROSETTA**  
for details see pag.209



**JOSEPHA 160**  
for details see pag.201





## TÜV CERTIFIED LED MODULES



**MATERIAL**

- PC material suitable for outdoor use
- UV rays stabilized
- Anti shock

SWITCH FOR ON/OFF and BATTERY ACTIVATION

**SOLAR PANEL**

- Panel 2W/5V
- Monocrystalline
- High resistant tempered glass



**REPLACEABLE BATTERY**

- Quick and easy battery replacement
- LiFePO4 IFR 26650 3,4Ah-3,2V
- No risk of explosion



**PIR SENSOR**

- Detection angle 120°
- Fields of detection up to 5m
- Active for 25 sec.

**LENS**

- Frosted color lens reducing dazzle.
- Made of UV rays stabilized resin material to avoid yellowing process.
- Very compact and slim design for a better light distribution and for improving the light efficiency.

**LED**

- Power absorption of the led plate 2,7W (at 100% light)
- LED chips connected by pure **gold wires** able to withstand at the highest and lowest temperatures and granting a **lumens maintenance factor > 80%**.
- SMD 2835 LED.
- 4000K CRI>80



NEW VERSION



IP65

|  |                                                      |
|--|------------------------------------------------------|
|  | ✓ SOLAR PANEL COVER IN HIGH RESISTANT TEMPERED GLASS |
|  | ✓ IMPROVED IP PROTECTION                             |
|  | ✓ SAME SWITCH FOR ON/OFF AND BATTERY ACTIVATION      |
|  | ✓ VERY SIMPLE USE                                    |

| BATTERY ACTIVATION BOTTOM        | SELF-ADJUSTING WORKING MODE                                                                                         |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------|
|                                  | <p>7% 20 lm</p> <p>100% 280 lm for 25 sec.</p> <p>ENERGY SAVING MODE</p> <p>FULL POWER MODE</p>                     |
| OFF MODE TO PRESERVE THE BATTERY | <p>AUTONOMY 46h</p> <p>(at fully charged battery)</p> <p>CHARGING TIME 6h</p> <p>at 60.000 Lux (full sunny day)</p> |

| REPLACEABLE BATTERY |                                                                                                                                                                               |  |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                     | <ul style="list-style-type: none"> <li>• LiFePO4 IFR 26650E3400, 3,2V</li> <li>• No risk of explosion</li> <li>• Longer Lifetime</li> </ul>                                   |  |
| MOTION SENSOR       |                                                                                                                                                                               |  |
|                     | <ul style="list-style-type: none"> <li>• PIR Sensor control</li> <li>• Detection angle 120°</li> <li>• Fields of detection up to 5mt</li> <li>• Active for 25 sec.</li> </ul> |  |
| SOLAR PANEL         |                                                                                                                                                                               |  |
|                     | <ul style="list-style-type: none"> <li>• 5V/2W</li> <li>• Monocrystalline</li> <li>• High resistant tempered glass</li> </ul>                                                 |  |



LVD EMC ERP



SOLAR

# JOSEPHA

SOLAR MODERN



JS1.242.S3IOP2



## REFLECTOR - OPTIONAL COLOURS



SOLAR MODERN

JOSEPHA

## JOSEPHA SOLAR


| SOLAR MODULE<br>NEW VERSION | BATTERY<br>LIFEPO4 | SOLAR<br>PANEL | LUMINOUS FLUX | COLOUR TEMPERATURE |
|-----------------------------|--------------------|----------------|---------------|--------------------|
|                             | 3,4Ah<br>3,2V      | 5V/2W          | max<br>280Lm  | 4000K              |
|                             |                    |                |               |                    |



## AVAILABLE COLORS


| RESIN BODY<br>(MOULDED COLOURS)                               | REFLECTOR<br>(STANDARD VERSION) |
|---------------------------------------------------------------|---------------------------------|
| <div>BLACK (A)</div> <div>GREY (L)</div> <div>WHITE (W)</div> | <div>OPAL (.OP2)</div>          |

## JOSEPHA 160

SOLAR MODULE  
NEW VERSIONJS1.114.S3IOP2  
OPAL REFLECTOR

Master box: 18pcs

## JOSEPHA 800

SOLAR MODULE  
NEW VERSIONJS1.242.S3IOP2  
OPAL REFLECTOR

GARDEN CLASSIC

10

HALF

LANTERN

14

REVIVAL

40

GARDEN

SMALL

56

GARDEN

MEDIUM

76

GARDEN

LARGE

92

BOLLARD

98

BOLLARD

126

DOWNLIGHT

134

UP&amp;DOWN

146

GARDEN MODERN

146

FLOODLIGHT

156

IN-GROUND

162

BRICKLIGHT

172

BULKHEAD

190

POST

198

SOLAR

MODERN

206

SOLAR

CLASSIC

208

LAMPS

MADE IN ITALY

199

198



SOLAR

# FIORINA

SOLAR MODERN



FI1.542.S3L



SOLAR MODERN

## FIORINA/FORTUNATO

| FIORINA/FORTUNATO SOLAR  |                  |             |               |                    |
|--------------------------|------------------|-------------|---------------|--------------------|
| SOLAR MODULE NEW VERSION | BATTERY LIFE/PO4 | SOLAR PANEL | LUMINOUS FLUX | COLOUR TEMPERATURE |
|                          | 3,4Ah<br>3,2V    | 5V/2W       | max<br>280Lm  | 4000K              |
|                          |                  |             |               |                    |



### AVAILABLE COLORS

#### RESIN BODY

(MOULDED COLOURS)




### FIORINA




FI1.542.S3L



#### SPIKE INSTALLATION



#### GROUND INSTALLATION




Master box: **6pcs**

### FORTUNATO



FO1.000.S3L



Master box: **12pcs**


|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |



SOLAR

FELICE

SOLAR MODERN



FE1.575.S3LOP2



## REFLECTOR - OPTIONAL COLOURS



SOLAR MODERN

FELICE

| FELICE SOLAR             |                  |             |               |                    |
|--------------------------|------------------|-------------|---------------|--------------------|
| SOLAR MODULE NEW VERSION | BATTERY LIFE/POL | SOLAR PANEL | LUMINOUS FLUX | COLOUR TEMPERATURE |
|                          | 3,4Ah<br>3,2V    | 5V/2W       | max<br>280Lm  | 4000K              |
|                          |                  |             |               |                    |




| AVAILABLE COLORS                |          |           |                                 |
|---------------------------------|----------|-----------|---------------------------------|
| RESIN BODY<br>(MOULDED COLOURS) |          |           | REFLECTOR<br>(STANDARD VERSION) |
| BLACK (A)                       | GREY (L) | WHITE (W) | OPAL (OP2)                      |
|                                 |          |           |                                 |

FE1.575.S3LOP2  
OPAL REFLECTOR

Master box: 4pcs

FE1.574.S3LOP2  
OPAL REFLECTOR

Master box: 12pcs

FE1.573.S3LOP2  
OPAL REFLECTOR

Master box: 18pcs

FE1.572.S3LOP2  
OPAL REFLECTOR

Master box: 18pcs

MADE IN ITALY

- 10 HALF LANTERN
- 14 REVIVAL
- 40 GARDEN SMALL
- 56 GARDEN MEDIUM
- 76 GARDEN LARGE
- 92 BOLLARD
- 98 BOLLARD
- 126 DOWNLIGHT
- 134 UP&DOWN
- 146 FLOODLIGHT
- 156 IN-GROUND
- 162 BRICKLIGHT
- 172 BULKHEAD
- 190 POST
- 198 SOLAR MODERN
- 206 SOLAR CLASSIC
- 208 LAMPS





SOLAR

# SANTINA

SOLAR MODERN



SL1.257.S3LOP2



## REFLECTOR - OPTIONAL COLOURS



SOLAR MODERN

SANTINA

| SANTINA SOLAR            |                  |             |               |                    |
|--------------------------|------------------|-------------|---------------|--------------------|
| SOLAR MODULE NEW VERSION | BATTERY LIFE/PO4 | SOLAR PANEL | LUMINOUS FLUX | COLOUR TEMPERATURE |
|                          | 3,4Ah<br>3,2V    | 5V/2W       | max<br>280Lm  | 4000K              |
|                          |                  |             |               |                    |



| AVAILABLE COLORS                |                                 |
|---------------------------------|---------------------------------|
| RESIN BODY<br>(MOULDED COLOURS) | REFLECTOR<br>(STANDARD VERSION) |
|                                 |                                 |
| BLACK (A)                       | OPAL (.OP2)                     |

| SANTINA 800                      |  | SANTINA 500                      |  | SANTINA 300                      |  |
|----------------------------------|--|----------------------------------|--|----------------------------------|--|
| SL1.257.S3LOP2<br>OPAL REFLECTOR |  | SL1.256.S3LOP2<br>OPAL REFLECTOR |  | SL1.255.S3LOP2<br>OPAL REFLECTOR |  |
|                                  |  |                                  |  |                                  |  |
|                                  |  |                                  |  |                                  |  |

| SANTINA 800 SPIKE                |  | SANTINA 500 SPIKE                |  | SANTINA 300 SPIKE                |  |
|----------------------------------|--|----------------------------------|--|----------------------------------|--|
| SL1.260.S3LOP2<br>OPAL REFLECTOR |  | SL1.259.S3LOP2<br>OPAL REFLECTOR |  | SL1.258.S3LOP2<br>OPAL REFLECTOR |  |
|                                  |  |                                  |  |                                  |  |
|                                  |  |                                  |  |                                  |  |

MADE IN ITALY

GARDEN CLASSIC

GARDEN MEDIUM

GARDEN LARGE

BOLLARD

DOWNLIGHT

UP&amp;DOWN

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BULKHEAD

POST

SOLAR MODERN

SOLAR CLASSIC

LAMPS



SOLAR

# ROSETTA

## SOLAR CLASSIC



R22.151.S3L



SOLAR CLASSIC

ROSETTA

| ROSETTA SOLAR            |                  |             |               |                    |
|--------------------------|------------------|-------------|---------------|--------------------|
| SOLAR MODULE NEW VERSION | BATTERY LIFE/PO4 | SOLAR PANEL | LUMINOUS FLUX | COLOUR TEMPERATURE |
|                          | 3,4Ah<br>3,2V    | 5V/2W       | max<br>280Lm  | 4000K              |
|                          |                  |             |               |                    |



| AVAILABLE COLORS |             |
|------------------|-------------|
| RESIN BODY       | DIFFUSER    |
|                  |             |
| BLACK (A)        | FROSTED (F) |

### BISSO/ROSETTA



Master box: 12pcs

### MINILOT/ROSETTA



Master box: 12 pcs

### MIZAR/ROSETTA



Ø150

### IAFET/ROSETTA



Ø190

MADE IN ITALY

|     |               |
|-----|---------------|
| 10  | HALF LANTERN  |
| 14  | REVIVAL       |
| 40  | GARDEN SMALL  |
| 56  | GARDEN MEDIUM |
| 76  | GARDEN LARGE  |
| 92  | BOLLARD       |
| 98  | BOLLARD       |
| 126 | DOWNLIGHT     |
| 134 | UP&DOWN       |
| 146 | FLOODLIGHT    |
| 156 | IN-GROUND     |
| 162 | BRICKLIGHT    |
| 172 | BULKHEAD      |
| 190 | POST          |
| 198 | SOLAR MODERN  |
| 206 | SOLAR CLASSIC |
| 208 | LAMPS         |

207



# TÜV CERTIFIED LED MODULES



Tested according to :  
EN 62560:2012/A1: 2015  
IEC/TR 62778:2014  
EN 62493:2015



## Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.

## Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.

## Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.

|                      |                                                                                                                                                                                                                                                               |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LVD TESTED           | <b>LVD Certificate:</b> Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.    |
| EMC TESTED           | <b>EMC Certificate:</b> Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU and its amendments.                                                                                                                                       |
| NEW ERP              | <b>New ERP Attestation of conformity:</b> Fumagalli lamps fulfil the NEW European Ecodesign Directive EU 2019/2020, which sets stricter energy efficiency requirements, new verification tolerances and other factors such as bulb lifetime and warm-up time. |
| CB                   | <b>IECEE CB Certificate:</b> Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.                                         |
| RoHS REACH COMPLIANT | <b>RoHS REACH compliant:</b> Fumagalli lamps fulfil the RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendments and the REACH regulation (EC) No. 1907/2006, regarding the concentration of Very High Concern Substances (SVHC).   |



Fumagalli lamps meet the Saudi energy efficiency and functionality requirements according to SASO Directive 2870:2018/ADM1:2021. A SASO version packaging with Energy Efficiency label, according to 6,000 hours EEI test report, is available upon request.

# TÜV CERTIFIED LED MODULES

## E27 LED A60- CCT SETTABLE

|                             |                         |                                                         |                                                             |
|-----------------------------|-------------------------|---------------------------------------------------------|-------------------------------------------------------------|
| <p>VOLTAGE<br/>100-240V</p> | POWER                   | 8,5 W                                                   | 11 W                                                        |
|                             | LUMINOUS FLUX (Φ TOTAL) | 2700 K<br>4000 K<br>6500 K                              | 840 lm<br>920 lm<br>920 lm<br>1100 lm<br>1200 lm<br>1200 lm |
|                             | SIZE & SOCKET           | <p>86% savings<br/>~60W</p> <p>85% savings<br/>~75W</p> |                                                             |
|                             | VOLTAGE                 | 100-240 V                                               | 100-240 V                                                   |
| FREQUENCY                   |                         | 50/60 Hz                                                | 50/60 Hz                                                    |
| DISPLACEMENT FACTOR         |                         | >0,5                                                    | >0,7                                                        |
| PSTLM (NO FLICKER)          |                         | < 1                                                     | < 1                                                         |
| SVM                         |                         | 0,4                                                     | 0,4                                                         |
| CRI                         |                         | > 80                                                    | > 80                                                        |
| SDCM                        |                         | <6                                                      | <6                                                          |
| LIFETIME                    |                         | 25.000 h                                                | 25.000 h                                                    |
| EFFICIENCY CLASS            |                         | F                                                       | F                                                           |
| REF. CODE                   |                         | H.LED.A60.CCT                                           | H2.LED.A60.CCT                                              |

\*SASO version available upon request

## E27 LED FILAMENT A60

|                             |                         |                             |
|-----------------------------|-------------------------|-----------------------------|
| <p>VOLTAGE<br/>100-240V</p> | POWER                   | 6,5 W                       |
|                             | LUMINOUS FLUX (Φ TOTAL) | 2700 K<br>800 lm            |
|                             | SIZE & SOCKET           | <p>90% savings<br/>~40W</p> |
|                             | VOLTAGE                 | 100-240 V                   |
| FREQUENCY                   |                         | 50/60 Hz                    |
| DISPLACEMENT FACTOR         |                         | >0,5                        |
| CRI                         |                         | > 80                        |
| SWITCHING CYCLE             |                         | >100.000                    |
| WARM UP TIME                |                         | ≤ 0,5"                      |
| LIFETIME                    |                         | 25.000 h                    |
| EFFICIENCY CLASS            |                         | E                           |
| REF. CODE                   |                         | H.LED.FIL.3K                |

## TÜV CERTIFIED LED MODULES



## TÜV CERTIFIED LED MODULES

## GX53 LED Ø75mm- CCT SETTABLE


|           |                            |               |                  |  |
|-----------|----------------------------|---------------|------------------|--|
|           | POWER                      |               | <b>3 W</b>       |  |
|           | LUMINOUS FLUX (Φ TOTAL)    | 3000 K        | 405 lm           |  |
|           | 4000 K                     | 410 lm        |                  |  |
|           |                            | 6500 K        | 410 lm           |  |
|           | SIZE & SOCKET              |               |                  |  |
|           |                            |               | GX53             |  |
|           | LUMINOUS FLUX (Φ USE 120°) |               | 335 lm           |  |
|           | VOLTAGE                    |               | <b>100-240 V</b> |  |
|           | FREQUENCY                  |               | 50/60 Hz         |  |
|           | PSTLM (NO FLICKER)         |               | <1               |  |
|           | SVM                        |               | 0,4              |  |
|           | CRI                        |               | > 80             |  |
|           | SDCM                       |               | <6               |  |
|           | BEAM ANGLE                 |               | 112°             |  |
|           | SWITCHING CYCLE            |               | > 30.000         |  |
|           | WARM UP TIME               |               | 0s               |  |
|           | LIFETIME                   |               | 25.000 h         |  |
|           | EFFICIENCY CLASS           |               | E                |  |
| REF. CODE |                            | H.LED.G53.CCT |                  |  |

## GX53 LED Ø100mm - CCT SETTABLE

|           |                            |                |                  |  |
|-----------|----------------------------|----------------|------------------|--|
|           | POWER                      |                | <b>10W</b>       |  |
|           | LUMINOUS FLUX (Φ TOTAL)    | 3000 K         | 1190 lm          |  |
|           | 4000 K                     | 1290 lm        |                  |  |
|           |                            | 6500 K         | 1210 lm          |  |
|           | SIZE & SOCKET              |                |                  |  |
|           |                            |                | GX53             |  |
|           | LUMINOUS FLUX (Φ USE 120°) |                | 975 lm           |  |
|           | VOLTAGE                    |                | <b>100-240 V</b> |  |
|           | FREQUENCY                  |                | 50/60 Hz         |  |
|           | DISPLACEMENT FACTOR        |                | >0,5             |  |
|           | PSTLM (NO FLICKER)         |                | < 1              |  |
|           | SVM                        |                | 0,4              |  |
|           | CRI                        |                | > 80             |  |
|           | SDCM                       |                | <6               |  |
|           | BEAM ANGLE                 |                | 112°             |  |
|           | SWITCHING CYCLE            |                | > 30.000         |  |
|           | WARM UP TIME               |                | 0s               |  |
|           | LIFETIME                   |                | 25.000 h         |  |
| REF. CODE |                            | H3.LED.G53.CCT |                  |  |

**POWER SETTABLE**

- Switch settable in two different positions, to select the desired power.
- Full Power** mode or **eco mode** settable.



**LENS**

- Lens designed to widen the lamp beam angle and **avoid shadows on the diffuser**.
- Frosted color lens reducing dazzle.
- Made of UV stabilized resin material to avoid yellowing process.

**DRIVER 100-240V**

- IC isolated driver technology.
- Wide voltage range: **100-240V** +/- 10% tolerance to protect the driver both from voltage droop and voltage overshoot.
- **Double 400V capacitors** and multiple resistances to withstand power surges.



**CCT SETTABLE**

- Switch settable in two different positions, to select the desired Kelvin temperature (2700K, 4000K) and get a customized ambience.
- 2700K and 4000K led chips on 2 separate circuits to grant SDCM < 6.



**GOLD WIRE BONDING**

- LED chips connected by pure **gold wires** able to withstand at the highest and lowest temperatures and granting a **lumens maintenance factor > 80%**.
- SMD 2835 LED.
- LM80 STANDARD



**GX53 LAMP HOLDER**

- Quick and easy lamp replacement and version upgrade.
- Made of PBT material resisting up to 180° and 250V.
- ENEC certified.



## GX53 LED Ø160mm- POWER SETTABLE / CCT SETTABLE

|           |                            |                        |                           |  |
|-----------|----------------------------|------------------------|---------------------------|--|
|           | POWER                      |                        | <b>15W / 9 W eco mode</b> |  |
|           | LUMINOUS FLUX (Φ TOTAL)    | 2700 K                 | <b>1780 lm</b> 1200 lm    |  |
|           | 4000 K                     | <b>1940 lm</b> 1300 lm |                           |  |
|           | SIZE & SOCKET              |                        |                           |  |
|           |                            |                        | GX53                      |  |
|           | LUMINOUS FLUX (Φ USE 120°) |                        | 975 lm                    |  |
|           | VOLTAGE                    |                        | <b>100-240 V</b>          |  |
|           | FREQUENCY                  |                        | 50/60 Hz                  |  |
|           | DISPLACEMENT FACTOR        |                        | >0,9                      |  |
|           | PSTLM (NO FLICKER)         |                        | <0,1                      |  |
|           | SVM                        |                        | 0,4                       |  |
|           | CRI                        |                        | > 80                      |  |
|           | SDCM                       |                        | <6                        |  |
|           | SWITCHING CYCLE            |                        | > 15.000                  |  |
|           | WARM UP TIME               |                        | ≤ 0,5"                    |  |
|           | LIFETIME                   |                        | 25.000 h                  |  |
|           | EFFICIENCY CLASS           |                        | E                         |  |
| REF. CODE |                            | H7.LED.G53.CCT         |                           |  |



## TÜV CERTIFIED LED MODULES





## TÜV CERTIFIED LED MODULES


## E27 HIGH POWER LED

| POWER                   |        | 15 W                                                                              | 30W                                                                               |
|-------------------------|--------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| LUMINOUS FLUX (Φ TOTAL) | 3000 K | 1545 lm                                                                           | 3325lm                                                                            |
|                         | 4000 K | 1690 lm                                                                           | 3620 lm                                                                           |
| SIZE & SOCKET           |        |  |  |
| VOLTAGE                 |        | 100-240 V                                                                         | 100-240 V                                                                         |
| FREQUENCY               |        | 50/60 Hz                                                                          | 50/60 Hz                                                                          |
| DISPLACEMENT FACTOR     |        | >0,7                                                                              | >0,9                                                                              |
| PSTLM (NO FLICKER)      |        | <1                                                                                | <1                                                                                |
| SVM                     |        | 0,4                                                                               | 0,4                                                                               |
| CRI                     |        | > 80                                                                              | > 80                                                                              |
| SDCM                    |        | <6                                                                                | <6                                                                                |
| SWITCHING CYCLE         |        | 30.000                                                                            | 30.000                                                                            |
| WARM UP TIME            |        | < 0,5"                                                                            | < 1"                                                                              |
| LIFETIME                |        | 25.000 h                                                                          | 25.000 h                                                                          |
| EFFICIENCY CLASS        |        | F                                                                                 | E                                                                                 |
| REF. CODE               |        | H3.LED.HIP.CCT                                                                    | H2.LED.HIP.CCT                                                                    |


## E27 HIGH POWER LED

| POWER                   |        | 50 W                                                                                | 60W                                                                                 |
|-------------------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| LUMINOUS FLUX (Φ TOTAL) | 3000 K | 5850 lm                                                                             | 6800 lm                                                                             |
|                         | 4000 K | 6550 lm                                                                             | 7600 lm                                                                             |
| SIZE & SOCKET           |        |  |  |
| VOLTAGE                 |        | 100-240 V                                                                           | 100-240 V                                                                           |
| FREQUENCY               |        | 50/60 Hz                                                                            | 50/60 Hz                                                                            |
| DISPLACEMENT FACTOR     |        | >0,9                                                                                | >0,9                                                                                |
| PSTLM (NO FLICKER)      |        | <1                                                                                  | <1                                                                                  |
| SVM                     |        | 0,4                                                                                 | 0,4                                                                                 |
| CRI                     |        | > 80                                                                                | > 80                                                                                |
| SDCM                    |        | <6                                                                                  | <6                                                                                  |
| SWITCHING CYCLE         |        | 30.000                                                                              | 30.000                                                                              |
| WARM UP TIME            |        | < 1"                                                                                | < 0,5"                                                                              |
| LIFETIME                |        | 25.000 h                                                                            | 25.000 h                                                                            |
| KELVIN                  |        | 3000 K                                                                              | 4000 K                                                                              |
| EFFICIENCY CLASS        |        | E                                                                                   | E                                                                                   |
| REF. CODE               |        | H.LED.HIP.3K                                                                        | H4.LED.HIP.4K                                                                       |

## GU10 LED - CCT SETTABLE

| POWER                   |        | 2,9 W                                                                               |
|-------------------------|--------|-------------------------------------------------------------------------------------|
| LUMINOUS FLUX (Φ TOTAL) | 2700 K | 360 lm                                                                              |
|                         | 4000 K | 390 lm                                                                              |
| SIZE & SOCKET           |        |  |
| VOLTAGE                 |        | 100-240 V                                                                           |
| FREQUENCY               |        | 50/60 Hz                                                                            |
| DISPLACEMENT FACTOR     |        | >0,95                                                                               |
| PSTLM (NO FLICKER)      |        | <1                                                                                  |
| SVM                     |        | 0,4                                                                                 |
| CRI                     |        | > 80                                                                                |
| SDCM                    |        | <5                                                                                  |
| BEAM ANGLE              |        | 48°                                                                                 |
| SWITCHING CYCLE         |        | > 25.000                                                                            |
| WARM UP TIME            |        | ≤ 0,5"                                                                              |
| LIFETIME                |        | 25.000 h                                                                            |
| EFFICIENCY CLASS        |        | E                                                                                   |
| REF. CODE               |        | H.LED.GU10.CCT                                                                      |

## GU10 LED - CCT SETTABLE

| POWER                   |        | 4,8 W                                                                                 |
|-------------------------|--------|---------------------------------------------------------------------------------------|
| LUMINOUS FLUX (Φ TOTAL) | 2700 K | 580 lm                                                                                |
|                         | 4000 K | 625 lm                                                                                |
| SIZE & SOCKET           |        |  |
| VOLTAGE                 |        | 100-240 V                                                                             |
| FREQUENCY               |        | 50/60 Hz                                                                              |
| DISPLACEMENT FACTOR     |        | >0,95                                                                                 |
| PSTLM (NO FLICKER)      |        | <1                                                                                    |
| SVM                     |        | 0,4                                                                                   |
| CRI                     |        | > 80                                                                                  |
| SDCM                    |        | <5                                                                                    |
| BEAM ANGLE              |        | 47°                                                                                   |
| SWITCHING CYCLE         |        | > 25.000                                                                              |
| WARM UP TIME            |        | ≤ 0,5"                                                                                |
| LIFETIME                |        | 25.000 h                                                                              |
| EFFICIENCY CLASS        |        | E                                                                                     |
| REF. CODE               |        | H2.LED.GU10.CCT                                                                       |

## TÜV CERTIFIED LED MODULES



## TÜV CERTIFIED LED MODULES

## R7s LED 78mm- CCT SETTABLE

|               |     |                                                                                   |                         |                |        |
|---------------|-----|-----------------------------------------------------------------------------------|-------------------------|----------------|--------|
| SIZE & SOCKET | R7s |  | POWER                   | 3,5W           |        |
|               |     |                                                                                   | 2700 K                  | 325 lm         |        |
|               |     |                                                                                   | LUMINOUS FLUX (Φ TOTAL) | 4000 K         | 365 lm |
|               |     |                                                                                   |                         | 6500 K         | 365 lm |
|               |     |                                                                                   | VOLTAGE                 | 100-240 V      |        |
|               |     |                                                                                   | FREQUENCY               | 50/60 Hz       |        |
|               |     |                                                                                   | DISPLACEMENT FACTOR     | >0             |        |
|               |     |                                                                                   | PSTLM (NO FLICKER)      | <1             |        |
|               |     |                                                                                   | SVM                     | 0,4            |        |
|               |     |                                                                                   | CRI                     | > 80           |        |
|               |     |                                                                                   | SDCM                    | <6             |        |
|               |     |                                                                                   | SWITCHING CYCLE         | 45.000         |        |
|               |     |                                                                                   | WARM UP TIME            | ≤ 0,5"         |        |
|               |     |                                                                                   | LIFETIME                | 25.000 h       |        |
|               |     |                                                                                   | EFFICIENCY CLASS        | F              |        |
|               |     |                                                                                   | REF. CODE               | H7.LED.R7S.CCT |        |

CCT SETTABLE



2700 K 4000 K 6500 K

SDCM <4

INDOOR & OUTDOOR USE

-30 +80 °C

90% HUMIDITY

VOLTAGE SURGE RESISTANT

CE

LVD

EMC

ERP



ENERG+  
POWER-EFFICIENT & E-LIGHT  
HP-LED R7S CCT

4

WITH 12.000h



8102 61302

COMPLY WITH:  
EU 2019/2015  
EU 2019/2020



3,5 W

325 lm


HP-LED

100-240 V

25.000 h

VOLTAGE  
100-240V

## R7s LED 118mm- CCT SETTABLE


|                     |                                                                                    |                                                                                   |                         |        |        |
|---------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------|--------|--------|
| SIZE & SOCKET       | R7s                                                                                |  | POWER                   | 7,5 W  |        |
|                     |                                                                                    |                                                                                   | 2700 K                  | 680 lm |        |
|                     |  | CCT SETTABLE                                                                      | LUMINOUS FLUX (Φ TOTAL) | 4000 K | 775 lm |
|                     |                                                                                    |                                                                                   | 6500 K                  | 790 lm |        |
| VOLTAGE             |                                                                                    |                                                                                   | 100-240 V               |        |        |
| FREQUENCY           |                                                                                    |                                                                                   | 50/60 Hz                |        |        |
| DISPLACEMENT FACTOR |                                                                                    |                                                                                   | >0,5                    |        |        |
| PSTLM (NO FLICKER)  |                                                                                    |                                                                                   | <1                      |        |        |
| SVM                 |                                                                                    |                                                                                   | 0,4                     |        |        |
| CRI                 |                                                                                    |                                                                                   | > 80                    |        |        |
| SDCM                |                                                                                    |                                                                                   | <6                      |        |        |
| SWITCHING CYCLE     |                                                                                    |                                                                                   | 45.000                  |        |        |
| WARM UP TIME        |                                                                                    |                                                                                   | ≤ 0,5"                  |        |        |
| LIFETIME            |                                                                                    |                                                                                   | 25.000 h                |        |        |
| EFFICIENCY CLASS    |                                                                                    |                                                                                   | F                       |        |        |
| REF. CODE           |                                                                                    |                                                                                   | H8.LED.R7S.CCT          |        |        |



SILICONE PROTECTION  
DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY  
VOLTAGE SURGE RESISTANT



ENERGY  
PERFORMANCE CLASS  
HL LED R7S CCT




8  
4/10/12/20/25

LED 010102

COMPLY WITH:  
EU 2019/2015  
EU 2019/2020

VOLTAGE  
100-240V

## R7s LED 189mm- CCT SETTABLE

|                                                                                     |     |                                                                                     |                         |        |                     |                |
|-------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|-------------------------|--------|---------------------|----------------|
| SIZE & SOCKET                                                                       | R7s |  | POWER                   | 10,5 W |                     |                |
|                                                                                     |     |                                                                                     |                         | 2700 K | 1000 lm             |                |
|                                                                                     |     |                                                                                     | LUMINOUS FLUX (Φ TOTAL) | 4000 K | 1130 lm             |                |
|                                                                                     |     |                                                                                     |                         | 6500 K | 1160 lm             |                |
|  |     |  | CCT SETTABLE            |        | VOLTAGE             | 100-240 V      |
|                                                                                     |     |                                                                                     |                         |        | FREQUENCY           | 50/60 Hz       |
| INDOOR & OUTDOOR USE                                                                |     |  |                         |        | DISPLACEMENT FACTOR | >0,7           |
|                                                                                     |     |                                                                                     |                         |        | PSTLM (NO FLICKER)  | <1             |
| VOLTAGE SURGE RESISTANT                                                             |     |  |                         |        | SVM                 | 0,4            |
|                                                                                     |     |                                                                                     |                         |        | CRI                 | > 80           |
|                                                                                     |     |                                                                                     |                         |        | SDCM                | <6             |
|                                                                                     |     |                                                                                     |                         |        | SWITCHING CYCLE     | 45.000         |
|                                                                                     |     |                                                                                     |                         |        | WARM UP TIME        | ≤ 0,5"         |
|                                                                                     |     |                                                                                     |                         |        | LIFETIME            | 25.000 h       |
|                                                                                     |     |                                                                                     |                         |        | EFFICIENCY CLASS    | F              |
|                                                                                     |     |                                                                                     |                         |        | REF. CODE           | H9.LED.R7S.CCT |

## G9LED



|                                                                                                                     |        |                                                                                                                                                                                                                                |              |
|---------------------------------------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
|  <div>VOLTAGE<br/>100-240V</div> |        |                                                                                                                                             |              |
| POWER                                                                                                               |        | 1,7 W                                                                                                                                                                                                                          |              |
| LUMINOUS FLUX<br>(Φ TOTAL)                                                                                          | 3000 K | 150 lm                                                                                                                                                                                                                         |              |
|                                                                                                                     | 4000 K | 150 lm                                                                                                                                                                                                                         |              |
| SIZE & SOCKET                                                                                                       |        | <div>— Ø23 —</div> <div></div> <div></div> <div>G9</div> |              |
| VOLTAGE                                                                                                             |        | 100-240 V                                                                                                                                                                                                                      |              |
| FREQUENCY                                                                                                           |        | 50/60 Hz                                                                                                                                                                                                                       |              |
| PSTLM (NO FLICKER)                                                                                                  |        | <1                                                                                                                                                                                                                             |              |
| SVM                                                                                                                 |        | 0,9                                                                                                                                                                                                                            |              |
| CRI                                                                                                                 |        | > 80                                                                                                                                                                                                                           |              |
| SDCM                                                                                                                |        | <6                                                                                                                                                                                                                             |              |
| SWITCHING CYCLE                                                                                                     |        | >40.000                                                                                                                                                                                                                        |              |
| WARM UP TIME                                                                                                        |        | ≤ 0,5"                                                                                                                                                                                                                         |              |
| LIFETIME                                                                                                            |        | 15.000 h                                                                                                                                                                                                                       |              |
| KELVIN                                                                                                              |        | 3000 K                                                                                                                                                                                                                         | 4000 K       |
| EFFICIENCY CLASS                                                                                                    |        | F                                                                                                                                                                                                                              | F            |
| REF. CODE                                                                                                           |        | H.LED.G09.3K                                                                                                                                                                                                                   | H.LED.G09.4K |

|                                                                                                                                               |                                                                                                                           |                                                                                                                                |                                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
|  <div>COMPLY WITH:<br/>EU 2019/2015<br/>EU 2019/2020</div> |  <div>LVD<br/>EMC<br/>CB<br/>ERP</div> |  <div>2<br/>WATT 1000h<br/>E1222 8202</div> |  <div>IECEE CB CERTIFICATE:<br/>SG PSB-IE-02130</div> |
|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|

|                         |              |
|-------------------------|--------------|
| INDOOR & OUTDOOR USE    |              |
| -30 +80 °C              | 90% HUMIDITY |
| VOLTAGE SURGE RESISTANT |              |

\*SASO version available upon request.

## SOLAR MODULE

|             |                                                                                       |                                                                                      |                     |                                |  |
|-------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------|--------------------------------|--|
| SIZE        |    |  | ENERGY SAVING MODE  | LUMEN                          |  |
|             |                                                                                       |                                                                                      |                     | 20                             |  |
|             |                                                                                       |                                                                                      | AUTONOMY            | 46h                            |  |
|             |                                                                                       |                                                                                      |                     | 280                            |  |
|             |                                                                                       |                                                                                      | FULL POWER MODE     | ACTIVE TIME                    |  |
|             |                                                                                       |                                                                                      |                     | 25 sec                         |  |
| SOLAR PANEL |  |                                                                                      | CHARGING TIME       | 5V/2W                          |  |
|             |                                                                                       |                                                                                      |                     | Monocrystalline                |  |
|             |                                                                                       |                                                                                      | REPLACEABLE BATTERY | Antishock material             |  |
|             |                                                                                       |                                                                                      |                     | High resistant tempered glass  |  |
| PIR SENSOR  |  |                                                                                      | CHARGING TIME       | 6h                             |  |
|             |                                                                                       |                                                                                      |                     | LiFePO4 IFR26650E3400, 3.2V    |  |
|             |                                                                                       |                                                                                      | REPLACEABLE BATTERY | No Risk of explosion           |  |
|             |                                                                                       |                                                                                      |                     | Longer Lifetime                |  |
|             |                                                                                       |                                                                                      | PIR SENSOR          | Detection angle 120°           |  |
|             |                                                                                       |                                                                                      |                     | Fields of detection up to 5 mt |  |
| LED         |                                                                                       |                                                                                      | CHARGING TIME       | Active for 25 sec.             |  |
|             |                                                                                       |                                                                                      |                     | 1 CIRCUITS                     |  |
|             |                                                                                       |                                                                                      | REPLACEABLE BATTERY | SMD 2835                       |  |
|             |                                                                                       |                                                                                      |                     | COLOR RENDERING INDEX RA       |  |
|             |                                                                                       |                                                                                      | PIR SENSOR          | > 80                           |  |
|             |                                                                                       |                                                                                      |                     | SDCM                           |  |
|             |                                                                                       |                                                                                      | REPLACEABLE BATTERY | < 6                            |  |
|             |                                                                                       |                                                                                      |                     | LIFETIME                       |  |
|             |                                                                                       |                                                                                      | PIR SENSOR          | 30.000 h                       |  |
|             |                                                                                       |                                                                                      |                     | KELVIN                         |  |
|             |                                                                                       |                                                                                      | REPLACEABLE BATTERY | 4000 K                         |  |
|             |                                                                                       |                                                                                      |                     | REF. CODE                      |  |
|             |                                                                                       |                                                                                      | PIR SENSOR          | H2.LED.SOL.4K                  |  |
|             |                                                                                       |                                                                                      |                     |                                |  |



# PRODUCT DISPLAY STAND




## MARKETING SUPPORT

- Coloured images for emphasizing resin material advantages, Italian origin and brand identity.




## MODULAR CONSTRUCTION

- Modular design concept with stackable cubes for easy installation and screwless assembly.



## PACKAGING

- Kg. 39,2
- mc 0,49 (2 boxes)



## 360° DISPLAY

- 4 sides solid and resistant stand in MDF material, complete with basement for bollard fixation.
- The products on display can be personalized at the customer's choice.




## EASY CATALOGUE ACCESS

- QR code on every cube for direct access to Fumagalli internet website.



## VERY COMPACT SIZE

- Suitable to be installed in every showroom.
- Occupied surface area: 0,64 sqm only.



## SCAN ME!



VIDEO PRESENTATION



GET INSPIRED BY OUR **SUGGESTED COMBINATIONS...**

## BEST SELLER ALL-IN-ONE

CLASSIC + MODERN + REVIVAL



front

rear

## BEST SELLER MODERN RANGE



front

rear

## BEST SELLER REVIVAL RANGE



front

rear



## LOOKING FOR SOMETHING ELSE?

GARDEN RANGE

PROJECT RANGE



## TO SEE OUR COMPLETE COLLECTION

Ask for our NEW **General Catalogue 2025**  
or visit our website at  
[www.fumagalli.it](http://www.fumagalli.it)



## COME TO VISIT US



## RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY  
CHEMICAL FERTILIZERS



UV-RAY STABILIZED



RECYCLABLE



UV TREATED



DOUBLE  
INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

## HOW TO READ THE CODE

| DIFFUSER                | STRUCTURE                                                                              | SYSTEM                                      | COLOUR OF THE STRUCTURE                           | COLOUR OF THE DIFFUSER                                                                                           | ELECTRIFICATION                                                           | VARIANT                                                                                                |
|-------------------------|----------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| IDENTIFIES THE DIFFUSER | IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE) | IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT | IDENTIFIES THE COLOUR OF THE STRUCTURE            | IDENTIFIES THE COLOUR OF THE DIFFUSER                                                                            | IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS | IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVRE OR BACKLIT BASE ON THE BULKHEAD RANGE |
| <b>1R3</b>              | <b>613</b>                                                                             | <b>X20</b>                                  | <b>A</b>                                          | <b>Y</b>                                                                                                         | <b>E1P</b>                                                                | <b>OR1</b>                                                                                             |
|                         |                                                                                        |                                             | <b>A</b> BLACK<br><b>W</b> WHITE<br><b>L</b> GREY | <b>X</b> CLEAR/FROSTED<br><b>Y</b> OPAL<br><b>Z</b> SMOKED<br><b>N</b> GREEN<br><b>R</b> ORANGE<br><b>U</b> BLUE |                                                                           |                                                                                                        |





Fumagalli S.r.l.  
Via Ca' Bassa, 59  
21100 Varese - ITALY  
Tel. +39.0332.336353  
Fax. +39.0332.336358  
E-mail [customerservice@fumagalli.it](mailto:customerservice@fumagalli.it)



[www.fumagalli.it](http://www.fumagalli.it)

